

9. REFERENCES

- Alais, D., & Blake, R. (1998). Interactions between global motion and local binocular rivalry. *Vision Research*, *38*, 637-644.
- Aslin, C., Blake, R., & Chun, M.M. (2002). Perceptual learning of temporal structure. *Vision Research*, *42*, 3019-3030.
- Avidan, G., Harel, M., Hendler, T., Ben-Bashat, D., Zohary, E., & Malach, R. (2002). Contrast sensitivity in human visual areas and its relationship to object recognition. *Journal of Neurophysiology*, *87*, 3102-3116.
- Berns, G. (1999). Minireview: functional neuroimaging. *Life Sciences*, *65*, 2531-2540.
- Blake, R. (1988). Dichoptic reading: the role of meaning in binocular rivalry. *Perception & Psychophysics*, *44*, 133-141.
- Blake, R. (1989). A neural theory of binocular rivalry. *Psychological Review*, *96*, 145-167.
- Blake, R. (1995). Psychoanatomical strategies for studying human visual perception. In: T. Papathomas (Ed.) *Early Vision & Beyond* (pp. 17-25). London: The MIT Press.
- Blake, R., & Camisa, J. (1979). On the inhibitory nature of binocular rivalry suppression. *Journal of Experimental Psychology: Human Perception and Performance*, *5*, 315-323.
- Blake, R., & Fox, R. (1974a). Adaptation to invisible gratings and the site of binocular rivalry suppression. *Nature*, *249*, 488-490.
- Blake, R., & Fox, R. (1974b). Binocular rivalry suppression: insensitive to spatial frequency and orientation change. *Vision Research*, *14*, 687-692.
- Blake, R., & Logothetis, N.K. (2002). Visual competition. *Nature Reviews Neuroscience*, *3*, 13-21.

- Blake, R., O'Shea, R.P., & Mueller, T.J. (1992). Spatial zones of binocular rivalry in central and peripheral vision. *Visual Neuroscience*, 8, 469-478.
- Blake, R., Westendorf, D.H., & Overton, R. (1980). What is suppressed during binocular rivalry? *Perception*, 9, 223-231.
- Blake, R., Yu, K., Lokey, M., & Norman, H. (1998). Binocular rivalry and motion perception. *Journal of Cognitive Neuroscience*, 10, 46-60.
- Blakemore, C., & Nachmias, J. (1971). The orientation specificity of two visual after-effects. *Journal of Physiology*, 213, 157-174.
- Blakemore, C.B., & Campbell, F.W. (1969). On the existence of neurons in the human visual system selectively sensitive to the orientation and size of retinal images. *Journal of Physiology*, 203, 237-260.
- Bradley, W.G., & Stark, D.D. (1999). *Magnetic resonance imaging*. St. Louis, Mosby.
- Brainard, D.H. (1997). The Psychophysics Toolbox. *Spatial Vision*, 10, 433-436.
- Breese, B.B. (1899). On inhibition. *Psychological Review*, 3, 1-65.
- Breitmeyer, B.G. (1984). *Visual masking: an integrative approach*. Oxford, Clarendon Press.
- Britten, K.H., Shadlen, M.N., Newsome, W.T., & Movshon, J.A. (1992). The analysis of visual motion: a comparison of neuronal and psychophysical performance. *Journal of Neuroscience*, 12, 4745-4765.
- Brown, R.J., & Norcia, A.M. (1997). A method for investigating binocular rivalry in real-time with the steady-state VEP. *Vision Research*, 37, 2401-2408.
- Bruce, C., Desimone, R., & Gross, C. (1981). Visual properties of neurons in a polysensory area in superior temporal sulcus of macaque. *Journal of Neurophysiology*, 2, 369-384.

- Buchel, C., Price, C., & Friston, K. (1998). A multimodal language region in the ventral visual pathway. *Nature*, *394*, 274-277.
- Burkhalter, A., & van Essen, D.C. (1986). Processing of color, form and disparity information in visual areas VP and V2 of ventral extrastriate cortex in the macaque monkey. *Journal of Neuroscience*, *6*, 2327-2351.
- Campbell, F.W., Gilinsky, A.S., Howell, E.R., Riggs, L.A., & Atkinson, J. (1973). The dependence of monocular rivalry on orientation. *Perception*, *2*, 123-125.
- Carpenter, R.H.S., & Blakemore, C. (1973). Interaction between orientations in human vision. *Experimental Brain Research*, *18*, 287-303.
- Churchland, P., & Sejnowski, T. (1992). *The computational brain*. Cambridge, MIT Press.
- Collyer, S.C., & Bevan, W. (1970). Objective measurement of dominance control in binocular rivalry. *Perception & Psychophysics*, *8*, 437-439.
- Coren, S., & Kaplan, C.P. (1973). Patterns of ocular dominance. *American Journal of Optometry and Archives of American Academy of Optometry*, *50*, 283-292.
- Desimone, R., & Duncan, J. (1995). Neural mechanisms of selective visual attention. *Annual Review Neuroscience*, *18*, 193-222.
- Desimone, R., Wessinger, M., Thomas, L., & Schneider, W. (1990). Attentional control of visual perception: Cortical and subcortical mechanism. *Cold Spring Harbor symposia on quantitative biology*, *55*, 963-971.
- Douglas, R.J., & Martin, K.A. (1991). A functional microcircuit for cat visual cortex. *Journal of Physiology*, *440*, 735-769.

- Dumoulin, S., Bittar, R., Kabani, N., Baker Jr, C., Le Goualher, G., Pike, G., & Evans, A. (2000). A new anatomical landmark for reliable identification of human area V5/MT: a quantitative analysis of sulcal patterning. *Cerebral Cortex, 10*, 454-463.
- Eckhorn, R., Bauer, R., Jordan, W., Brosch, M., Kruse, W., Munk, M., & Reitboeck, H.J. (1988). Coherent oscillations: A mechanism of feature linking in the visual cortex? *Biological Cybernetics, 60*, 121-130.
- Engel, E. (1956). The role of content in binocular rivalry. *American Journal of Psychology, 69*, 87-91.
- Fahle, M. (1982). Binocular rivalry: suppression depends on orientation and spatial frequency. *Vision Research, 22*, 787-800.
- Fahle, M. (1997). Specificity of learning curvature, orientation, and vernier discrimination. *Vision Research, 37*, 1885-1895.
- Fine, I., & Jacobs, R.A. (2002). Comparing perceptual learning across tasks: a review. *Journal of Vision, 2*, 190-203.
- Fiorentini, A., & Berardi, N. (1980). Perceptual learning specific for orientation and spatial frequency. *Nature, 287*, 43-44.
- Fiorentini, A., & Berardi, N. (1981). Learning in grating waveform discrimination: specificity for orientation and spatial frequency. *Vision Research, 21*, 1149-1158.
- Fox, R., & Check, R. (1966). Forced-choice form recognition during binocular rivalry. *Psychonomic Science, 6*, 471-472.
- Fox, R., & Check, R. (1972). Independence between binocular rivalry suppression duration and magnitude of suppression. *Journal of Experimental Psychology, 93*, 283-289.

- Fox, R., & Herrmann, J. (1967). Stochastic properties of binocular rivalry alternations. *Perception & Psychophysics*, 2, 432-436.
- Fox, R., & Rasche, F. (1969). Binocular rivalry and reciprocal inhibition. *Perception & Psychophysics*, 5, 215-217.
- Fox, R., Todd, S., & Bettinger, L.A. (1975). Optokinetic nystagmus as an objective indicator of binocular rivalry. *Vision Research*, 15, 849-853.
- Freeman, A.W. (2005). Multistage model for binocular rivalry. *Journal of Neurophysiology*, 94, 4412-4420.
- Graziano, M.S.A., Andersen, R.A., & Snowden, R.J. (1994). Tuning of MST neurons to spiral motions. *Journal of Neuroscience*, 14, 54-67.
- Hastorf, A.H., & Myro, G. (1959). The effect of meaning on binocular rivalry. *American Journal of Psychology*, 72, 393-400.
- Haxby, J.V., Gobbini, M.I., Furey, M.L., Ishai, A., Schouten, J.L., & Pietrini, P. (2001). Distributed and overlapping representations of faces and objects in ventral temporal cortex. [see comments.]. *Science*, 293, 2425-2430.
- Haynes, J.D., Deichmann, R., & Rees, G. (2005). Eye-specific effects of binocular rivalry in the human lateral geniculate nucleus. *Nature*, 438, 496-499.
- He, S., & Davis, W.L. (2001). Filling-in at the natural blind spot contributes to binocular rivalry. *Vision Research*, 41, 835-840.
- Helmholtz, H.V. (1925). *Treatise on physiological optics*. New York, Dover.
- Hochberg, J. (1964). Depth perception loss with local monocular suppression: a problem in the explanation of stereopsis. *Science*, 145, 1334-1335.
- Hudenell, H.K., & Hollins, M. (1979). Fatigue of the suppression mechanism following prolonged binocular rivalry. *Investigative Ophthalmology & Visual Science, Suppl.*, 173.

- Hupé, J.M., & Rubin, N. (2003). The dynamics of bi-stable alternation in ambiguous motion displays: a fresh look at plaids. *Vision Research*, *43*, 531-548.
- Kandel, E.R., Schwartz, J.H., & Jessell, T.M. (2000). Principles of neural science. New York: McGraw-Hill.
- Karni, A., & Sagi, D. (1991). Where practice makes perfect in texture discrimination: evidence for primary visual cortex plasticity. *Proceedings of the National Academy of Sciences of the United States of America*, *88*, 4966-4970.
- Karni, A., & Sagi, D. (1993). The time course of learning a visual skill. *Nature*, *365*, 250-252.
- Komatsu, H., Kinoshita, M., & Murakami, I. (2000). Neural responses in the retinotopic representation of the blind spot in the macaque V1 to stimuli for perceptual filling-in. *Journal of Neuroscience*, *20*, 9310-9319.
- Kovács, G., Vogels, R., & Orban, G.A. (1995). Cortical correlate of pattern backward masking. *Proceedings of the National Academy of Sciences of the United States of America*, *92*, 5587-5591.
- Kovács, I., Pappathomas, T.V., Yang, M., & Fehér, Á. (1996). When the brain changes its mind: interocular grouping during binocular rivalry. *Proceedings of the National Academy of Sciences of the United States of America*, *93*, 15508-15511.
- Lack, L.C. (1969). The effect of practice on binocular control. *Perception and Psychophysics*, *6*, 397-400.
- Lack, L.C. (1973). Amplitude of visual suppression during the control of binocular rivalry. *Perception & Psychophysics*, *13*, 374-378.

- Lack, L.C. (1974). Selective attention and the control of binocular rivalry. *Perception & Psychophysics*, *15*, 193-199.
- Lansing, R.W. (1964). Electroencephalographic correlates of binocular rivalry in man. *Science*, *146*, 1325-1327.
- Lee, D.K., Itti, L., Koch, C., & Braun, J. (1999). Attention activates winner-take-all competition among visual filters. *Nature Neuroscience*, *2*, 375-381.
- Lee, S.H., & Blake, R. (1999). Rival ideas about binocular rivalry. *Vision Research*, *39*, 1447-1454.
- Lehky, S.R. (1988). An astable multivibrator model of binocular rivalry. *Perception*, *17*, 215-228.
- Lehky, S.R., & Blake, R. (1991). Organization of binocular pathways: modeling and data related to rivalry. *Neural Computation*, *3*, 44-53.
- Lehky, S.R., & Maunsell, J.H.R. (1996). No binocular rivalry in the LGN of alert macaque monkeys. *Vision Research*, *36*, 1225-1234.
- Lehmkuhle, S.W., & Fox, R. (1975). Effect of binocular rivalry suppression on the motion aftereffect. *Vision Research*, *15*, 855-859.
- Lennie, P. (1998). Single units and visual cortical organization. *Perception*, *27*, 889-935.
- Leopold, D.A., & Logothetis, N.K. (1996). Activity changes in early visual cortex reflect monkeys' percepts during binocular rivalry. *Nature*, *379*, 549-553.
- Levelt, W.J.M. (1965). *On binocular rivalry*. Soesterberg, The Netherlands, Institute for Perception RVO-TNO.
- Li, D.F., Freeman, A.W., & Alais, D. (2005). Contrast sensitivity of form and motion discrimination during binocular rivalry. *Vision Research*, *45*, 1255-1263.

- Logothetis, N.K. (1998). Single units and conscious vision. *Philosophical Transactions of the Royal Society of London - Series B: Biological Sciences*, 353, 1801-1818.
- Logothetis, N.K., Leopold, D.A., & Sheinberg, D.L. (1996). What is rivaling during binocular rivalry? *Nature*, 380, 621-624.
- Logothetis, N.K., & Schall, J.D. (1989). Neuronal correlates of subjective visual perception. *Science*, 245, 761-763.
- Logothetis, N.K., & Sheinberg, D.L. (1996). Visual object recognition. *Annual Review of Neuroscience*, 19, 577-621.
- Lumer, E. (1998). A neural model of binocular integration and rivalry based on the coordination of action-potential timing in primary visual cortex. *Cerebral Cortex*, 8, 553-561.
- Lumer, E.D., Friston, K.J., & Rees, G. (1998). Neural correlates of perceptual rivalry in the human brain. *Science*, 280, 1930-1934.
- MacKay, D.M. (1968). Evoked potentials reflecting interocular and monocular suppression. *Nature*, 217, 81-83.
- Macknik, S.L., & Livingstone, M.S. (1998). Neuronal correlates of visibility and invisibility in the primate visual system. *Nature Neuroscience*, 1, 144-149.
- Maier, A., Logothetis, N.K., & Leopold, D.A. (2005). Global competition dictates local suppression in pattern rivalry. *Journal of Vision*, 5, 668-677.
- Makous, W., & Sanders, R.K. (1978). Suppression interactions between fused patterns. In: A.C. Armington, J. Krauskopf, & B.R. Wooten (Eds.), *Visual Psychophysics and Physiology* (pp. 167-179). New York: Academic Press.

- Malach, R., Reppas, J.B., Benson, R.R., Kwong, K.K., Jiang, H., Kennedy, W.A., Ledden, P.J., Brady, T.J., Rosen, B.R., & Tootell, R.B. (1995). Object-related activity revealed by functional magnetic resonance imaging in human occipital cortex. *Proceedings of the National Academy of Sciences of the United States of America*, *92*, 8135-8139.
- Maunsell, J.H., & Van Essen, D.C. (1983). Functional properties of neurons in middle temporal visual area of the macaque monkey. I. Selectivity for stimulus direction, speed, and orientation. *Journal of Neurophysiology*, *49*, 1127-1147.
- Maunsell, J.H.R., & Van Essen, D.C. (1983a). The connection of the middle temporal visual area (MT) and their relationship to a cortical hierarchy in the macaque monkey. *Journal of Neuroscience*, *3*, 2563-2586.
- McClurkin, J.W., Optican, L.M., & Richmond, B.J. (1994). Cortical feedback increases visual information transmitted by monkey parvocellular lateral geniculate nucleus neurons. *Visual Neuroscience*, *11*, 601-617.
- McKeefry, D.J., & Zeki, S. (1997). The position and topography of the human colour centre as revealed by functional magnetic resonance imaging. *Brain*, *120*, 2229-2242.
- Meenes, M. (1930). A phenomenological description of retinal rivalry. *American Journal of Psychology*, *42*, 260-269.
- Meng, M., & Tong, F. (2004). Can attention selectively bias bistable perception? Differences between binocular rivalry and ambiguous figures. *Journal of Vision*, *4*, 539-551.
- Meredith, G.M., & Meenes, C.G.W. (1962). Effect of instructional conditions on rate of binocular rivalry. *Perception & Motor Skills*, *15*, 655-664.

- Merigan, W.H., & Maunsell, J.H.R. (1993). How parallel are the primate visual pathways? *Annual Review of Neuroscience*, *16*, 369-402.
- Miller, S.M., Liu, G.B., Ngo, T.T., Hooper, G., Riek, S., Carson, R.G., & Pettigrew, J.D. (2000). Interhemispheric switching mediates perceptual rivalry. *Current Biology*, *10*, 383-392.
- Mishkin, M., Ungerleider, L.G., & Macko, K.A. (1983). Object vision and spatial vision: two cortical pathways. *Trends in Neurosciences*, *6*, 414-417.
- Mitchell, J.F., Stoner, G.R., & Reynolds, J.H. (2004). Object-based attention determines dominance in binocular rivalry. *Nature*, *429*, 410-413.
- Newsome, W.T., & Paré, E.B. (1988). A selective impairment of motion perception following lesions of the middle temporal visual area (MT). *Journal of Neuroscience*, *8*, 2201-2211.
- Nguyen, V.A., Freeman, A.W., & Alais, D. (2003). Increasing depth of binocular rivalry suppression along two visual pathways. *Vision Research*, *43*, 2003-2008.
- Nguyen, V.A., Freeman, A.W., & Wenderoth, P. (2001). The depth and selectivity of suppression in binocular rivalry. *Perception & Psychophysics*, *63*, 348-360.
- Norman, H., Norman, F., & Bilotta, J. (2000). The temporal course of suppression during binocular rivalry. *Perception*, *29*, 831-841.
- O'Shea, R.P., & Corballis, P.M. (2000). Binocular rivalry in a split-brain observer. *Investigative Ophthalmology & Visual Science*, *41*, 3989.
- O'Shea, R.P., & Crassini, B. (1981). The sensitivity of binocular rivalry suppression to changes in orientation assessed by reaction-time and forced-choice techniques. *Perception*, *10*, 283-293.

- O'Shea, R.P., & Williams, D.R. (1996). Binocular rivalry with isoluminant stimuli visible only via short-wavelength-sensitive cones. *Vision Research*, *36*, 1561-1571.
- Oram, M.W., & Perrett, D.I. (1994). Responses of anterior superior temporal polysensory neurons to "biological motion" stimuli. *Journal of Cognitive Neuroscience*, *6*, 99-116.
- Orrison, W.W., Lewine, J.D., Sanders, J.A., & Hartshorne, M.F. (1995). *Functional brain imaging*. St. Louis, Mosby.
- Pelli, D.G. (1997). The VideoToolbox software for visual psychophysics: transforming numbers into movies. *Spatial Vision*, *10*, 437-442.
- Pettigrew, J.D. (2001). Searching for the switch: Neural bases for perceptual rivalry alternations. *Brain and Mind*, *2*, 85-118.
- Pettigrew, J.D., & Miller, S.M. (1998). A 'sticky' interhemispheric switch in bipolar disorder? *Proceedings of the Royal Society of London - Series B: Biological Sciences*, *265*, 2141-2148.
- Polonsky, A., Blake, R., Braun, J., & Heeger, D.J. (2000). Neuronal activity in human primary visual cortex correlates with perception during binocular rivalry. *Nature Neuroscience*, *3*, 1153-1159.
- Regan, D. (1991). Binocular Vision. *Vision and visual dysfunction*, *9* (pp. 93-110). Hampshire: Macmillan.
- Regan, D., Giaschi, D., Sharpe, J.A., & Hong, X.H. (1992). Visual processing of motion-defined form: selective failure in patients with parietotemporal lesions. *Journal of Neuroscience*, *12*, 2198-2210.
- Reynolds, J.H., Alborzian, S., & Stoner, G.R. (2003). Exogenously cued attention triggers competitive selection of surfaces. *Vision Research*, *43*, 59-66.

- Reynolds, J.H., Pasternak, T., & Desimone, R. (2000). Attention increases sensitivity of V4 neurons. *Neuron*, 26, 703-714.
- Riesenhuber, M., & Poggio, T. (1999). Hierarchical models of object recognition in cortex. *Nature Neuroscience*, 2, 1019-1025.
- Rogers, D.C., & Hollins, M. (1982). Is the binocular mechanism tritanopic? *Vision Research*, 22, 515-520.
- Rogers, D.C., & Hollins, M. (1982). Is the binocular rivalry mechanism tritanopic? *Vision Research*, 22, 515-520.
- Rolls, E.T., & Baylis, G.C. (1986). Size and contrast have only small effects on the responses to faces of neurons in the cortex of the superior temporal sulcus of the monkey. *Experimental Brain Research*, 65, 38-48.
- Rommetveit, R., Toch, H., & Svendsen, D. (1968). Semantic, syntactic, and associative context effects in a stereoscopic rivalry situation. *Scandinavian Journal of Psychology*, 9, 145-149.
- Schoups, A.A., Vogels, R., & Orban, G.A. (1995). Human perceptual learning in identifying the oblique orientation: retinotopy, orientation specificity and monocularly. *Journal of Physiology*, 483, 797-810.
- Sclar, G., Maunsell, J.H., & Lennie, P. (1990). Coding of image contrast in central visual pathways of the macaque monkey. *Vision Research*, 30, 1-10.
- Sengpiel, F., & Blakemore, C. (1994). Interocular control of neuronal responsiveness in cat visual cortex. *Nature*, 368, 847-850.
- Sengpiel, F., Blakemore, C., & Harrad, R. (1995). Interocular suppression in the primary visual cortex: a possible neural basis of binocular rivalry. *Vision Research*, 35, 179-195.

- Sheinberg, D.L., & Logothetis, N.K. (1997). The role of temporal cortical areas in perceptual organization. *Proceedings of the National Academy of Sciences of the United States of America*, *94*, 3408-3413.
- Shipp, S., & Zeki, S. (1985). Segregation of pathways leading from area V2 to areas V4 and V5 of macaque monkey visual cortex. *Nature*, *315*, 322-324.
- Snowden, R.J., Treue, S., & Andersen, R.A. (1992). The response of neurons in areas V1 and MT of the alert rhesus monkey to moving random dot patterns. *Experimental Brain Research*, *88*, 389-400.
- Springbett, B.M. (1961). Some stereoscopic phenomena and their implications. *British Journal of Psychology*, *52*, 105-109.
- Stalmeier, P.F.M., & de Weert, C.M.M. (1988). Binocular rivalry with chromatic contours. *Perception and Psychophysics*, *44*, 456-462.
- Struber, D., & Stadler, M. (1999). Differences in top-down influences on the reversal rate of different categories of reversible figures. *Perception*, *28*, 1185-1196.
- Toga, A.W., & Mazziotta, J.C. (2000). *Brain mapping: the systems*. San Diego, Academic Press.
- Tong, F., & Engel, S.A. (2001). Interocular rivalry revealed in the human cortical blind-spot representation. *Nature*, *411*, 195-199.
- Tong, F., Nakayama, K., Vaughan, J.T., & Kanwisher, N. (1998). Binocular rivalry and visual awareness in human extrastriate cortex. *Neuron*, *21*, 753-759.
- Valdes-Sosa, M., Cobo, A., & Pinilla, T. (2000). Attention to object files defined by transparent motion. *Journal of Experimental Psychology: Human Perception & Performance*, *26*, 488-505.

- van de Grind, W.A., P van Hof, M.J.v.d.S., & Verstraten, A.J. (2001). Slow and fast visual motion channels have independent binocular-rivalry stages. *Proceedings of the Royal Society of Biological Sciences*, 268, 437-443.
- van der Zwan, R., & Wenderoth, P. (1994). Psychophysical evidence for area V2 involvement in the reduction of subjective contour tilt aftereffects by binocular rivalry. *Visual Neuroscience*, 11, 823-830.
- van Ee, R. (2005). Dynamics of perceptual bi-stability for stereoscopic slant rivalry and a comparison with grating, house-face, and Necker cube rivalry. *Vision Research*, 45, 29-40.
- van Ee, R., van Dam, L.C.J., & Brouwer, G.J. (2005). Voluntary control and the dynamics of perceptual bi-stability. *Vision Research*, 45, 41-55.
- Varela, F.J., & Singer, W. (1987). Neuronal dynamics in the visual corticothalamic pathway revealed through binocular rivalry. *Experimental Brain Research*, 66, 10-20.
- Wade, N.J. (1974). The effect of orientation in binocular contour rivalry of real images and afterimages. *Perception and Psychphysics*, 15, 227-232.
- Wade, N.J. (1998). *A Natural History of Vision*. Cambridge, MIT Press.
- Wade, N.J. (2004). Ambiguities and Rivalries in the History of Binocular Vision. In: D. Alais, & R. Blake (Eds.), *Binocular Rivalry* (pp. 29-46). Cambridge, MA: MIT Press.
- Wade, N.J., de Weert, C.M.M., & Swanston, M.T. (1984). Binocular contour rivalry with moving patterns. *Perception and Psychphysics*, 35, 111-122.
- Wade, N.J., & Wenderoth, P. (1978). The influence of colour and contour rivalry on the magnitude of the tilt aftereffect. *Vision Research*, 18, 827-835.

- Wales, R., & Fox, R. (1970). Increment detection thresholds during binocular rivalry suppression. *Perception & Psychophysics*, *8*, 90-94.
- Walker, G.A., Ohzawa, I., & Freeman, R.D. (1998). Binocular cross-orientation suppression in the cat's striate cortex. *Journal of Neurophysiology*, *79*, 227-239.
- Walker, P., & Powell, D.J. (1979). The sensitivity of binocular rivalry to changes in the nondominant stimulus. *Vision Research*, *19*, 247-249.
- Watson, A.B., & Pelli, D.G. (1983). QUEST: a Bayesian adaptive psychometric method. *Perception & Psychophysics*, *33*, 113-120.
- Watson, J., Myers, R., Frackowiak, R., Hajnal, J., Woods, R., Mazziotta, J., Shipp, S., & Zeki, S. (1993). Area V5 of the human brain: Evidence from a combined study using positron emission tomography and magnetic resonance imaging. *Cerebral Cortex*, *3*, 79-94.
- Watson, T.L., Pearson, J., & Clifford, C.W. (2004). Perceptual grouping of biological motion promotes binocular rivalry. *Current Biology*, *14*, 1670-1674.
- Westendorf, D.H. (1989). Binocular rivalry and dichoptic masking: suppressed stimuli do not mask stimuli in dominating eye. *Journal of Experimental Psychology*, *15*, 485-492.
- Wiesenfelder, H., & Blake, R. (1990). The neural site of binocular rivalry relative to the analysis of motion in the human visual system. *Journal of Neuroscience*, *10*, 3880-3888.
- Wilkinson, F., James, T.W., Wilson, H.R., Gati, J.S., Menon, R.S., & Goodale, M.A. (2000). An fMRI study of the selective activation of human extrastriate form vision areas by radial and concentric gratings. *Current Biology*, *10*, 1455-1458.

- Wilkinson, F., Wilson, H.R., & Habak, C. (1998). Detection and recognition of radial frequency patterns. *Vision Research*, 38, 3555-3568.
- Wilson, H.R. (2003). Computational evidence for a rivalry hierarchy in vision. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 14499-14503.
- Wilson, H.R., Blake, R., & Lee, S.H. (2001). Dynamics of travelling waves in visual perception. *Nature*, 412, 907-910.
- Wolfe, J.M. (1983). Influence of spatial frequency, luminance, and duration on binocular rivalry and abnormal fusion of briefly presented dichoptic stimuli. *Perception*, 12, 447-456.
- Wolfe, J.M. (1984). Reversing ocular dominance and suppression in a single flash. *Vision Research*, 24, 471-478.
- Wolfe, J.M. (1986). Stereopsis and binocular rivalry. *Psychological Review*, 93, 269-282.
- Wolfe, J.M., Alvarez, G.A., & Horowitz, T.S. (2000). Attention is fast but volition is slow. *Nature*, 406, 691.
- Wunderlich, K., Schneider, K.A., & Kastner, S. (2005). Neural correlates of binocular rivalry in the human lateral geniculate nucleus. *Nature Neuroscience*, 8, 1595-1602.
- Zanker, J.M. (1999). Perceptual learning in primary and secondary motion vision. *Vision Research*, 39, 1293-1304.
- Zeki, S. (1993). *A vision of the brain*. Oxford, Blackwell Scientific Publications.
- Zeki, S.M. (1975). The functional organization of projections from striate to prestriate visual cortex in the rhesus monkey. *Cold Spring Harbor Symposia of Quantitative Biology*, 40, 591-600.

Zimba, L.D., & Blake, R. (1983). Binocular rivalry and semantic processing: out of sight, out of mind. *Journal of Experimental Psychology: Human Perception & Performance*, 9, 807-815.

