

## References

- Aw ST (1996). Kinematics of the human vestibulo-ocular reflex response during high-acceleration head rotations. (PhD thesis). University of Sydney, Sydney, Australia.
- Aw ST, Haslwanter T, Halmagyi GM, Curthoys IS, Yavor RA, and Todd MJ (1996a). Three-dimensional vector analysis of the human vestibuloocular reflex in response to high-acceleration head rotations. I. Responses in normal subjects. *J Neurophysiol* 76: 4009-4020.
- Aw ST, Halmagyi GM, Haslwanter T, Curthoys IS, Yavor RA, and Todd MJ (1996b). Three-dimensional vector analysis of the human vestibuloocular reflex in response to high-acceleration head rotations. II. Responses in subjects with unilateral vestibular loss and selective semicircular canal occlusion. *J Neurophysiol* 76: 4021-4030.
- Baker R (1977). Anatomical and physiological organization of brainstem pathways underlying the control of gaze. In: Baker R and Berthoz A (Eds) (1977). *Control of gaze by brain stem neurons*. Elsevier, New York.
- Baloh RW and Honrubia V (2001). *Clinical neurophysiology of the vestibular system*. Oxford University Press, New York.

- Barash S, Melikyan A, Sivakov A, Zhang M, Glickstein M, and Thier P (1999). Saccadic dysmetria and adaptation after lesions of the cerebellar cortex. *J Neurosci* 19: 10931-10939.
- Becker RA, Chambers JM, and Wilks AR (1988). *The new S language*. Wadsworth and Brooks/Cole Computer Science Series, Pacific Grove.
- Belknap DB and McCrea RA (1988). Anatomical connections of the prepositus and abducens nuclei in the squirrel monkey. *J Comp Neurol* 268: 13-28.
- Black RA, Halmagyi GM, Thurtell MJ, Todd MJ, and Curthoys IS (2005). The active head-impulse test in unilateral peripheral vestibulopathy. *Arch Neurol* 62: 290-293.
- Blair SM and Gavin M (1981). Brainstem commissures and control of time constant of vestibular nystagmus. *Acta Otolaryngol (Stockh)* 91: 1-8.
- Blanks RHI, Curthoys IS, and Markham CH (1975). Planar relationships of the semicircular canals in man. *Acta Otolaryngol (Stockh)* 80: 185-196.
- Boyle R, Carey JP, and Highstein SM (1991). Morphological correlates of response dynamics and efferent stimulation in horizontal semicircular canal afferents of the toadfish, *Opsanus tau*. *J Neurophysiol* 68: 471-484.
- Brodal A and Pompeiano O (1957). The vestibular nuclei in cat. *J Anat* 91: 438-454.

- Brodal A (1984). The vestibular nuclei in the macaque monkey. *J Comp Neurol* 227: 252-266.
- Bronstein AM and Hood JD (1986). The cervico-ocular reflex in normal subjects and patients with absent vestibular function. *Brain Res* 373: 399-408.
- Bronstein AM and Gresty MA (1988). Short latency compensatory eye movement responses to transient linear head acceleration: a specific function of the otolith-ocular reflex. *Exp Brain Res* 71: 406-410.
- Bruno P and Van den Berg AV (1997a). Relative orientation of primary positions of the two eyes. *Vision Res* 37: 935-947.
- Bruno P and Van den Berg AV (1997b). Torsion during saccades between tertiary positions. *Exp Brain Res* 117: 251-265.
- Büttner U, Büttner-Ennever JA, and Henn V (1977). Vertical eye movement related unit activity in the rostral mesencephalic reticular formation of the alert monkey. *Brain Res* 130: 239-252.
- Büttner-Ennever JA and Büttner U (1978). A cell group associated with vertical eye movements in the rostral mesencephalic reticular formation of the monkey. *Brain Res* 151: 31-37.
- Campbell FW and Wurtz RH (1978). Saccadic omission: why we do not see a grey out during a saccadic eye movement. *Vision Res* 18: 1297-1303.

- Cannon SC and Robinson DA (1987). Loss of the neural integrator of the oculomotor system from brainstem lesions in monkeys. *J Neurophysiol* 57: 1383-1409.
- Carl JR and Gellman RS (1987). Human smooth pursuit: stimulus-dependent responses. *J Neurophysiol* 57: 1446-1463.
- Carleton SC and Carpenter MB (1983). Afferent and efferent connections of the medial, inferior and lateral vestibular nuclei in the cat and monkey. *Brain Res* 278: 29-51.
- Carlström D, Engström H, and Hjorth S (1953). Electron microscopic and X-ray diffraction studies of statoconia. *Laryngoscope* 63: 1052-1057.
- Cheron G and Godaux E (1987). Disabling of the oculomotor neural integrator by kainic acid injections in the prepositus-vestibular complex of the cat. *J Physiol* 394: 267-290.
- Clark RA, Miller JM, and Demer JL (2000). Three-dimensional location of human rectus pulleys by path inflections in secondary gaze positions. *Invest Ophthalmol Vis Sci* 41: 3787-3797.
- Cohen B and Suzuki JI (1963). Eye movements induced by ampullary nerve stimulation. *Am J Physiol* 204: 347-351.
- Cohen B, Suzuki JI, Bender MB (1964). Eye movements from semicircular canal nerve stimulation in the cat. *Ann Otol Rhinol Laryngol* 73: 153-169.

Cohen B, Komatsuzaki A, and Bender MB (1968). Electrooculographic syndrome in monkeys after pontine reticular formation lesions. *Arch Neurol* 18: 78-92.

Cohen B and Komatsuzaki A (1972). Eye movements induced by stimulation of the pontine reticular formation: evidence for integration in oculomotor pathways. *Exp Neurol* 36: 101-117.

Cohen B, Henn V, Raphan T, and Dennett D (1981). Velocity storage, nystagmus, and visual-vestibular interactions in humans. *Ann NY Acad Sci* 374: 421-433.

Cohen H, Cohen B, Raphan T, and Waespe W (1992). Habituation and adaptation of the vestibuloocular reflex: a model of differential control by the vestibulocerebellum. *Exp Brain Res* 90: 526-538.

Collewijn H, Van der Steen J, Ferman L, and Jansen TC (1985). Human ocular counterroll: assessment of static and dynamic properties from electromagnetic scleral coil recordings. *Exp Brain Res* 59: 185-196.

Corey DP and Hudspeth AJ (1979). Ionic basis of the receptor potential in a vertebrate hair cell. *Nature* 281: 675-677.

Corey DP and Hudspeth AJ (1983). Analysis of the micropotential of the bullfrog's sacculus. *J Neurosci* 3: 942-961.

Crane BT, Tian J-R, and Demer JL (2005). Human angular vestibulo-ocular reflex initiation: relationship to Listing's law. *Ann NY Acad Sci* 1039: 26-35.

- Crawford JD, Cadera W, and Vilis T (1991). Generation of torsional and vertical eye position signals by the interstitial nucleus of Cajal. *Science* 252: 1551-1553.
- Crawford JD and Vilis T (1991). Axes of eye rotation and Listing's law during rotations of the head. *J Neurophysiol* 65: 407-423.
- Crawford JD (1994). The oculomotor neural integrator uses a behavior-related coordinate system. *J Neurosci* 14: 6911-6923.
- Cremer PD, Halmagyi GM, Aw ST, Curthoys IS, McGarvie LA, Todd MJ, Black RA, and Hannigan IP (1998). Semicircular canal plane head impulses detect absent function of individual semicircular canals. *Brain* 121: 699-716.
- Cullen KE and Roy JE (1999). Modulation of vestibular neuron activity: active versus passive head movements. *Arch Ital Biol (Suppl)* 137: 16-17.
- Curthoys IS, Blanks RHI, and Markham CH (1977a). Semicircular canal radii of curvature (R) in cat, guinea pig and man. *J Morphol* 151: 1-16.
- Curthoys IS, Blanks RHI, and Markham CH (1977b). Semicircular canal functional anatomy in cat, guinea pig, and man. *Acta Otolaryngol (Stockh)* 83: 258-265.
- Curthoys IS and Halmagyi GM (1995). Vestibular compensation: a review of the oculomotor, neural, and clinical consequences of unilateral vestibular loss. *J Vestibular Res* 5: 67-107.

- Dai M, Klein A, Cohen B, and Raphan T (1999). Model-based study of the human cupular time constant. *J Vestib Res* 9: 293-301.
- de Jong JMBV, Cohen B, Matsuo V, and Uemura T (1980). Midsagittal pontomedullary brain stem section: effects on ocular adduction and nystagmus. *Exp Neurol* 68: 420-442.
- Demer JL, Miller JM, Poukens V, Vinters HV, and Glasgow BJ (1995). Evidence for fibromuscular pulleys of the recti extraocular muscles. *Invest Ophthalmol Vis Sci* 36: 1125-1136.
- Demer JL, Oh SY, and Poukens V (2000). Evidence for active control of rectus extraocular muscle pulleys. *Invest Ophthalmol Vis Sci* 41: 1280-1290.
- Demer JL (2004). Pivotal role of orbital connective tissues in binocular alignment and strabismus: the Friedenwald lecture. *Invest Ophthalmol Vis Sci* 45: 729-738.
- Dohlman G (1971). The attachment of the cupulae, otolith and tectorial membranes to the sensory cell areas. *Acta Otolaryngol (Stockh)* 71: 89-105.
- Ewald JR (1892). *Physiologische untersuchungen über das endorgan des nervus octavus*. Wiesbaden, Bergmann.
- Ferman L, Collewijn H, and Van den Berg AV (1987). A direct test of Listing's law. II. Human ocular torsion measured under dynamic conditions. *Vision Res* 27: 939-951.

Fernández C and Goldberg JM (1971). Physiology of peripheral neurons innervating semicircular canals of the squirrel monkey. II. Response to sinusoidal stimulation and dynamics of peripheral vestibular system. *J Neurophysiol* 34: 661-675.

Fick A (1854). Die bewegungen des menschlichen augapfels. *Zeitschrift für rationelle Medizin* 4: 109-128.

Flock Å (1964). Structure of the macula utriculi with special reference to directional interplay of sensory responses as revealed by morphological polarization. *J Cell Biol* 22: 413-431.

Flock Å (1965). Transducing mechanisms in the lateral line canal organ receptors. *Cold Spring Harbor Symp Quant Biol* 30: 133-145.

Flock Å, Jorgensen M, and Russell I (1973). The physiology of individual hair cells and their synapses. In: Miller A (Ed). *Basic mechanisms in hearing*. Academic Press, New York.

Fukushima K (1987). The interstitial nucleus of Cajal and its role in the control of movements of head and eyes. *Prog Neurobiol* 29: 107-192.

Fukushima K (1991). The interstitial nucleus of Cajal in the midbrain reticular formation and vertical eye movements. *Neurosci Res* 10: 159-187.

Furman JM and Cass SP (1996). *Balance disorders: a case-study approach*. F.A. Davis, Philadelphia.

- Gacek RR (1969). The course and central termination of first order neurons supplying vestibular endorgans in the cat. *Acta Otolaryngol Suppl (Stockh)* 254: 1-66.
- Godaux E, Mettens P, and Cheron G (1993). Differential effect of injections of kainic acid into the prepositus and the vestibular nuclei of the cat. *J Physiol* 472: 459-482.
- Goldberg JM and Fernández C (1971a). Physiology of peripheral neurons innervating semicircular canals in the squirrel monkey. I. Resting discharge and response to constant angular acceleration. *J Neurophysiol* 34: 635-660.
- Goldberg JM and Fernández C (1971b). Physiology of peripheral neurons innervating semicircular canals in the squirrel monkey. III. Variations among units in their discharging properties. *J Neurophysiol* 34: 676-684.
- Gonshor A and Melvill Jones G (1976). Extreme vestibulo-ocular adaptation induced by prolonged optical reversal of vision. *J Physiol (Lond)* 256: 381-414.
- Groen JJ (1957). The semicircular canal system of the organs of equilibrium. II. *Phys Med Biol* 1: 225-242.
- Haddad GM, Demer JL, and Robinson DA (1980). The effect of lesions of the dorsal cap of the inferior olive on the vestibulo-ocular and optokinetic systems of the cat. *Brain Res* 185: 265-275.
- Halmagyi GM and Curthoys IS (1988). A clinical sign of canal paresis. *Arch Neurol* 45: 737-739.

Halmagyi GM, Curthoys IS, Cremer PD, Henderson CJ, Todd MJ, Staples MJ, and D’Cruz DM (1990). The human horizontal vestibulo-ocular reflex in response to high-acceleration stimulation before and after unilateral vestibular neurectomy. *Exp Brain Res* 81: 479-490.

Halmagyi GM, Black RA, Thurtell MJ, and Curthoys IS (2003). The human horizontal vestibulo-ocular reflex in response to active and passive head impulses after unilateral vestibular deafferentation. *Ann NY Acad Sci* 1004: 325-336.

Hamilton WR (1899). *Elements of quaternions*. Cambridge University Press, Cambridge.

Haslwanter T, Straumann D, Hepp K, Hess BJ, and Henn V (1991). Smooth pursuit eye movements obey Listing's law in the monkey. *Exp Brain Res* 87: 470-472.

Haslwanter T, Curthoys IS, Black R, and Topple A (1994). Orientation of Listing’s plane in normals and in patients with unilateral vestibular deafferentation. *Exp Brain Res* 101: 525-528.

Haslwanter T (1995). Mathematics of three-dimensional eye rotations. *Vision Res* 35: 1727-1739.

Haslwanter T (2002). Mechanics of eye movements: implications of the “orbital revolution”. *Ann NY Acad Sci* 956: 33-41.

Haustein W (1989). Considerations on Listing’s law and the primary position by means of a matrix describing eye position control. *Biol Cybern* 60: 411-420.

Helmholtz H von (1867). Handbuch der physiologischen optik. Voss, Hamburg.

Henn V and Cohen B (1976). Coding of information about rapid eye movements in the pontine reticular formation of alert monkeys. *Brain Res* 108: 307-325.

Hepp K (1990). On Listing's law. *Commun Math Phys* 132: 285-292.

Highstein SM, Ito M, and Tsuchiya T (1971). Synaptic linkage in the vestibulo-ocular reflex pathway of rabbit. *Exp Brain Res* 113: 306-326.

Highstein SM and McCrea RA (1988). The anatomy of the vestibular nuclei. In: Büttner-Ennever JA (Ed). *Neuroanatomy of the oculomotor system: reviews of oculomotor research (Vol. 2)*. Elsevier, Amsterdam.

Hudspeth AJ and Corey DP (1977). Sensitivity, polarity, and conductance change in the response of vertebrate hair cells to controlled mechanical stimuli. *Proc Natl Acad Sci USA* 74: 2407-2411.

Ito M, Shiida T, Yagi N, and Yamamoto M (1974). The cerebellar modification of rabbit's horizontal vestibulo-ocular reflex induced by sustained head rotation combined with visual stimulation. *Proc Jpn Acad* 50: 84-89.

Ito M and Miyashita Y (1975). The effects of chronic destruction of the inferior olive upon visual modification of the horizontal vestibulo-ocular reflex of rabbits. *Proc Jpn Acad* 51: 716-720.

Ito M (1982). Cerebellar control of the vestibuloocular reflex – around the flocculus hypothesis. *Annu Rev Neurosci* 5: 275-296.

J.C. (1952). Living without a balancing mechanism. *New Eng J Med* 246: 458-460.

Kandel ER, Schwartz JH, and Jessell TM (Eds) (1991). *Principles of neural science*. 3rd edition. Elsevier Science Publishing Co, New York.

Katz E, de Jong JMBV, Büttner-Ennever JA, and Cohen B (1991). Effects of midline medullary lesions on velocity storage and the vestibuloocular reflex. *Exp Brain Res* 87: 505-520.

Keller E (1974). Participation of medial pontine reticular formation in eye movement generation in monkey. *J Neurophysiol* 37: 316-332.

King WM and Fuchs AF (1979). Reticular control of vertical saccadic eye movements by mesencephalic burst neurons. *J Neurophysiol* 42: 861-876.

King WM, Precht W, and Dieringer N (1980). Synaptic organization of frontal eye field and vestibular afferents to the interstitial nucleus of Cajal in the cat. *J Neurophysiol* 43: 912-928.

King WM, Fuchs AF, and Magnin M (1981). Vertical eye movement-related responses of neurons in midbrain near interstitial nucleus of Cajal. *J Neurophysiol* 46: 549-562.

- Kono R, Poukens V, and Demer JL (2002a). Quantitative analysis of the structure of the human extraocular muscle pulley system. *Invest Ophthalmol Vis Sci* 43: 2923-2932.
- Kono R, Clark RA, and Demer JL (2002b). Active pulleys: magnetic resonance imaging of rectus muscle paths in tertiary gazes. *Invest Ophthalmol Vis Sci* 43: 2179-2188.
- Kuzma JW and Bohnenblust SE (2001). *Basic statistics for the health sciences*. 4th edition. McGraw-Hill, New York.
- Laurutis VP and Robinson DA (1986). The vestibulo-ocular reflex during human saccadic eye movements. *J Physiol (Lond)* 373: 209-233.
- Leigh RJ and Zee DS (1999). *The neurology of eye movements*. 3rd edition. Oxford University Press, Oxford.
- Lim DJ (1969). Three-dimensional observation of the inner ear with the scanning electron microscope. *Acta Otolaryngol Suppl (Stockh)* 82: 23-35.
- Lim DJ (1973). Ultrastructure of the otolithic membrane and the cupula. *Adv Otorhinolaryngol* 19: 35-49.
- Lisberger SG, Miles FA, and Zee DS (1984). Signals used to compute errors in monkey vestibuloocular reflex: possible role of flocculus. *J Neurophysiol* 52: 1140-1153.

Lisberger SG (1988). The neural basis for learning of simple motor skills. *Science* 242: 728-735.

Lisberger SG and Pavelko TA (1988). Brain stem neurons in modified pathways for motor learning in the primate vestibulo-ocular reflex. *Science* 242: 771-773.

Lopez-Barneo J, Darlot C, Berthoz A, and Baker R (1982). Neuronal activity in prepositus nucleus correlated with eye movement in the alert cat. *J Neurophysiol* 47: 329-352.

Lorente de Nó R (1933). Vestibulo-ocular reflex arc. *Arch Neurol Psychiat* 30: 245-291.

Löwenstein O and Sand A (1940). The mechanism of the semicircular canal. *Proc R Soc* 129: 256-275.

Löwenstein O and Wersäll J (1959). A functional interpretation of the electron-microscopic structure of the sensory hairs in the cristae of the elasmobranch *Raja clavata* in terms of directional sensitivity. *Nature* 184: 1807-1810.

MacKenzie D (1997). Through the looking glass. *The Sciences* 37(3): 32-37.

Markham CH, Yagi T, Curthoys IS (1977). The contribution of the contralateral labyrinth to second order vestibular neuronal activity in the cat. *Brain Res* 138: 99-109.

Marmarelis PZ and Marmarelis VZ (1978). *Analysis of physiological systems*. Plenum Press, New York.

- McCrea RA, Gdowski G, Boyle R, and Belton T (1999). Signal processing in the vestibular nuclei during active and passive head movements. *Arch Ital Biol (Suppl)* 137: 18-19.
- Melis BJ, Cruysberg JR, and Van Gisbergen JA (1997). Listing's plane dependence on alternating fixation in a strabismus patient. *Vision Res* 37: 1355-1366.
- Miles FA (1974). Single unit firing patterns in the vestibular nuclei related to voluntary eye movements and passive body rotation in conscious monkeys. *Brain Res* 71: 215-224.
- Miles FA, Braitman DJ, and Dow BM (1980). Long-term adaptive changes in primate vestibuloocular reflex. IV. Electrophysiological observations in flocculus of adapted monkeys. *J Neurophysiol* 43: 1477-1493.
- Miller JM and Robinson DA (1984). A model of the mechanics of binocular alignment. *Comp Biomed Res* 17: 436-470.
- Minken AWH, Van Opstal AJ, and Van Gisbergen JAM (1993). Three-dimensional analysis of strongly curved saccades elicited by double-step stimuli. *Exp Brain Res* 93: 521-533.
- Misslisch H, Tweed D, Fetter M, Sievering D, and Koenig E (1994). Rotational kinematics of the human vestibuloocular reflex. III. Listing's law. *J Neurophysiol* 72: 2490-2502.

- Misslisch H and Hess BJM (2000). Three-dimensional vestibuloocular reflex of the monkey: optimal retinal image stabilization versus Listing's law. *J Neurophysiol* 83: 3264-3276.
- Misslisch H and Tweed D (2001). Neural and mechanical factors in eye control. *J Neurophysiol* 86: 1877-1883.
- Mok D, Ro A, Cadera W, Crawford JD, and Vilis T (1992). Rotation of Listing's plane during vergence. *Vision Res* 32: 2055-2064.
- Money LB and Scott JW (1962). Functions of separate sensory receptors of non-auditory labyrinth of the cat. *Am J Physiol* 202: 1211-1220.
- Nakao S, Shiraishi Y, Li WB, and Inagaki M (1991). Cat pontine omnipause neurons: direct inhibitory connection with Forel's field burst neurons participating in the genesis of vertical saccades. *Acta Otolaryngol Suppl (Stockh)* 481: 199-204.
- Noda H, Sugita S, and Ikeda Y (1990). Afferent and efferent connections of the oculomotor region of the fastigial nucleus in the macaque monkey. *J Comp Neurol* 302: 330-48.
- Ohgaki T, Markham CH, Schneider JS, and Curthoys IS (1989). Anatomical evidence of the projection of pontine omnipause neurons to midbrain regions controlling vertical eye movements. *J Comp Neurol* 289: 610-625.
- Optican LM and Robinson DA (1980). Cerebellar-dependent adaptive control of primate saccadic system. *J Neurophysiol* 44: 1058-1076.

- Paige GD and Tomko DL (1991). Eye movement responses to linear head motion in the squirrel monkey. II. Visual-vestibular interaction and kinematic considerations. *J Neurophysiol* 65: 1183-1196.
- Palla A, Straumann D, and Obzina H (1999). Eye-position dependence of three-dimensional ocular rotation-axis orientation during head impulses in humans. *Exp Brain Res* 129: 127-133.
- Paul RP (1981). *Robotic manipulators: mathematics, programming and control*. M.I.T. Press, Cambridge (Massachusetts).
- Pompeiano O, Mergner T, and Corvaja N (1978). Commissural, perihypoglossal and reticular afferent projections to the vestibular nuclei in the cat: an experimental anatomical study with the method of the retrograde transport of horseradish peroxidase. *Arch Ital Biol* 116: 130-172.
- Porter JD, Baker RS, Ragusa RJ, and Brueckner JK (1995). Extraocular muscles: basic and clinical aspects of structure and function. *Surv Ophthalmol* 39: 451-484.
- Precht W (1972). Vestibular and cerebellar control of oculomotor functions. In: Dichgans J and Bizzi E (Eds). *Cerebellar control of eye movements and motion perception*. Karger, Basel.
- Press WH, Flannery BP, Teukolsky SA, and Vetterling WT (1988). *Numerical recipes in C: the art of scientific computing*. Cambridge University Press, Cambridge.

Proakis JG and Manolakis DG (1992). Digital signal processing. 2nd Edition. Maxwell Macmillan International, New York.

Quaia C and Optican LM (1998). Commutative saccadic generator is sufficient to control a 3-d ocular plant with pulleys. *J Neurophysiol* 79: 3197-3215.

Rabbitt RD, Highstein SM, and Boyle R (1996). Determinants of semicircular canal afferent response dynamics in fish. *Ann NY Acad Sci* 781: 213-243.

Raphan T, Matsuo V, and Cohen B (1979). Velocity storage in the vestibulo-ocular reflex arc (VOR). *Exp Brain Res* 35: 229-248.

Raphan T (1997). Modeling control of eye orientation in three dimensions. In: Fetter M, Haslwanter T, Misslisch H, and Tweed D (Eds). *Three-dimensional kinematics of eye, head and limb movements*. Harwood Academic Publishers, Amsterdam.

Raphan T (1998). Modeling control of eye orientation in three dimensions. I. Role of muscle pulleys in determining saccadic trajectory. *J Neurophysiol* 79: 2653-2667.

Raphan T and Cohen B (2002). The vestibulo-ocular reflex in three dimensions. *Exp Brain Res* 145: 1-27.

Reisine H, Simpson JJ, and Henn V (1988). A geometric analysis of semicircular canals and induced activity in their peripheral afferents in the rhesus monkey. *Ann NY Acad Sci* 545: 10-20.

- Richter A and Precht W (1968). Inhibition of abducens motoneurons by vestibular nerve stimulation. *Brain Res* 11: 701-705.
- Robinson DA (1963). A method of measuring eye movement using a scleral search coil in a magnetic field. *IEEE Trans Biomed Electron* 10: 137-145.
- Robinson DA (1975). Oculomotor control signals. In: Lennerstrand G and Bach-Y-Rita P (Eds). *Basic mechanisms of ocular motility and their clinical implications*. Pergamon, Oxford.
- Robinson DA (1976). Adaptive gain control of vestibuloocular reflex by the cerebellum. *J Neurophysiol* 39: 954-969.
- Robinson FR, Straube A, and Fuchs AF (1993). Role of the caudal fastigial nucleus in saccade generation. II. Effects of muscimol inactivation. *J Neurophysiol* 70: 1741-1758.
- Robinson FR, Straube A, and Fuchs AF (1997). Participation of caudal fastigial nucleus in smooth pursuit eye movements. II. Effects of muscimol inactivation. *J Neurophysiol* 78: 848-859.
- Robinson FR and Fuchs AF (2001). The role of the cerebellum in voluntary eye movements. *Annu Rev Neurosci* 24: 981-1004.
- Sato H and Noda H (1992). Saccadic dysmetria induced by transient functional decortication of the cerebellar vermis. *Exp Brain Res* 88: 455-458.

- Schnabolk C and Raphan T (1994). Modeling three-dimensional velocity-to-position transformation in oculomotor control. *J Neurophysiol* 71: 623-638.
- Selhorst JB, Stark L, Ochs AL, and Hoyt WF (1976). Disorders in cerebellar ocular motor control. I. Saccadic overshoot dysmetria. An oculographic, control system and clinico-anatomical analysis. *Brain* 99: 497-508.
- Shimazu H and Precht W (1966). Inhibition of central vestibular neurons from the contralateral labyrinth and its mediating pathway. *J Neurophysiol* 29: 467-492.
- Smith CA, Lowry OH, and Wu ML (1954). The electrolytes of the labyrinthine fluids. *Laryngoscope* 64: 141-153.
- Smith MA and Crawford JD (1998). Neural control of rotational kinematics within realistic vestibuloocular coordinate systems. *J Neurophysiol* 80: 2295-2315.
- Solomon D, Straumann D, and Zee DS (1997). Three-dimensional eye movements during vertical axis rotation: effects of visual suppression, orbital eye position and head position. In: Fetter M, Haslwanter T, Misslisch H, and Tweed D (Eds). *Three-dimensional kinematics of eye, head and limb movements*. Harwood Academic Publishers, Amsterdam.
- Steiger H-J and Büttner-Ennever JA (1979). Oculomotor nucleus afferent in the monkey demonstrated with horse-radish peroxidase. *Brain Res* 160: 1-15.
- Steinhausen W (1933). Über die beobachtung der cupula in den bogengangampullen des labyrinth des lebenden hechts. *Arch Ges Physiol* 232: 500-512.

- Strassman A, Evinger LC, McCrea RA, Baker RG, and Highstein SM (1987). Anatomy and physiology of intracellularly labelled omnipause neurons in the cat and squirrel monkey. *Exp Brain Res* 67: 436-440.
- Straumann D, Zee DS, Solomon D, Lasker AG, and Roberts DC (1995). Transient torsion during and after saccades. *Vision Res* 35: 3321-3334.
- Straumann D, Zee DS, Solomon D, and Kramer PD (1996). Validity of Listing's law during fixations, saccades, smooth pursuit eye movements, and blinks. *Exp Brain Res* 112: 135-146.
- Straumann D, Zee DS, and Solomon D (2000). Three-dimensional kinematics of ocular drift in humans with cerebellar atrophy. *J Neurophysiol* 83: 1125-1140.
- Suárez C, Diaz C, Tolivia J, Alvarez JC, González del Rey C, and Navarro A (1997). Morphometric analysis of the human vestibular nuclei. *Anat Rec* 247: 271-288.
- Szentágothai J (1950). The elementary vestibuloocular reflex. *J Neurophysiol* 13: 395-407.
- Tabak S, Collewijn H, Boumans LJ, and van der Steen J (1997). Gain and delay of human vestibulo-ocular reflexes to oscillation and steps of the head by a reactive torque helmet. I. Normal subjects. *Acta Otolaryngol* 117: 785-795.
- Takagi A, Sando I, Takahashi H (1989). Computer-aided three-dimensional reconstruction and measurement of semicircular canals and their cristae in man. *Acta Otolaryngol (Stockh)* 107: 362-365.

Takagi M, Zee DS, and Tamargo RJ (1998). Effects of lesions of the oculomotor vermis on eye movements in primate: saccades. *J Neurophysiol* 80: 1911-1931.

Takagi M, Zee DS, and Tamargo RJ (2000). Effects of lesions of the oculomotor cerebellar vermis on eye movements in primate: smooth pursuit. *J Neurophysiol* 83: 2047-2062.

Takemori S and Cohen B (1974). Loss of visual suppression of vestibular nystagmus after flocculus lesions. *Brain Res* 72: 213-224.

Thurtell MJ (1997). Effect of eye position on the human angular vestibulo-ocular reflex. (BSc(Med)(Hons) thesis). University of Sydney, Sydney, Australia.

Thurtell MJ, Black RA, Halmagyi GM, Curthoys IS, and Aw ST (1999). Vertical eye position-dependence of the human vestibuloocular reflex during passive and active yaw head rotations. *J Neurophysiol* 81: 2415-2428.

Thurtell MJ, Kunin M, Raphan T (2000). Role of muscle pulleys in producing eye position-dependence in the angular vestibuloocular reflex: a model-based study. *J Neurophysiol* 84: 639-650.

Tweed D and Vilis T (1987). Implications of rotational kinematics for the oculomotor system in three dimensions. *J Neurophysiol* 58: 832-849.

Tweed D, Cadera W, and Vilis T (1990). Computing three-dimensional eye position quaternions and eye velocity from search coil signals. *Vision Res* 30: 97-110.

- Tweed D and Vilis T (1990). Geometric relations of eye position and velocity vectors during saccades. *Vision Res* 30: 111-127.
- Tweed D, Fetter M, Andreadaki S, Koenig E, and Dichgans J (1992). Three-dimensional properties of human pursuit eye movements. *Vision Res* 32: 1225-1238.
- Tweed D, Misslisch H, and Fetter M (1994a). Testing models of the oculomotor velocity-to-position transformation. *J Neurophysiol* 72: 1425-1429.
- Tweed D, Sievering D, Misslisch H, Fetter M, Zee D, and Koenig E (1994b). Rotational kinematics of the human vestibuloocular reflex. I. Gain matrices. *J Neurophysiol* 72: 2467-2479.
- Tweed D (1997a). Velocity-to-position transformations in the VOR and the saccadic system. In: Fetter M, Haslwanter T, Misslisch H, and Tweed D (Eds). *Three-dimensional kinematics of eye, head and limb movements*. Harwood Academic Publishers, Amsterdam.
- Tweed D (1997b). Visual-motor optimization in binocular control. *Vision Res* 37: 1939-1951.
- Tychsen L and Lisberger SG (1986). Visual motion processing for the initiation of smooth-pursuit eye movements in humans. *J Neurophysiol* 56: 953-968.
- Van Egmond AAJ, Groen JJ, and Jongkees LBW (1949). The mechanics of the semicircular canal. *J Physiol (Lond)* 110: 1-17.

- Van Gisbergen JA and Minken AW (1994). Conjugate and disconjugate contributions to bifoveal fixations studied from a 3-d prospective. In: Delgado-Garcia JM, Godaux E, and Vidal PP (Eds). Information processing underlying gaze control. Pergamon Press, Oxford.
- Van Opstal AJ, Hepp K, Hess B, Straumann D, and Henn V (1991). Two- rather than three-dimensional representation of saccades in monkey superior colliculus. *Science* 252: 1313-1315.
- Van Opstal J, Hepp K, Suzuki Y, and Henn V (1996). Role of monkey nucleus reticularis tegmenti pontis in the stabilization of Listing's plane. *J Neurosci* 16: 7284-7296.
- Van Rijn LJ and Van den Berg AV (1993). Binocular eye orientation during fixations: Listing's law extended to include eye vergence. *Vision Res* 33: 691-708.
- Vilis T and Hore J (1981). Characteristics of saccadic dysmetria in monkeys during reversible lesions of medial cerebellar nuclei. *J Neurophysiol* 46: 828-838.
- Vilis T, Hepp K, Schwartz U, and Henn V (1989). On the generation of vertical and torsional rapid eye movements in the monkey. *Exp Brain Res* 77: 1-11.
- Waespe W and Henn V (1977). Neuronal activity in the vestibular nuclei of the alert monkey during vestibular and optokinetic stimulation. *Exp Brain Res* 27: 523-538.
- Waespe W and Henn V (1978). Conflicting visual vestibular stimulation and vestibular nucleus activity in alert monkeys. *Exp Brain Res* 33: 203-211.

- Waespe W, Cohen B, and Raphan T (1983). Role of the flocculus and paraflocculus in optokinetic nystagmus and visual-vestibular interactions: effects of lesions. *Exp Brain Res* 50: 9-33.
- Waespe W, Cohen B, and Raphan T (1985). Dynamic modification of the vestibulo-ocular reflex by the nodulus and uvula. *Science* 228: 199-202.
- Walker MF, Shelhamer M, and Zee DS (2004). Eye-position dependence of torsional velocity during interaural translation, horizontal pursuit, and yaw-axis rotation in humans. *Vision Res* 44: 613-620.
- Wearne S, Raphan T, and Cohen B (1997). Contribution of vestibular commissural pathways to spatial orientation of the angular vestibuloocular reflex. *J Neurophysiol* 78: 1193-1197.
- Wearne S, Raphan T, and Cohen B (1998). Control of spatial orientation of the angular vestibuloocular reflex by the nodulus and uvula. *J Neurophysiol* 79: 2690-2715.
- Wersäll J (1956). Studies on the structure and innervation of the sensory epithelium of the cristae ampullares in the guinea pig. A light and electron microscopic investigation. *Acta Otolaryngol Suppl (Stockh)* 126: 1-85.
- Westheimer G and Blair SM (1973). Saccadic inhibition induced by brain stem stimulation in the alert monkey. *Invest Ophthalmol Vis Sci* 12: 77-78.
- Williams PL, Warwick R, Dyson M, and Bannister LH (Eds) (1989). *Gray's Anatomy*. 37th edition. Churchill Livingstone, Edinburgh.

Wilson VJ and Melvill Jones G (1979). Mammalian vestibular physiology. Plenum Press, New York.

Yakushin SB, Raphan T, Suzuki J-I, Arai Y, and Cohen B (1998). Dynamics and kinematics of the angular vestibulo-ocular reflex in monkey: effects of canal-plugging. *J Neurophysiol* 80: 3077-3099.

Yamada J and Noda H (1987). Afferent and efferent connections of the oculomotor cerebellar vermis in the macaque monkey. *J Comp Neurol* 265: 224-241.

Zee DS, Yamazaki A, Butler PH, and Gücer G (1981). Effect of ablation of flocculus and paraflocculus on eye movements in primate. *J Neurophysiol* 46: 878-899.