

REFERENCES CITED:

- (1990) U.S. Department of Agriculture/U.S. Department of Health and Human Services. Home and Garden Bulletin No. 232. Nutrition and Your Health: Dietary Guidelines for Americans 3rd Ed. . Washington, DC: Supt. of Docs., U.S. Govt. Print. Off., .
- (1994) The Diagnostic and Statistical Manual of Mental Disorders, 4th Edition. *American Psychiatric Association*. Washington, D.C.: the Association.
- (2002) Reducing risks, promoting healthy life. *The World Health Report*. Geneva, The World Health Organisation.
- (2004) Global Status Report on Alcohol. Geneva, World Health Organization.
- ABE, H., WATANABE, M., GOTO, K., SAKAGAMI, H. & KONDO, H. (1992) Localization of gene expression of calreticulin in the brain of adult mouse. *Brain Res Mol Brain Res*, 14, 337-43.
- ABOITIZ, F., SCHEIBEL, A. B., FISHER, R. S. & ZAIDEL, E. (1992) Fiber composition of the human corpus callosum. *Brain Res*, 598, 143-53.
- ADAMS, K. M., GILMAN, S., KOEPPE, R. A., KLUIN, K. J., BRUNBERG, J. A., DEDE, D., BERENT, S. & KROLL, P. D. (1993) Neuropsychological deficits are correlated with frontal hypometabolism in positron emission tomography studies of older alcoholic patients. *Alcohol Clin Exp Res*, 17, 205-10.
- ALBRECHT, J. & HILGIER, W. (1984) Brain carbonic anhydrase activity in rats in experimental hepatogenic encephalopathy. *Neurosci Lett*, 45, 7-10.
- ALBRECHT, J. & NORENBURG, M. D. (2006) Glutamine: A Trojan horse in ammonia neurotoxicity. *Hepatology*, 44, 788-794.
- ALEXANDER-KAUFMAN, K., CORDWELL, S., HARPER, C. & MATSUMOTO, I. (2007) A proteome analysis of the dorsolateral prefrontal cortex in human alcoholic patients. *Proteomics: Clinical Applications*, 1, 62-72.

- ALEXANDER-KAUFMAN, K., JAMES, G., SHEEDY, D., HARPER, C. & MATSUMOTO, I. (2006) Differential protein expression in the prefrontal white matter of human alcoholics: a proteomics study. *Mol Psychiatry*, 11, 56-65.
- ALLAN, A. M., BURNETT, D. & HARRIS, R. A. (1991) Ethanol-induced changes in chloride flux are mediated by both GABA(A) and GABA(B) receptors. *Alcohol Clin Exp Res*, 15, 233-7.
- ANDERSEN, B. B. (2004) Reduction of Purkinje cell volume in cerebellum of alcoholics. *Brain Research*, 1007, 10-18.
- ANDERSON, L. & SEILHAMER, J. (1997) A comparison of selected mRNA and protein abundances in human liver. *Electrophoresis*, 18, 533-7.
- BAILEY, S. M., PIETSCH, E. C. & CUNNINGHAM, C. C. (1999) Ethanol stimulates the production of reactive oxygen species at mitochondrial complexes I and III. *Free Radic Biol Med*, 27, 891-900.
- BAJO, M., FRUEHAUF, J., KIM, S. H., FOUNTOULAKIS, M. & LUBEC, G. (2002) Proteomic evaluation of intermediary metabolism enzyme proteins in fetal Down's syndrome cerebral cortex. *Proteomics*, 2, 1539-46.
- BAKER, K. G., HARDING, A. J., HALLIDAY, G. M., KRIL, J. & HARPER, C. G. (1999) Neuronal loss in functional zones of the cerebellum of chronic alcoholics with and without Wernicke's encephalopathy. *Neuroscience*, 91, 429-438.
- BARRY, J. A. & GAWRISCH, K. (1994) Direct NMR evidence for ethanol binding to the lipid-water interface of phospholipid bilayers. *Biochemistry*, 33, 8082-8088.

- BARTSCH, A. J., HOMOLA, G., BILLER, A., SMITH, S. M., WEIJERS, H.-G., WIESBECK, G. A., JENKINSON, M., STEFANO, N. D., SOLYMOSI, L. & BENDSZUS, M. (2007) Manifestations of early brain recovery associated with abstinence from alcoholism. *Brain*, 130, 36-47.
- BATES, M. E., BOWDEN, S. C. & BARRY, D. (2002) Neurocognitive impairment associated with alcohol use disorders: Implications for treatment. *Exp Clin Psychopharmacol.*, 10, 193-212.
- BAYNES, K. (2002) Corpus Callosum. *Encyclopedia of the Human Brain*, 2, 51-64.
- BECKMANN, A. M., MATSUMOTO, I. & WILCE, P. A. (1994) Elevated AP-1 DNA-binding activity in rat brain during ethanol withdrawal. *Alcohol Alcohol Suppl*, 2, 223-7.
- BECKMANN, A. M., MATSUMOTO, I. & WILCE, P. A. (1997) AP-1 and Egr DNA-binding activities are increased in rat brain during ethanol withdrawal. *J Neurochem*, 69, 306-14.
- BELLMANN, K., JAATTELA, M., WISSING, D., BURKART, V. & KOLB, H. (1996) Heat shock protein hsp70 overexpression confers resistance against nitric oxide. *FEBS Lett*, 391, 185-8.
- BERANOVA-GIORGIANNI, S. (2003) Proteome analysis by two-dimensional gel electrophoresis and mass spectrometry: strengths and limitations. *Trends in Analytical Chemistry*, 22, 273-281.
- BERGER, A. & POSNER, M. (2000) Pathologies of brain attentional networks. *Neuroscience and Biobehavioral Reviews*, 24, 3-5.
- BERRY, M. D. & BOULTON, A. A. (2000) Glyceraldehyde-3-phosphate dehydrogenase and apoptosis. *J Neurosci Res*, 60, 150-4.

- BLASS, J. P. & GIBSON, G. E. (1977) Abnormality of a thiamine-requiring enzyme in patients with Wernicke-Korsakoff syndrome. *N Engl J Med*, 297, 1367-70.
- BLEICH, S., BANDELOW, B., JAVAHERIPOUR, K., MULLER, A., DEGNER, D., WILHELM, J., HAVEMANN-REINECKE, U., SPERLING, W., RUTHER, E. & KORNHUBER, J. (2003) Hyperhomocysteinemia as a new risk factor for brain shrinkage in patients with alcoholism. *Neurosci Lett*, 335, 179-82.
- BLEICH, S., DEGNER, D., SPERLING, W., BONDSCH, D., THURAU, N. & KORNHUBER, J. (2004) Homocysteine as a neurotoxin in chronic alcoholism. *Prog Neuropsychopharmacol Biol Psychiatry*, 28, 453-64.
- BORA, P. S. & LANGE, L. G. (1993) Molecular mechanisms of ethanol metabolism by human brain fatty acid ethyl esters. *Alcoholism: Clinical and Experimental Research*, 17, 28-30.
- BRAILOWSKY, S. & GARCIA, O. (1999) Ethanol, GABA and epilepsy. *Arch Med Res*, 30, 3-9.
- BROOKS, P. J. (1997) DNA damage, DNA repair, and alcohol toxicity--a review. *Alcohol Clin Exp Res*, 21, 1073-82.
- BROOKS, P. J. (2000) Brain atrophy and neuronal loss in alcoholism: a role for DNA damage? *Neurochem Int*, 37, 403-12.
- BROWN, G. C. (1999) Nitric oxide and mitochondrial respiration. *Biochim Biophys Acta*, 1411, 351-69.
- BRUSH, M. (1998) Dye hard; Protein gel staining products. *scientist*, 12, 16-22.
- BUTTERFIELD, D. A., PERLUIGI, M. & SULTANA, R. (2006) Oxidative stress in Alzheimer's disease brain: new insights from redox proteomics. *Eur J Pharmacol*, 545, 39-50.

- BUTTERWORTH, R. F. (1993) Portal-systemic encephalopathy: a disorder of neuron-astrocytic metabolic trafficking. *Dev Neurosci*, 15, 313-319.
- BUTTERWORTH, R. F. (1995) Pathophysiology of alcoholic brain damage: synergistic effects of ethanol, thiamine deficiency and alcoholic liver disease. *Metab Brain Dis*, 10, 1-8.
- BUTTERWORTH, R. F. (2003) Hepatic encephalopathy--a serious complication of alcoholic liver disease. *Alcohol Res Health*, 27, 143-145.
- BUTTERWORTH, R. F., KRIL, J. J. & HARPER, C. G. (1993) Thiamine-dependent enzyme changes in the brains of alcoholics: relationship to the Wernicke-Korsakoff syndrome. *Alcohol Clin Exp Res*, 17, 1084-8.
- CARLEN, P. L., WORTZMAN, G., HOLGATE, R. C., WILKINSON, D. A. & RANKIN, J. C. (1978) Reversible cerebral atrophy in recently abstinent chronic alcoholics measured by computed tomography scans. *Science*, 200, 1076-8.
- CARRASCO, M. P., SANCHEZ-AMATE, M. C., SEGOVIA, J. L. & MARCO, C. (1996) Studies on phospholipid biosynthesis in hepatocytes from alcoholic rats by using radiolabeled exogenous precursors. *Lipids*, 31, 393-7.
- CASTEGNA, A., AKSENOV, M., AKSENOVA, M., THONGBOONKERD, V., KLEIN, J. B., PIERCE, W. M., BOOZE, R., MARKESBERY, W. R. & BUTTERFIELD, D. A. (2002a) Proteomic identification of oxidatively modified proteins in Alzheimer's disease brain. Part I: creatine kinase BB, glutamine synthase, and ubiquitin carboxy-terminal hydrolase L-1. *Free Radic Biol Med*, 33, 562-71.
- CASTEGNA, A., AKSENOV, M., THONGBOONKERD, V., KLEIN, J. B., PIERCE, W. M., BOOZE, R., MARKESBERY, W. R. & BUTTERFIELD, D.

- A. (2002b) Proteomic identification of oxidatively modified proteins in Alzheimer's disease brain. Part II: dihydropyrimidinase-related protein 2, alpha-enolase and heat shock cognate 71. *J Neurochem*, 82, 1524-32.
- CASTEGNA, A., THONGBOONKERD, V., KLEIN, J. B., LYNN, B., MARKESBERY, W. R. & BUTTERFIELD, D. A. (2003) Proteomic identification of nitrated proteins in Alzheimer's disease brain. *J Neurochem*, 85, 1394-401.
- CHAN, H. & BUTTERWORTH, R. F. (2003) Cell-selective effects of ammonia on glutamate transporter and receptor function in the mammalian brain. *Neurochem Int*, 43, 525-32.
- CHANDLER, L. J. (2003) Ethanol and brain plasticity: receptors and molecular networks of the postsynaptic density as targets of ethanol. *Pharmacol Ther*, 99, 311-26.
- CHANDLER, L. J., SUTTON, G., NORWOOD, D., SUMNERS, C. & CREWS, F. T. (1997) Chronic ethanol increases N-methyl-D-aspartate-stimulated nitric oxide formation but not receptor density in cultured cortical neurons. *Mol Pharmacol*, 51, 733-40.
- CHEN, W., JI, J., XU, X., HE, S. & RU, B. (2003) Proteomic comparison between human young and old brains by two-dimensional gel electrophoresis and identification of proteins. *Int J Dev Neurosci*, 21, 209-16.
- CHEN, W., JI, J., ZHAO, R. & RU, B. (2002) Comparative proteome analysis of human temporal cortex lobes by two-dimensional electrophoresis and identification of selected common proteins. *Neurochem Res*, 27, 871-81.

- CLARK, D., DEDOVA, I., CORDWELL, S. & MATSUMOTO, I. (2006) A proteome analysis of the anterior cingulate cortex gray matter in schizophrenia. *Mol Psychiatry*, 11, 459-70, 423.
- CLARK, D., DEDOVA, I., CORDWELL, S. & MATSUMOTO, I. (2007) Altered proteins of the anterior cingulate cortex white matter proteome in schizophrenia. *Proteomics: Clinical Applications*, 1, 157-166.
- CLAUDIA, Z. (2007) Nuclear magnetic resonance studies of energy metabolism and glutamine shunt in hepatic encephalopathy and hyperammonemia. *Journal of Neuroscience Research*, 9999, NA.
- COCHRANE, J., CHEN, H., CONIGRAVE, K. M. & HAO, W. (2003) Alcohol use in China. *Alcohol Alcohol*, 38, 537-42.
- COYLE, J. T. & PUTTFARCKEN, P. (1993) Oxidative stress, glutamate, and neurodegenerative disorders. *Science*, 262, 689-95.
- CRISWELL, H. E., SIMSON, P. E., DUNCAN, G. E., MCCOWN, T. J., HERBERT, J. S., MORROW, A. L. & BREESE, G. R. (1993) Molecular basis for regionally specific action of ethanol on gamma-aminobutyric acidA receptors: generalization to other ligand-gated ion channels. *J Pharmacol Exp Ther*, 267, 522-37.
- DAO-CASTELLANA, M. H., SAMSON, Y., LEGAULT, F., MARTINOT, J. L., AUBIN, H. J., CROUZEL, C., FELDMAN, L., BARRUCAND, D., RANCUREL, G., FELINE, A. & SYROTA, A. (1998) Frontal dysfunction in neurologically normal chronic alcoholic subjects: metabolic and neuropsychological findings. *Psychol Med*, 28, 1039-48.
- DARNTON-HILL, I. & TRUSWELL, A. S. (1990) Thiamin status of a sample of homeless clinic attenders in Sydney. *Medical Journal of Australia*, 152, 5-9.

- DATSON, N. A., MEIJER, L., STEENBERGEN, P. J., MORSINK, M. C., VAN DER LAAN, S., MEIJER, O. C. & DE KLOET, E. R. (2004) Expression profiling in laser-microdissected hippocampal subregions in rat brain reveals large subregion-specific differences in expression. *European Journal of Neuroscience*, 20, 2541-2554.
- DAVIS, K. M. & WU, J. Y. (2001) Role of glutamatergic and GABAergic systems in alcoholism. *J Biomed Sci*, 8, 7-19.
- DAYOUB, H., ACHAN, V., ADIMOOLAM, S., JACOBI, J., STUEHLINGER, M. C., WANG, B. Y., TSAO, P. S., KIMOTO, M., VALLANCE, P., PATTERSON, A. J. & COOKE, J. P. (2003) Dimethylarginine dimethylaminohydrolase regulates nitric oxide synthesis: genetic and physiological evidence. *Circulation*, 108, 3042-7.
- DE LA MONTE, S. M. (1988) Disproportionate atrophy of cerebral white matter in chronic alcoholics. *Arch Neurol.*, 45, 990-992.
- DE LACOSTE, M. C., KIRKPATRICK, J. B. & ROSS, E. D. (1985) Topography of the human corpus callosum. *J Neuropathol Exp Neurol*, 44, 578-91.
- DE LAS HERAS, R., LEAH, J., KROON, P. A. & WILCE, W. A. (2003) Process formation induced by human neuronal protein of 22kDa, hNP22. *Proceedings of the Australian Neuroscience Society*.
- DEBELLIS, R., SMITH, B. S., CHOI, S. & MALLOY, M. (2005) Management of delirium tremens. *J Intensive Care Med*, 20, 164-73.
- DEKEN, S., WANG, D. & QUICK, M. (2003) Plasma Membrane GABA Transporters Reside on Distinct Vesicles and Undergo Rapid Regulated Recycling. *The Journal of Neuroscience*, 23, 1563-1568.

- DEPAZ, I., ITO, M., MATSUMOTO, I., NIWA, S., KROON, P. & WILCE, P. A. (2003) Expression of hNP22 is altered in the frontal cortex and hippocampus of the alcoholic human brain. *Alcohol Clin Exp Res*, 27, 1481-8.
- DIAMOND, A. (2000) Close Interrelation of Motor Development and Cognitive Development and of the Cerebellum and Prefrontal Cortex. *Child Development*, 71, 44-56.
- DIAMOND, I. & GORDON, A. S. (1997) Cellular and molecular neuroscience of alcoholism. *Physiol Rev*, 77, 1-20.
- DODD, P. R., BECKMANN, A. M., DAVIDSON, M. S. & WILCE, P. A. (2000) Glutamate-mediated transmission, alcohol, and alcoholism. *Neurochem Int*, 37, 509-33.
- DOSEMECI, A., TAO-CHENG, J. H., VINADE, L. & JAFFE, H. (2006) Preparation of postsynaptic density fraction from hippocampal slices and proteomic analysis. *Biochem Biophys Res Commun*, 339, 687-94.
- DRYDEN, S. C., NAHHAS, F. A., NOWAK, J. E., GOUSTIN, A. S. & TAINSKY, M. A. (2003) Role for human SIRT2 NAD-dependent deacetylase activity in control of mitotic exit in the cell cycle. *Mol Cell Biol*, 23, 3173-85.
- EDLUND, C., SODERBERG, M., KRISTENSSON, K. & DALLNER, G. (1992) Ubiquinone, dolichol, and cholesterol metabolism in aging and Alzheimer's disease. *Biochem Cell Biol*, 70, 422-8.
- EMMERT-BUCK, M. R., GILLESPIE, J. W., PAWELETZ, C. P., ORNSTEIN, D. K., BASRUR, V., APPELLA, E., WANG, Q. H., HUANG, J., HU, N., TAYLOR, P. & PETRICOIN, E. F., 3RD (2000) An approach to proteomic analysis of human tumors. *Mol Carcinog*, 27, 158-65.

- ESPINOSA DE LOS MONTEROS, A., KUMAR, S., ZHAO, P., HUANG, C. J., NAZARIAN, R., PAN, T., SCULLY, S., CHANG, R. & DE VELLIS, J. (1999) Transferrin is an essential factor for myelination. *Neurochem Res*, 24, 235-48.
- ESTILAEI, M. R., MATSON, G. B., PAYNE, G. S., LEACH, M. O., FEIN, G. & MEYERHOFF, D. J. (2001) Effects of abstinence from alcohol on the broad phospholipid signal in human brain: an in vivo ³¹P magnetic resonance spectroscopy study. *Alcohol Clin Exp Res*, 25, 1213-20.
- FADDA, F. & ROSSETTI, Z. L. (1998) Chronic ethanol consumption: from neuroadaptation to neurodegeneration. *Prog Neurobiol*, 56, 385-431.
- FAN, L., JAQUET, V., DODD, P. R., CHEN, W. & WILCE, P. A. (2001) Molecular cloning and characterization of hNP22: a gene up-regulated in human alcoholic brain. *J Neurochem*, 76, 1275-81.
- FELIPO, V. & BUTTERWORTH, R. F. (2002) Neurobiology of ammonia. *Progress in Neurobiology*, 67, 259-279.
- FERRER, I., FABREGUES, I., PINEDA, M., GRACIA, I. & RIBALTA, T. (1984) A Golgi study of cerebellar atrophy in human chronic alcoholism. *Neuropathol Appl Neurobiol*, 10, 245-53.
- FERRER, I., FABREGUES, I., RAIKIZ, J. & GALOFRE, E. (1986) Decreased numbers of dendritic spines on cortical pyramidal neurons in human chronic alcoholism. *Neurosci Lett*, 69, 115-9.
- FIRST, M. B. & TASMAN, A. (2004) *DSM-IV-TR Mental Disorders: Diagnosis, Etiology and Treatment*, John Wiley & Sons, Hoboken, NJ.
- FLATSCHER-BADER, T., VAN DER BRUG, M., HWANG, J. W., GOCHEE, P. A., MATSUMOTO, I., NIWA, S. & WILCE, P. A. (2005) Alcohol-responsive

- genes in the frontal cortex and nucleus accumbens of human alcoholics. *J Neurochem*, 93, 359-70.
- FONSECA, L. L., ALVES, P. M., CARRONDO, M. J. & SANTOS, H. (2001) Effect of ethanol on the metabolism of primary astrocytes studied by (13)C- and (31)P-NMR spectroscopy. *J Neurosci Res*, 66, 803-11.
- FORREST, G. L. & GONZALEZ, B. (2000) Carbonyl reductase. *Chem Biol Interact*, 129, 21-40.
- FOUNTOULAKIS, M., HARDMEIER, R., HOGER, H. & LUBEC, G. (2001) Postmortem changes in the level of brain proteins. *Exp Neurol*, 167, 86-94.
- FOUNTOULAKIS, M., JURANVILLE, J. F., DIERSSEN, M. & LUBEC, G. (2002) Proteomic analysis of the fetal brain. *Proteomics*, 2, 1547-76.
- FOUNTOULAKIS, M. & LANGEN, H. (1997) Identification of proteins by matrix-assisted laser desorption ionization-mass spectrometry following in-gel digestion in low-salt, nonvolatile buffer and simplified peptide recovery. *Anal Biochem*, 250, 153-6.
- FRANKE, H., KITTNER, H., BERGER, P., WIRKNER, K. & SCHRAMEK, J. (1997) The reaction of astrocytes and neurons in the hippocampus of adult rats during chronic ethanol treatment and correlations to behavioral impairments. *Alcohol*, 14, 445-54.
- FRANZEN, B., YANG, Y., SUNNEMARK, D., WICKMAN, M., OTTERVALD, J., OPPERMAN, M. & SANDBERG, K. (2003) Dihydropyrimidinase related protein-2 as a biomarker for temperature and time dependent post mortem changes in the mouse brain proteome. *Proteomics*, 3, 1920-9.

- FRAYNE, J., INGRAM, C., LOVE, S. & HALL, L. (1999) Localisation of phosphatidylethanolamine-binding protein in the brain and other tissues of the rat. *Cell Tissue Res*, 298, 415-23.
- GARBIS, S., LUBEC, G. & FOUNTOULAKIS, M. (2005) Limitations of current proteomics technologies. *J Chromatogr A*, 1077, 1-18.
- GARDNER, P. R., RAINERI, I., EPSTEIN, L. B. & WHITE, C. W. (1995) Superoxide radical and iron modulate aconitase activity in mammalian cells. *J Biol Chem*, 270, 13399-405.
- GAZDZINSKI, S., DURRAZO, T. C., STUDHOLME, C., SONG, E., BANYS, P. & MEYERHOFF, D. J. (2005) Quantitative brain MRI in alcohol dependence: preliminary evidence for effects of concurrent chronic cigarette smoking on regional brain volumes. *Alcohol Clin Exp Res*, 29, 1484-95.
- GEORGE, M. S., ANTON, R. F., BLOOMER, C., TENEBACK, C., DROBES, D. J., LORBERBAUM, J. P., NAHAS, Z. & VINCENT, D. J. (2001) Activation of prefrontal cortex and anterior thalamus in alcoholic subjects on exposure to alcohol-specific cues. *Arch Gen Psychiatry*, 58, 345-52.
- GIEDD, J. N., BLUMENTHAL, J., JEFFRIES, N. O., CASTELLANOS, F. X., LIU, H., ZIJDENBOS, A., PAUS, T., EVANS, A. C. & RAPOPORT, J. L. (1999) Brain development during childhood and adolescence: a longitudinal MRI study. *Nat Neurosci*, 2, 861-3.
- GILMAN, S., ADAMS, K., KOEPPE, R. A., BERENT, S., KLUIN, K. J., MODELL, J. G., KROLL, P. & BRUNBERG, J. A. (1990) Cerebellar and frontal hypometabolism in alcoholic cerebellar degeneration studied with positron emission tomography. *Ann Neurol*, 28, 775-85.

- GIRARD, G., GIGUERE, J. F. & BUTTERWORTH, R. F. (1993) Region-selective reductions in activities of glutamine synthetase in rat brain following portacaval anastomosis. *Metab Brain Dis*, 8, 207-15.
- GLENN, S. W., ERRICO, A. L., PARSONS, O. A., KING, A. C. & NIXON, S. J. (1993) The role of antisocial, affective, and childhood behavioral characteristics in alcoholics' neuropsychological performance. *Alcohol Clin Exp Res*.
- GOLDSTEIN, R. Z., LESKOVJAN, A. C., HOFF, A. L., HITZEMANN, R., BASHAN, F., KHALSA, S. S., WANG, G. J., FOWLER, J. S. & VOLKOW, N. D. (2004) Severity of neuropsychological impairment in cocaine and alcohol addiction: association with metabolism in the prefrontal cortex. *Neuropsychologia*, 42, 1447-58.
- GORG, A., BOGUTH, G., KOPF, A., REIL, G., PARLAR, H. & WEISS, W. (2002) Sample prefractionation with Sephadex isoelectric focusing prior to narrow pH range two-dimensional gels. *Proteomics*, 2, 1652-7.
- GRANT, K. A., VALVERIUS, P., HUDSPITH, M. & TABAKOFF, B. (1990) Ethanol withdrawal seizures and the NMDA receptor complex. *Eur J Pharmacol*, 176, 289-96.
- GRIFFIN, T. J., HAN, D. K., GYGI, S. P., RIST, B., LEE, H., AEBERSOLD, R. & PARKER, K. C. (2001) Toward a high-throughput approach to quantitative proteomic analysis: expression-dependent protein identification by mass spectrometry. *J Am Soc Mass Spectrom*, 12, 1238-46.
- GRUBER, S. A. & YURGELUN-TODD, D. A. (2005) Neuroimaging of marijuana smokers during inhibitory processing: a pilot investigation. *Brain Res Cogn Brain Res*, 23, 107-18.

- GU, J. W., BAILEY, A. P., SARTIN, A., MAKEY, I. & BRADY, A. L. (2005)
Ethanol stimulates tumor progression and expression of vascular endothelial growth factor in chick embryos. *Cancer*, 103, 422-31.
- GYGI, S. P., ROCHON, Y., FRANZA, B. R. & AEBERSOLD, R. (1999) Correlation between protein and mRNA abundance in yeast. *Mol Cell Biol*, 19, 1720-30.
- HAMAJIMA, N., TAJIMA, K., MORISHITA, M., HYODO, C., SAKAKIBARA, N., KAWAI, C. & MORITAKA, S. (1996) Patients' expectations of information provided at cancer hospitals in Japan. *Jpn J Clin Oncol*, 26, 362-7.
- HARDING, A. J., HALLIDAY, G. M., NG, J. L., HARPER, C. G. & KRIL, J. J. (1996) Loss of vasopressin-immunoreactive neurons in alcoholics is dose-related and time-dependent. *Neuroscience*, 72, 699-708.
- HARDING, A. J., WONG, A., SVOBODA, M., KRIL, J. J. & HALLIDAY, G. M. (1997) Chronic alcohol consumption does not cause hippocampal neuron loss in humans. *Hippocampus*, 7, 78-87.
- HARDY, J. A. & DODD, P. R. (1983) Metabolic and functional studies on postmortem human brain [Commentary]. *Neurochemistry International*, 5, 253-266.
- HARPER, C. (1979) Wernicke's encephalopathy: a more common disease than realised. A neuropathological study of 51 cases. *J Neurol Neurosurg Psychiatry*, 42, 226-31.
- HARPER, C. (1983) The incidence of Wernicke's encephalopathy in Australia - a neuropathological study of 131 cases. *Journal of Neurology Neurosurgery and Psychiatry*, 46, 593-8.
- HARPER, C. (1998a) The neuropathology of alcohol-specific brain damage, or does alcohol damage the brain? *J Neuropathol Exp Neurol*, 57, 101-110.

- HARPER, C. (1998b) The neuropathology of alcohol-specific brain damage, or does alcohol damage the brain? *Journal of Neuropathology & Experimental Neurology*, 57, 101-10.
- HARPER, C. & BUTTERWORTH, R. (1997) Nutritional and metabolic disorders. IN VINKEN, P. J. & BRUYN, G. W. (Eds.) *Handbook of clinical neurology*. Amsterdam, Elsevier.
- HARPER, C. & CORBETT, D. (1990) Changes in the basal dendrites of cortical pyramidal cells from alcoholic patients--a quantitative Golgi study. *J Neurol Neurosurg Psychiatry*, 53, 856-61.
- HARPER, C., DIXON, G., SHEEDY, D. & GARRICK, T. M. (2003a) Neuropathological alterations in alcoholic brains. Studies arising from the New South Wales Tissue Resource Centre. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 27, 951-61.
- HARPER, C., FORNES, P., DUYNCKAERTS, C., LECOMTE, D. & HAUW, J. J. (1995) An international perspective on the prevalence of Wernicke-Korsakoff Syndrome. *Metab Brain Dis*, 10, 17-24.
- HARPER, C., GARRICK, T. M., MATSUMOTO, I., PFEFFERBAUM, A., ADALSTEINSSON, E., SULLIVAN, E., DODD, P. R., LEWOHL, J. & BUTTERWORTH, J. (2003b) How important are brain banks for alcohol research? *Alcoholism: Clinical and Experimental Research*, 27, 310-323.
- HARPER, C. & KRIL, J. (1985) Brain atrophy in chronic alcoholic patients: a quantitative pathological study. *J Neurol Neurosurg Psychiatry*, 48, 211-7.
- HARPER, C. & KRIL, J. (1988) Corpus callosum thickness in alcoholics. *Brit J Addict*, 83, 577-580.

- HARPER, C. & KRIL, J. (1989) Patterns of neuronal loss in the cerebral cortex in chronic alcoholic patients *Journal of Neurological Sciences*, 92, 81-89.
- HARPER, C. & KRIL, J. (1993a) Neuropathological changes in alcoholics. IN HUNT, W. J. & NIXON, S. J. (Eds.) *Alcohol-induced brain damage*. Washington, DC., US Department of Health and Human Services.
- HARPER, C. & KRIL, J. (1994) An introduction to alcohol-induced brain damage and its causes. *Alcohol Alcohol Suppl*, 2, 237-43.
- HARPER, C., KRIL, J. & DALY, J. (1987a) Are we drinking our neurones away? *Br Med J*, 294, 534-536.
- HARPER, C., KRIL, J. & DALY, J. (1987b) The specific gravity of the brains of alcoholic and control populations: a pathological study. *Brit J Addict*, 82, 1349-1354.
- HARPER, C., KRIL, J. & DALY, J. (1988) Does "moderate" alcohol intake damage the brain? *J Neurol Neurosurg Psychiatry*, 51, 909-913.
- HARPER, C., KRIL, J. & DALY, J. (1991) Cerebral lipids and alcohol abuse in humans. *Aust Drug Alcohol Rev*, 8.
- HARPER, C., KRIL, J., RAVEN, D. & JONES, N. (1984) Intracranial cavity volumes: A new method and its potential applications *Neuropathol Appl Neurobiol*, 10, 25-32.
- HARPER, C. & MATSUMOTO, I. (2005) Ethanol and brain damage. *Curr Opin Pharmacol*, 5, 73-8.
- HARPER, C., SHEEDY, D., LARA, A. I., GARRICK, T. M., HILTON, J. M. & RAISANEN, J. (1998) Prevalence of Wernicke-Korsakoff syndrome in Australia: has thiamine fortification made a difference? *The Medical Journal of Australia*, 168, 542-545.

- HARPER, C. G. & BLUMBERGS, P. C. (1982) Brain weights in alcoholics. *Journal of Neurology, Neurosurgery and Psychiatry*, 45, 838-840.
- HARPER, C. G., GILES, M. & FINLAY-JONES, R. (1986) Clinical signs in the Wernicke-Korsakoff complex: a retrospective analysis of 131 cases diagnosed at necropsy. *J Neurol Neurosurg Psychiatry*, 49, 341-5.
- HARPER, C. G. & KRIL, J. J. (1990) Neuropathology of Alcoholism. *Alcohol Alcohol.*, 25, 207-216.
- HARPER, C. G. & KRIL, J. J. (1993b) Neuropathological changes in alcoholics. IN HUNT, W. A. & NIXON, S. J. (Eds.) *Alcohol-induced Brain Damage*. Rockville: US Department of Health and Human Services.
- HARPER, C. G., KRIL, J. J. & HOLLOWAY, R. L. (1985) Brain shrinkage in chronic alcoholics: a pathological study. *Br Med J (Clin Res Ed)*, 290, 501-4.
- HAZELL, A. S., TODD, K. G. & BUTTERWORTH, R. F. (1998) Mechanisms of neuronal cell death in Wernicke's encephalopathy. *Metab Brain Dis*, 13, 97-122.
- HEMMER, W. & WALLIMANN, T. (1993) Functional aspects of creatine kinase in brain. *Dev Neurosci*, 15, 249-60.
- HERBERT, B. R., HARRY, J. L., PACKER, N. H., GOOLEY, A. A., PEDERSEN, S. K. & WILLIAMS, K. L. (2001) What place for polyacrylamide in proteomics? *Trends Biotechnol*, 19, S3-9.
- HERRING, B. E., MAYFIELD, R. D., CAMP, M. C. & ALCANTARA, A. A. (2004) Ethanol-induced Fos immunoreactivity in the extended amygdala and hypothalamus of the rat brain: focus on cholinergic interneurons of the nucleus accumbens. *Alcohol Clin Exp Res*, 28, 588-97.

- HIGGINS, E. S. & GEORGE, M. S. (2007) *The Neuroscience of Clinical Psychiatry. The pathophysiology of behavior and mental illness*, Lippincott Williams & Wilkins.
- HOLDSTOCK, L. & DE WIT, H. (1998) Individual differences in the biphasic effects of ethanol. *Alcohol Clin Exp Res*, 22, 1903-11.
- HUBBARD, K. B. & HEPLER, J. R. (2006) Cell signalling diversity of the Gqalpha family of heterotrimeric G proteins. *Cell Signal*, 18, 135-50.
- HYND, M. R., LEWOHL, J. M., SCOTT, H. L. & DODD, P. R. (2003) Biochemical and molecular studies using human autopsy brain tissue. *Journal of Neurochemistry*, 85, 543-62.
- IKEGAMI, Y., GOODENOUGH, S., INOUE, Y., DODD, P. R., WILCE, P. A. & MATSUMOTO, I. (2003) Increased TUNEL positive cells in human alcoholic brains. *Neurosci Lett*, 349, 201-5.
- ISHIZAKI, T., MAEKAWA, M., FUJISAWA, K., OKAWA, K., IWAMATSU, A., FUJITA, A., WATANABE, N., SAITO, Y., KAKIZUKA, A., MORII, N. & NARUMIYA, S. (1996) The small GTP-binding protein Rho binds to and activates a 160 kDa Ser/Thr protein kinase homologous to myotonic dystrophy kinase. *The EMBO journal*, 15, 1885-1893.
- IWAZAKI, T., MCGREGOR, I. S. & MATSUMOTO, I. (2006) Protein expression profile in the striatum of acute methamphetamine-treated rats. *Brain Res*, 1097, 19-25.
- IWAZAKI, T., MCGREGOR, I. S. & MATSUMOTO, I. (2007) Protein expression profile in the striatum of rats with methamphetamine-induced behavioral sensitisation. *Proteomics*, 7, 1131-1139.

- JACKSON, J. E., DOESCHER, M. P. & HART, L. G. (2006) Problem drinking: rural and urban trends in America, 1995/1997 to 2003. *Preventive Medicine*, 43, 122-124.
- JENSEN, O. N. (2004) Modification-specific proteomics: characterization of post-translational modifications by mass spectrometry. *Curr Opin Chem Biol*, 8, 33-41.
- JERNIGAN, T. L., BUTTERS, N., DITRAGLIA, G., SCHAFER, K., SMITH, T., IRWIN, M., GRANT, I., SCHUCKIT, M. & CERMAK, L. S. (1991) Reduced cerebral grey matter observed in alcoholics using magnetic resonance imaging. *Alcohol Clin Exp Res*, 15, 418-27.
- JOHNSTON-WILSON, N. L., SIMS, C. D., HOFMANN, J. P., ANDERSON, L., SHORE, A. D., TORREY, E. F. & YOLKEN, R. H. (2000) Disease-specific alterations in frontal cortex brain proteins in schizophrenia, bipolar disorder, and major depressive disorder. The Stanley Neuropathology Consortium. *Mol Psychiatry*, 5, 142-9.
- JONAS, H. A., DOBSON, A. J. & BROWN, W. J. (2000) Patterns of alcohol consumption in young Australian women: socio-demographic factors, health-related behaviours and physical health. *Australian & New Zealand Journal of Public Health*, 24, 185-91.
- JUNG, E., HELLER, M., SANCHEZ, J. C. & HOCHSTRASSER, D. F. (2000) Proteomics meets cell biology: the establishment of subcellular proteomes. *Electrophoresis*, 21, 3369-77.
- KASHEM, M., JAMES, G., HARPER, C., WILCE, P. & MATSUMOTO, I. (2006) Differential protein expression in the corpus callosum (splenium) of human alcoholics: A proteomics study. *Neurochemistry International*, In press.

- KASHEM, M. A., JAMES, G., HARPER, C., WILCE, P. & MATSUMOTO, I. (2007) Differential protein expression in the corpus callosum (splenium) of human alcoholics: A proteomics study. *Neurochemistry International*, 50, 450-9.
- KASPAROVA, S., DOBROTA, D., MLYNARIK, V., PHAM, T. N., LIPTAJ, T., HORECKY, J., BRAUNOVA, Z. & GVOZDJAKOVA, A. (2000) A study of creatine kinase reaction in rat brain under chronic pathological conditions- chronic ischemia and ethanol intoxication. *Brain Res Bull*, 53, 431-5.
- KHWAJA, F. W., NOLEN, J. D., MENDRINOS, S. E., LEWIS, M. M., OLSON, J. J., POHL, J., VAN MEIR, E. G., RITCHIE, J. C. & BRAT, D. J. (2006) Proteomic analysis of cerebrospinal fluid discriminates malignant and nonmalignant disease of the central nervous system and identifies specific protein markers. *Proteomics*, 6, 6277-87.
- KIDA, E., PALMINIELLO, S., GOLABEK, A. A., WALUS, M., WIERZBA-BOBROWICZ, T., RABE, A., ALBERTINI, G. & WISNIEWSKI, K. E. (2006) Carbonic anhydrase II in the developing and adult human brain. *J Neuropathol Exp Neurol*, 65, 664-74.
- KIERNAN, U. A. (2007) Quantitation of target proteins and post-translational modifications in affinity-based proteomics approaches. *Expert Review on Proteomics*, 4, 421-8.
- KIM, B. J., HOOD, B. L., ARAGON, R. A., HARDWICK, J. P., CONRADS, T. P., VEENSTRA, T. D. & SONG, B. J. (2006) Increased oxidation and degradation of cytosolic proteins in alcohol-exposed mouse liver and hepatoma cells. *Proteomics*, 6, 1250-60.

- KIM, S. I., VOSHOL, H., VAN OOSTRUM, J., HASTINGS, T. G., CASCIO, M. & GLUCKSMAN, M. J. (2004) Neuroproteomics: expression profiling of the brain's proteomes in health and disease. *Neurochem Res*, 29, 1317-31.
- KORBO, L. (1999) Glial cell loss in the hippocampus of alcoholics. *Alcohol Clin Exp Res*, 23, 164-8.
- KRIL, J. (1995) The contribution of alcohol, thiamine deficiency and cirrhosis of the liver to cerebral cortical damage in alcoholics. *Metab Brain Dis*, 10, 9-16.
- KRIL, J. & HARPER, C. (1989) Neuronal counts from four cortical regions of alcoholic brains. *Acta Neuropathol (Berl)*, 79, 200-204.
- KRIL, J. J. (1996) Neuropathology of thiamine deficiency disorders. *Metab Brain Dis*, 11, 9-17.
- KRIL, J. J., FLOWERS, D. & BUTTERWORTH, R. F. (1997a) Distinctive pattern of Bergmann glial pathology in human hepatic encephalopathy. *Mol Chem Neuropathol*, 31, 279-87.
- KRIL, J. J., HALLIDAY, G. M., SVOBODA, M. D. & CARTWRIGHT, H. (1997b) The cerebral cortex is damaged in chronic alcoholics. *Neuroscience*, 79, 983-98.
- KURIHARA, L. J., KIKUCHI, T., WADA, K. & TILGHMAN, S. M. (2001) Loss of Uch-L1 and Uch-L3 leads to neurodegeneration, posterior paralysis and dysphagia. *Hum Mol Genet*, 10, 1963-70.
- KYTE, J. & DOOLITTLE, R. F. (1982) A simple method for displaying the hydropathic character of a protein. *J Mol Biol*, 157, 105-32.
- LAFORENZA, U., PATRINI, C. & RINDI, G. (1990) Effects of acute and chronic ethanol administration on thiamine metabolizing enzymes in some brain areas and in other organs of the rat. *Alcohol Alcohol*, 25, 591-603.

- LAMANTIA, A. S. & RAKIC, P. (1990) Cytological and quantitative characteristics of four cerebral commissures in the rhesus monkey. *J Comp Neurol*, 291, 520-37.
- LAMARCHE, F., GONTHIER, B., SIGNORINI, N., EYSSERIC, H. & BARRET, L. (2003) Acute exposure of cultured neurones to ethanol results in reversible DNA single-strand breaks; whereas chronic exposure causes loss of cell viability. *Alcohol Alcohol*, 38, 550-8.
- LANGLAIS, P. J. (1995) Alcohol-related thiamine deficiency: Impact on cognitive and memory functioning. *Alcohol Health and Research World*, 19, 113-21.
- LARIVIERE, R. C. & JULIEN, J. P. (2004) Functions of intermediate filaments in neuronal development and disease. *J Neurobiol*, 58, 131-48.
- LAVOIE, J. & BUTTERWORTH, R. F. (1995) Reduced activities of thiamine-dependent enzymes in brains of alcoholics in the absence of Wernicke's encephalopathy. *Alcohol Clin Exp Res*, 19, 1073-7.
- LAVOIE, J., GIGUERE, J. F., LAYRARGUES, G. P. & BUTTERWORTH, R. F. (1987) Activities of neuronal and astrocytic marker enzymes in autopsied brain tissue from patients with hepatic encephalopathy. *Metab Brain Dis*, 2, 283-90.
- LEWOHL, J. M., CRANE, D. I. & DODD, P. R. (1997) Expression of the alpha 1, alpha 2 and alpha 3 isoforms of the GABAA receptor in human alcoholic brain. *Brain Res*, 751, 102-12.
- LEWOHL, J. M., DODD, P. R., MAYFIELD, R. D. & HARRIS, R. A. (2001a) Application of DNA microarrays to study human alcoholism. *J Biomed Sci*, 8, 28-36.

- LEWOHL, J. M., HUYGENS, F., CRANE, D. I. & DODD, P. R. (2001b) GABA(A) receptor alpha-subunit proteins in human chronic alcoholics. *J Neurochem*, 78, 424-34.
- LEWOHL, J. M., VAN DYK, D. D., CRAFT, G. E., INNES, D. J., MAYFIELD, R. D., COBON, G., HARRIS, R. A. & DODD, P. R. (2004) The application of proteomics to the human alcoholic brain. *Ann N Y Acad Sci*, 1025, 14-26.
- LEWOHL, J. M., WIXEY, J., HARPER, C. G. & DODD, P. R. (2005) Expression of MBP, PLP, MAG, CNP, and GFAP in the Human Alcoholic Brain. *Alcohol Clin Exp Res*, 29, 1698-1705.
- LI, H. M., NIKI, T., TAIRA, T., IGUCHI-ARIGA, S. M. & ARIGA, H. (2005) Association of DJ-1 with chaperones and enhanced association and colocalization with mitochondrial Hsp70 by oxidative stress. *Free Radic Res*, 39, 1091-9.
- LI, J. Y., HENNING JENSEN, P. & DAHLSTROM, A. (2002) Differential localization of alpha-, beta- and gamma-synucleins in the rat CNS. *Neuroscience*, 113, 463-78.
- LIEBER, C. S. (1992) Medical and nutritional complications of alcoholism: Mechanisms and management. IN NEW YORK : PLENUM MEDICAL BOOK CO., C. (Ed.).
- LIEBER, C. S. (1997) Ethanol metabolism, cirrhosis and alcoholism. *Clin Chim Acta*, 257, 59-84.
- LIEBER, C. S. (2003) Relationships between nutrition, alcohol use, and liver disease. *Alcohol Res Health*, 27, 220-31.

- LIM, K. O., CHOI, S. J., POMARA, N., WOLKIN, A. & ROTROSEN, J. P. (2002) Reduced frontal white matter integrity in cocaine dependence: a controlled diffusion tensor imaging study. *Biol Psychiatry*, 51, 890-5.
- LIU, H., MILLER, E., VAN DE WATER, B. & STEVENS, J. L. (1998) Endoplasmic reticulum stress proteins block oxidant-induced Ca²⁺ increases and cell death. *J Biol Chem*, 273, 12858-62.
- LIU, J., LEWOHL, J. M., HARRIS, R. A., IYER, V. R., DODD, P. R., RANDALL, P. K. & MAYFIELD, R. D. (2006) Patterns of gene expression in the frontal cortex discriminate alcoholic from nonalcoholic individuals. *Neuropsychopharmacology*, 31, 1574-82.
- LIU, Q., XIE, F., SIEDLAK, S. L., NUNOMURA, A., HONDA, K., MOREIRA, P. I., ZHUA, X., SMITH, M. A. & PERRY, G. (2004) Neurofilament proteins in neurodegenerative diseases. *Cell Mol Life Sci*, 61, 3057-75.
- LOVINGER, D. M. (1993a) Excitotoxicity and alcohol-related brain damage. *Alcohol Clin Exp Res*, 17, 19-27.
- LOVINGER, D. M. (1993b) High ethanol sensitivity of recombinant AMPA-type glutamate receptors expressed in mammalian cells. *Neurosci Lett*, 159, 83-7.
- LOVINGER, D. M., WHITE, G. & WEIGHT, F. F. (1989) Ethanol inhibits NMDA-activated ion current in hippocampal neurons. *Science*, 243, 1721-4.
- LUBEC, G., KRAPFENBAUER, K. & FOUNTOULAKIS, M. (2003) Proteomics in brain research: potentials and limitations. *Prog Neurobiol*, 69, 193-211.
- LV, S., WEI, L., WANG, J. H., WANG, J. Y. & LIU, F. (2007) Identification of novel molecular candidates for acute liver failure in plasma of BALB/c murine model. *J Proteome Res*, 6, 2746-52.

- MAGISTRETTI, P. J. & PELLERIN, L. (1999) Cellular mechanisms of brain energy and their relevance to functional brain imaging. *Philosophical transactions of the Royal Society of London. Series B, Biological sciences*, 354, 1155-63.
- MAHY, N. (1993) Brain banks and research in neurochemistry. *Journal of Neural Transmission. Supplementum*, 39, 119-26.
- MAJUMDAR, S. K. (1980) Chlormethiazole and utilization of vitamin B1 in chronic alcoholics. *Eur J Clin Pharmacol.*, 18, 361-2.
- MAJUMDAR, S. K., SHAW, G. K. & THOMSON, A. D. (1981) Vitamin utilization status in chronic alcoholics. *Int J Vitam Nutr Res.*, 51, 54-8.
- MALDONADO-AVILES, J. G., WU, Q., SAMPSON, A. R. & LEWIS, D. A. (2006) Somal size of immunolabeled pyramidal cells in the prefrontal cortex of subjects with schizophrenia. *Biol Psychiatry*, 60, 226-34.
- MANN, K., MUNDLE, G., LANGLE, G. & PETERSEN, D. (1993) The reversibility of alcoholic brain damage is not due to rehydration: a CT study. *Addiction*, 88, 649-653.
- MARTIN, D., TAYYEB, M. I. & SWARTZWELDER, H. S. (1995) Ethanol inhibition of AMPA and kainate receptor-mediated depolarizations of hippocampal area CA1. *Alcohol Clin Exp Res*, 19, 1312-6.
- MARTIN, P. R., SINGLETON, C. K. & HILLER-STURMHOFEL, S. (2003) The role of thiamine deficiency in alcoholic brain disease. *Alcohol Res Health*, 27, 134-42.
- MASCHKE, M., WEBER, J., BONNET, U., DIMITROVA, A., BOHRENKÄMPER, J., STURM, S., MÜLLER, B. W., GASTPAR, M., DIENER, H.-C., FORSTING, M. & TIMMANN, D. (2005) Vermal atrophy of alcoholics

- correlate with serum thiamine levels but not with dentate iron concentrations as estimated by MRI. *Journal of Neurology*, V252, 704-711.
- MASER, E. (2006) Neuroprotective role for carbonyl reductase. *Biochemical and Biophysical Research Communications*, 340, 1019-22.
- MATOCHIK, J. A., ELDTRETH, D. A., CADET, J. L. & BOLLA, K. I. (2005) Altered brain tissue composition in heavy marijuana users. *Drug Alcohol Depend*, 77, 23-30.
- MATSUDA-MATSUMOTO, H., IWAZAKI, T., KASHEM, M. A., HARPER, C. & MATSUMOTO, I. (2007) Differential Protein Expression Profiles in the Hippocampus of Human Alcoholics. *Neurochem Int*, [In press].
- MATSUMOTO, I., LEAH, J., SHANLEY, B. & WILCE, P. (1993) Immediate early gene expression in the rat brain during ethanol withdrawal. *Molecular and Cellular Neurosciences*, 4, 485-491.
- MATSUNAGA, T., SHINTANI, S. & HARA, A. (2006) Multiplicity of Mammalian Reductases for Xenobiotic Carbonyl Compounds. *Drug Metab. Pharmacokinet.*, 21, 1-18.
- MAYFIELD, R. D., LEWOHL, J. M., DODD, P. R., HERLIHY, A., LIU, J. & HARRIS, R. A. (2002) Patterns of gene expression are altered in the frontal and motor cortices of human alcoholics. *J Neurochem*, 81, 802-13.
- MEGA, M. S. & CUMMINGS, J. L. (2001) Frontal Subcortical Circuits: Anatomy and Function. IN SALLOWAY, S. P., MALLOY, P. F. & DUFFY, J. D. (Eds.) *The Frontal Lobes and Neuropsychiatric Illness 1st Edition*. Washington, DC; London, England, American Psychiatric Publishing, Inc.

- MESSING, R. O., CARPENTER, C. L., DIAMOND, I. & GREENBERG, D. A. (1986) Ethanol regulates calcium channels in clonal neural cells. *Proc Natl Acad Sci U S A*, 83, 6213-5.
- MESSING, R. O. & DIAMOND, I. (1997) Molecular biology of alcohol dependence. IN ROSENBERG, R. N., PRUSINER, S. B., DIMAURO, S. & BAROLI, R. (Eds.) *The Molecular and Genetic Basis of Neurological Disease*. Butterworth-Heinemann, Boston.
- MIGUEL-HIDALGO, J. J., WEI, J., ANDREW, M., OVERHOLSER, J. C., JURJUS, G., STOCKMEIER, C. A. & RAJKOWSKA, G. (2002) Glia pathology in the prefrontal cortex in alcohol dependence with and without depressive symptoms. *Biol Psychiatry*, 52, 1121-33.
- MILES, M. F., DIAZ, J. E. & DEGUZMAN, V. S. (1991) Mechanisms of neuronal adaptation to ethanol. Ethanol induces Hsc70 gene transcription in NG108-15 neuroblastoma x glioma cells. *J Biol Chem*, 266, 2409-14.
- MILES, M. F., WILKE, N., ELLIOT, M., TANNER, W. & SHAH, S. (1994) Ethanol-responsive genes in neural cells include the 78-kilodalton glucose-regulated protein (GRP78) and 94-kilodalton glucose-regulated protein (GRP94) molecular chaperones. *Mol Pharmacol*, 46, 873-9.
- MITUYAMA, H., LITTLE, K. Y., SIEGHART, W., DEVAUD, L. L. & MORROW, A. L. (1998) GABA(A) receptor alpha1, alpha4, and beta3 subunit mRNA and protein expression in the frontal cortex of human alcoholics. *Alcohol Clin Exp Res*, 22, 815-22.
- MOLLOY, M. P., HERBERT, B. R., WALSH, B. J., TYLER, M. I., TRAINI, M., SANCHEZ, J. C., HOCHSTRASSER, D. F., WILLIAMS, K. L. & GOOLEY, A. A. (1998) Extraction of membrane proteins by differential solubilization

- for separation using two-dimensional gel electrophoresis. *Electrophoresis*, 19, 837-44.
- MONTOLIU, C., VALLES, S., RENAUI-PIQUERAS, J. & GUERRI, C. (1994) Ethanol-induced oxygen radical formation and lipid peroxidation in rat brain: effect of chronic alcohol consumption. *J Neurochem*, 63, 1855-62.
- MOORE, C., PERRY, A. C., LOVE, S. & HALL, L. (1996) Sequence analysis and immunolocalisation of phosphatidylethanolamine binding protein (PBP) in human brain tissue. *Brain Res Mol Brain Res*, 37, 74-8.
- MOORE, M. R., BEATTIE, A. D., THOMPSON, G. G. & GOLDBERG, A. (1971) Depression of delta-aminolevulinic acid dehydratase activity by ethanol in man and rat. *Clin Sci*, 40, 81-8.
- MOTTAGHY, F. M. (2006) Interfering with working memory in humans. *Neuroscience*, 139, 85-90.
- MOUSSEAU, D. D., PERNEY, P., LAYRARGUES, G. P. & BUTTERWORTH, R. F. (1993) Selective loss of pallidal dopamine D2 receptor density in hepatic encephalopathy. *Neurosci Lett*, 162, 192-6.
- MUKHERJEE, A. B., SVORONOS, S., GHAZANFARI, A., MARTIN, P. R., FISHER, A., ROECKLEIN, B., RODBARD, D., STATON, R., BEHAR, D., BERG, C. J. & MANJUNATH, R. (1987) Transketolase abnormality in cultured fibroblasts from familial chronic alcoholic men and their male offspring. *J Clin Invest*, 79, 1039-43.
- MUKHERJEE, R. A., HOLLINS, S. & TURK, J. (2006) Fetal alcohol spectrum disorder: an overview. *Journal of the Royal Society of Medicine*, 9, 298-302.
- MURRAY, C. J. L. & LOPEZ, A. D. (Eds.) (1996) *The Global Burden of Disease: A comprehensive assessment of mortality and disability from disease injuries, ad*

risk factors in 1990 and projected to 2020., Boston, The Harvard School of Public Health.

- NAKAGOMI, S., KIRYU-SEO, S., KIMOTO, M., EMSON, P. C. & KIYAMA, H. (1999) Dimethylarginine dimethylaminohydrolase (DDAH) as a nerve-injury-associated molecule: mRNA localization in the rat brain and its coincident up-regulation with neuronal NO synthase (nNOS) in axotomized motoneurons. *Eur J Neurosci*, 11, 2160-6.
- NAKAMURA, K., IWAHASHI, K., FURUKAWA, A., AMENO, K., KINOSHITA, H., IJIRI, I., SEKINE, Y., SUZUKI, K., IWATA, Y., MINABE, Y. & MORI, N. (2003) Acetaldehyde adducts in the brain of alcoholics. *Arch Toxicol*, 77, 591-3.
- NATARAJAN, V., TAHER, M. M., ROEHM, B., PARINANDI, N. L., SCHMID, H. H., KISS, Z. & GARCIA, J. G. (1993) Activation of endothelial cell phospholipase D by hydrogen peroxide and fatty acid hydroperoxide. *J Biol Chem*, 268, 930-7.
- NEWCOMBE, J., ERIKSSON, B., OTTERVALD, J., YANG, Y. & FRANZEN, B. (2005) Extraction and proteomic analysis of proteins from normal and multiple sclerosis postmortem brain. *J Chromatogr B Analyt Technol Biomed Life Sci*, 815, 191-202.
- NISHIDA, A., SAITO, H., SHIMIZU, M., ZENSHO, H. & YAMAWAKI, S. (1997) Phosphatidylethanol inhibits phosphatidylinositol-phospholipase C activity in a competitive manner with phosphatidylinositol-4,5-bisphosphate. *Drug Alcohol Depend*, 44, 117-22.
- NORENBERG, M. D. (1981) The astrocyte in liver disease. *Adv. Cell. Neurobiol*, 2, 303-352.

- NORTH, B. J., MARSHALL, B. L., BORRA, M. T., DENU, J. M. & VERDIN, E. (2003) The human Sir2 ortholog, SIRT2, is an NAD⁺-dependent tubulin deacetylase. *Mol Cell*, 11, 437-44.
- NOSEWORTHY, J. H., LUCCHINETTI, C., RODRIGUEZ, M. & WEINSHENKER, B. G. (2000) Multiple sclerosis. *N Engl J Med*, 343, 938-52.
- O'BRIEN, E., DEDOVA, I., DUFFY, L., CORDWELL, S., KARL, T. & MATSUMOTO, I. (2006) Effects of chronic risperidone treatment on the striatal protein profiles in rats. *Brain Res*, 1113, 24-32.
- O'CONNOR, J., MULY, E. C. & HEMBY, S. E. (2006) Molecular mapping of striatal subdivisions in juvenile *Macaca Mulata*. *Exp Neurol*, 198, 326-37.
- O'NEILL, J., CARDENAS, V. A. & MEYERHOFF, D. J. (2001a) Effects of abstinence on the brain: quantitative magnetic resonance imaging and magnetic resonance spectroscopic imaging in chronic alcohol abuse. *Alcohol Clin Exp Res*, 25, 1673-82.
- O'NEILL, J. O., CARDENAS, V. A. & MEYERHOFF, D. J. (2001b) Effects of abstinence on the brain: quantitative magnetic resonance imaging and magnetic resonance spectroscopic imaging in chronic alcohol abuse. *Alcoholism: Clinical and Experimental Research*, 25, 1673-1682.
- OHIRA, K., KUMANOGOH, H., SAHARA, Y., HOMMA, K. J., HIRAI, H., NAKAMURA, S. & HAYASHI, M. (2005) A truncated tropomyosin-related kinase B receptor, T1, regulates glial cell morphology via Rho GDP dissociation inhibitor 1. *J Neurosci*, 25, 1343-53.
- OKAMOTO, P. M., GAMBY, C., WELLS, D., FALLON, J. & VALLEE, R. B. (2001) Dynamin isoform-specific interaction with the Shank/ProSAP

- scaffolding proteins of the postsynaptic density and actin cytoskeleton. *The Journal of Biological Chemistry*, 276, 48458-65.
- OLAH, J., OROSZ, F., KESERU, G. M., KOVARI, Z., KOVACS, J., HOLLAN, S. & OVADI, J. (2002) Triosephosphate isomerase deficiency: a neurodegenerative misfolding disease. *Biochem Soc Trans*, 30, 30-8.
- OLSEN, R. W. & TOBIN, A. J. (1990) Molecular biology of GABAA receptors. *Faseb J*, 4, 1469-80.
- OLSSON, N. U., HARDING, A. J. & HARPER, C. (1996) High performance liquid chromatography method with light-scattering detection for measurement of lipid class composition: Analysis of brains from alcoholics. *J Chromatogr B*, 681, 213-218.
- PANDEY, S. C. (1998) Neuronal signaling systems and ethanol dependence. *Mol Neurobiol*, 17, 1-15.
- PAPPIN, D. J., HOJRUP, P. & BLEASBY, A. J. (1993) Rapid identification of proteins by peptide-mass fingerprinting. *Curr Biol*, 3, 327-32.
- PARKS, M. H., DAWANT, B. M., RIDDLE, W. R., HARTMANN, S. L., DIETRICH, M. S., NICKEL, M. K., PRICE, R. R. & MARTIN, P. R. (2002) Longitudinal brain metabolic characterization of chronic alcoholics with proton magnetic resonance spectroscopy. *Alcohol Clin Exp Res*, 26, 1368-80.
- PAULSON, L., MARTIN, P., NILSSON, C. L., LJUNG, E., WESTMAN-BRINKMALM, A., BLENNOW, K. & DAVIDSSON, P. (2004) Comparative proteome analysis of thalamus in MK-801-treated rats. *Proteomics*, 4, 819-25.
- PEMBERTON, L. & PASCHAL, B. (2005) Mechanisms of Receptor-Mediated nuclear Import and Nuclear Export. *Traffic*, 6, 187-198.

- PENTNEY, R. J. (1982) Quantitative analysis of ethanol effects on Purkinje cell dendritic tree. *Brain Res*, 249, 397-401.
- PETERS, A., CIFUENTES, J. M. & SETHARES, C. (1997) The organization of pyramidal cells in area 18 of the rhesus monkey. *Cereb. Cortex*, 7, 405-421.
- PFEFFERBAUM, A., ADALSTEINSSON, E. & SULLIVAN, E. V. (2006a) Dymorphology and microstructural degradation of the corpus callosum: Interaction of age and alcoholism. *Neurobiology of Aging*, 27, 994-1009.
- PFEFFERBAUM, A., ADALSTEINSSON, E. & SULLIVAN, E. V. (2006b) Supratentorial Profile of White Matter Microstructural Integrity in Recovering Alcoholic Men and Women. *Biological Psychiatry*, 59, 364-372.
- PFEFFERBAUM, A., DESMOND, J. E., GALLOWAY, C., MENON, V., GLOVER, G. H. & SULLIVAN, E. V. (2001) Reorganization of frontal systems used by alcoholics for spatial working memory: an fMRI study. *Neuroimage*, 14, 7-20.
- PFEFFERBAUM, A., LIM, K., ZIPURSKY, R., MATHALON, D., ROSENBLOOM, M. & JANE, B. (1992a) Brain gray and white matter volume loss accelerates with aging in cronic alcohols: a quantitative MRI sthdy. *Alcohol Clin Exp Res*, 16, 1078-1089.
- PFEFFERBAUM, A., LIM, K. O., ZIPURSKY, R. B., MATHALON, D. H., ROSENBLOOM, M. J., LANE, B., HA, C. N. & SULLIVAN, E. V. (1992b) Brain gray and white matter volume loss accelerates with aging in chronic alcoholics: a quantitative MRI study. *Alcohol Clin Exp Res*, 16, 1078-89.
- PFEFFERBAUM, A. & ROSENBLOOM, M. (1993) In vivo imaging of morphological alterations associated with alcoholism. IN HUNT, W. A. & NIXON, S. J. (Eds.) *Alcohol-induced brain damage*. Rockville: US Department of Health and Human Services.

- PFEFFERBAUM, A., ROSENBLOOM, M., CRUSAN, K. & JERNIGAN, T. L. (1988) Brain CT changes in alcoholics: effects of age and alcohol consumption. *Alcohol Clin Exp Res*, 12, 81-7.
- PFEFFERBAUM, A. & SULLIVAN, E. V. (2002) Microstructural but not macrostructural disruption of white matter in women with chronic alcoholism. *Neuroimage*, 15, 708-18.
- PFEFFERBAUM, A. & SULLIVAN, E. V. (2005) Disruption of brain white matter microstructure by excessive intracellular and extracellular fluid in alcoholism: evidence from diffusion tensor imaging. *Neuropsychopharmacology*, 30, 423-32.
- PHAN, J. H., QUO, C. F. & WANG, M. D. (2006) Functional genomics and proteomics in the clinical neurosciences: data mining and bioinformatics. *Prog Brain Res*, 158, 83-108.
- PHILLIPS, S. C. (1987) Neurotoxic interaction in alcohol-treated thiamine-deficient mice. *Acta Neuropathol (Berl)*, 73, 171-176.
- PHILLIPS, S. C., HARPER, C. G. & KRIL, J. (1987) A quantitative histological study of the cerebellar vermis in alcoholic patients. *Brain*, 110 (Pt 2), 301-14.
- PHILLIPS, S. C., HARPER, C. G. & KRIL, J. J. (1990) The contribution of Wernicke's encephalopathy to alcohol-related cerebellar damage. *Drug Alcohol Rev*, 9, 53-60.
- PHILLIPS, S. C., KRUEGER, S. K. & RYDQUIST, J. E. (1991) Short- and long-term effects of combined pre- and postnatal ethanol exposure (three trimester equivalency) on the development of myelin and axons in rat optic nerve. *Int J Dev Neurosci*, 9, 631-647.

- PICKEL, V., CLARKE, C. & MEYERS, M. (1997) Ultrastructural Localization of Sorcin, a 22 kDa Calcium Binding Protein, in the rat Caudate-Putamen Nucleus: Association With Ryanodine Receptors and Intracellular Calcium Release. *The Journal of Comparative Neurology*, 386, 625-634.
- PISHKIN, V., LOVALLO, W. R. & BOURNE, L. E., JR. (1985) Chronic alcoholism in males: cognitive deficit as a function of age of onset, age, and duration. *Alcohol Clin Exp Res*, 9, 400-6.
- PONTIER, S., LAHAIE, N., GINHAM, R., ST-GELAIS, F., BONIN, H., BELL, D., FLYNN, H., TRUDEAU, L., MCLLHINNEY, J., WHITE, J. & BOUVIER, M. (2006) Coordinated action of NSF and PKC regulates GABAB receptor signaling efficacy. *The EMBO journal*, 25, 2698-2709.
- POSTLE, B. R. (2005) Delay-period activity in prefrontal cortex: one function is sensory gating. *J Cogn Neurosci.*, 17, 1697-1690.
- POZZI MUCELLI, S., ODREMAN, F., GONZALES, M. L., GERARDI, E., STANTA, G. & VINDIGNI, A. (2006) Proteomic studies on the white matter of human brain. *J Chromatogr B Analyt Technol Biomed Life Sci*, 833, 80-90.
- PROCTOR, W. R., ALLAN, A. M. & DUNWIDDIE, T. V. (1992) Brain region-dependent sensitivity of GABAA receptor-mediated responses to modulation by ethanol. *Alcohol Clin Exp Res*, 16, 480-9.
- QIAN, H.-R. & HUANG, S. (2005) Comparison of false discovery rate methods in identifying genes with differential expression. *Genomics*, 86, 495-503.
- RAJKOWSKA, G. & GOLDMAN-RAKIC, P. (1995t) Cytoarchionic definition of prefrontal areas in the normal human cortex: II. Variability in local of area 9 and 46 and relationship to the Talairach Coordinate System. *Cereb Cortex*, 5, 323-337.

- RAMSEY, C. P., GLASS, C. A., MONTGOMERY, M. B., LINDL, K. A., RITSON, G. P., CHIA, L. A., HAMILTON, R. L., CHU, C. T. & JORDAN-SCIUTTO, K. L. (2007) Expression of Nrf2 in neurodegenerative diseases. *J Neuropathol Exp Neurol*, 66, 75-85.
- RANDALL, A. & TSIEN, R. W. (1995) Pharmacological dissection of multiple types of Ca²⁺ channel currents in rat cerebellar granule neurons. *The Journal of Neuroscience*, 15, 2995-3012.
- RAO, V. L. & BUTTERWORTH, R. F. (1994) Alterations of [3H]8-OH-DPAT and [3H]ketanserin binding sites in autopsied brain tissue from cirrhotic patients with hepatic encephalopathy. *Neurosci Lett*, 182, 69-72.
- REHM, J., REHN, N., ROOM, R., MONTEIRO, M., GMEL, G., JERNIGAN, D. & FRICK, U. (2003) The global distribution of average volume of alcohol consumption and patterns of drinking. *European Addiction Research*, 9, 147-56.
- RENIS, M., CALABRESE, V., RUSSO, A., CALDERONE, A., BARCELLONA, M. L. & RIZZA, V. (1996) Nuclear DNA strand breaks during ethanol-induced oxidative stress in rat brain. *FEBS Lett*, 390, 153-6.
- RINDI, G., IMARISIO, L. & PATRINI, C. (1986) Effects of acute and chronic ethanol administration on regional thiamin pyrophosphokinase activity of the rat brain. *Biochem Pharmacol*, 35, 3903-8.
- ROUSSEL, G., NUSSBAUM, F., SCHOENTGEN, F., JOLLES, P. & NUSSBAUM, J. L. (1988) Immunological investigation of a 21-kilodalton cytosolic basic protein in rat brain. *Dev Neurosci*, 10, 65-74.

- RYABININ, A. E. (1998) Role of hippocampus in alcohol-induced memory impairment: implications from behavioral and immediate early gene studies. *Psychopharmacology (Berl)*, 139, 34-43.
- SAKAI, T. (2000) Biomarkers of lead exposure. *Ind Health*, 38, 127-42.
- SALEH, M. C., ESPINOSA DE LOS MONTEROS, A., DE ARRIBA ZERPA, G. A., FONTAINE, I., PIAUD, O., DJORDJJEVIC, D., BAROUKH, N., GARCIA OTIN, A. L., ORTIZ, E., LEWIS, S., FIETTE, L., SANTAMBROGIO, P., BELZUNG, C., CONNOR, J. R., DE VELLIS, J., PASQUINI, J. M., ZAKIN, M. M., BARON, B. & GUILLOU, F. (2003) Myelination and motor coordination are increased in transferrin transgenic mice. *J Neurosci Res*, 72, 587-94.
- SALLOWAY, S. & CUMMINGS, J. (1994) Subcortical disease and neuropsychiatric illness. *J Neuropsychiatry Clin Neurosci*, 6, 93-9.
- SAUNDERS, D. E., DICERBO, J. A., WILLIAMS, J. R. & HANNIGAN, J. H. (1997) Alcohol reduces neurofilament protein levels in primary cultured hippocampal neurons. *Alcohol*, 14, 519-26.
- SAWARA, K., KATO, A., YOSHIOKA, Y. & SUZUKI, K. (2004) Brain glutamine and glutamate levels in patients with liver cirrhosis: assessed by 3.0-T MRS. *Hepatol Res*, 30, 18-23.
- SCHELER, C., LAMER, S., PAN, Z., LI, X. P., SALNIKOW, J. & JUNGBLUT, P. (1998) Peptide mass fingerprint sequence coverage from differently stained proteins on two-dimensional electrophoresis patterns by matrix assisted laser desorption/ionization-mass spectrometry (MALDI-MS). *Electrophoresis*, 19, 918-27.

- SCHMAHMANN, J. D. & PANDYA, D. N. (1997) The cerebrocerebellar system. *Int Rev Neurobiol*, 41, 31-60.
- SCHROTER, A., ANDRABI, S. A., WOLF, G. & HORN, T. F. (2005) Nitric oxide applications prior and simultaneous to potentially excitotoxic NMDA-evoked calcium transients: cell death or survival. *Brain Res*, 1060, 1-15.
- SCHWEINSBURG, B. C., TAYLOR, M. J., ALHASSOON, O. M., VIDEEN, J. S., BROWN, G. G., PATTERSON, T. L., BERGER, F. & GRANT, I. (2001) Chemical pathology in brain white matter of recently detoxified alcoholics: a 1H magnetic resonance spectroscopy investigation of alcohol-associated frontal lobe injury. *Alcohol Clin Exp Res*, 25, 924-34.
- SECHI, G. P. & SERRA, A. (2007) Wernicke's encephalopathy: new clinical settings and recent advances in diagnosis and management. *Lancet Neurol*, 6, 442-455.
- SEEMAN, P. (1972) The membran actions of anesthetics and tranquilizers. *Pharmacol Rev*, 24.
- SHARP, R. E., PALMITESSA, A., GIBNEY, B. R., MOSER, C. C., DALDAL, F. & DUTTON, P. L. (1998) Non-inhibiting perturbation of the primary energy conversion site (Qo site) in *Rhodobacter capsulatus* ubihydroquinone: cytochrome c oxidoreductase (cytochrome bc1 complex). *FEBS Lett*, 431, 423-6.
- SHIH, A. Y., IMBEAULT, S., BARAKAUSKAS, V., ERB, H., JIANG, L., LI, P. & MURPHY, T. H. (2005) Induction of the Nrf2-driven antioxidant response confers neuroprotection during mitochondrial stress in vivo. *J Biol Chem*, 280, 22925-36.

- SINGH, N. P., LAI, H. & KHAN, A. (1995) Ethanol-induced single-strand DNA breaks in rat brain cells. *Mutat Res*, 345, 191-6.
- SIROVER, M. A. (1997) Role of the glycolytic protein, glyceraldehyde-3-phosphate dehydrogenase, in normal cell function and in cell pathology. *J Cell Biochem*, 66, 133-40.
- SIROVER, M. A. (1999) New insights into an old protein: the functional diversity of mammalian glyceraldehyde-3-phosphate dehydrogenase. *Biochim Biophys Acta*, 1432, 159-84.
- SMITH, A., SLEPCHENKO, B., SCHAFF, J., LOEW, L. & MACARA, I. (2002) System Analysis of ran Transport. *Science*, 295, 488-491.
- SOKOLOV, B. P., JIANG, L., TRIVEDI, N. S. & ASTON, C. (2003) Transcription profiling reveals mitochondrial, ubiquitin and signaling systems abnormalities in postmortem brains from subjects with a history of alcohol abuse or dependence. *J Neurosci Res*, 72, 756-67.
- SOW, A., LAMANT, M., BONNY, J. M., LARVARON, P., PIAUD, O., LECUREUIL, C., FONTAINE, I., SALEH, M. C., GARCIA OTIN, A. L., RENO, J. P., BARON, B., ZAKIN, M. & GUILLOU, F. (2006) Oligodendrocyte differentiation is increased in transferrin transgenic mice. *J Neurosci Res*, 83, 403-14.
- STAN, A. D., GHOSE, S., GAO, X.-M., ROBERTS, R. C., LEWIS-AMEZCUA, K., HATANPAA, K. J. & TAMMINGA, C. A. (2006) Human postmortem tissue: What quality markers matter? *Brain Research*, 1123, 1-11.
- STOREY, J. D. (2002) A direct approach to false discovery rates. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 64, 479-498.

- STUBBS, C. D. & SLATER, S. J. (1999) Ethanol and protein kinase C. *Alcohol Clin Exp Res*, 23, 1552-60.
- SUAREZ, I., BODEGA, G. & FERNANDEZ, B. (2002) Glutamine synthetase in brain: effect of ammonia. *Neurochem Int*, 41, 123-42.
- SULLIVAN, E. V. (2003) Compromised pontocerebellar and cerebellothalamocortical systems: speculations on their contributions to cognitive and motor impairment in nonamnesic alcoholism. *Alcohol Clin Exp Res*, 27, 1409-19.
- SUN, A. Y. & SUN, G. Y. (2001) Ethanol and oxidative mechanisms in the brain. *J Biomed Sci*, 8, 37-43.
- SUZDAK, P. D., SCHWARTZ, R. D., SKOLNICK, P. & PAUL, S. M. (1986) Ethanol stimulates gamma-aminobutyric acid receptor-mediated chloride transport in rat brain synaptoneuroosomes. *Proc Natl Acad Sci U S A*, 83, 4071-5.
- TAGLIAFERRO, P., VEGA, M. D., EVRARD, S. G., RAMOS, A. J. & BRUSCO, A. (2002) Alcohol exposure during adulthood induces neuronal and astroglial alterations in the hippocampal CA-1 area. *Ann N Y Acad Sci*, 965, 334-42.
- TANG, W. K., CHENG, C. H. & FONG, W. P. (2002) First purification of the antiquitin protein and demonstration of its enzymatic activity. *FEBS Lett*, 516, 183-6.
- TAO, L. & YE, J. H. (2002) Protein Kinase C Modulation of Ethanol Inhibition of Glycine-Activated Current in Dissociated Neurons of Rat Ventral Tegmental Area. *J Pharmacol Exp Ther*, 300, 967-975.

- TARTER, R. E. & EDWARDS, K. L. (1986) Multifactorial etiology of neuropsychological impairment in alcoholics. *Alcohol Clin Exp Res*, 10, 128-35.
- TAYLOR, C. M., MARTA, C. B., CLAYCOMB, R. J., HAN, D. K., RASBAND, M. N., COETZEE, T. & PFEIFFER, S. E. (2004) Proteomic mapping provides powerful insights into functional myelin biology. *Proc Natl Acad Sci U S A*, 101, 4643-8.
- THIEL, G. (1993) Synapsin I, synapsin II, and synaptophysin: marker proteins of synaptic vesicles. *Brain Pathol*, 3, 87-95.
- TICKU, M. K. & BURCH, T. (1980) Alterations in gamma-aminobutyric acid receptor sensitivity following acute and chronic ethanol treatments. *J Neurochem*, 34, 417-23.
- TONG, G. X., YEE, H., CHIRIBOGA, L., HERNANDEZ, O. & WAISMAN, J. (2005) Fascin-1 expression in papillary and invasive urothelial carcinomas of the urinary bladder. *Hum Pathol*, 36, 741-6.
- TORRES-MUNOZ, J. E., VAN WAVEREN, C., KEEGAN, M. G., BOOKMAN, R. J. & PETITO, C. K. (2004) Gene expression profiles in microdissected neurons from human hippocampal subregions. *Molecular Brain Research*, 127, 105-114.
- TORVIK, A. & TORP, S. (1986) The prevalence of alcoholic cerebellar atrophy. A morphometric and histological study of an autopsy material. *J Neurol Sci*, 75, 43-51.
- TOTTERDELL, S., HANGER, D. & MEREDITH, G. E. (2004) The ultrastructural distribution of alpha-synuclein-like protein in normal mouse brain. *Brain Res*, 1004, 61-72.

- TRABERT, W., BETZ, T., NIEWALD, M. & HUBER, G. (1995) Significant reversibility of alcoholic brain shrinkage within 3 weeks abstinence. *Acta Psychiat Scand*, 92.
- TRAINI, M., GOOLEY, A. A., OU, K., WILKINS, M. R., TONELLA, L., SANCHEZ, J. C., HOCHSTRASSER, D. F. & WILLIAMS, K. L. (1998) Towards an automated approach for protein identification in proteome projects. *Electrophoresis*, 19, 1941-9.
- TSAI, G. E., RAGAN, P., CHANG, R., CHEN, S., LINNOILA, V. M. & COYLE, J. T. (1998) Increased glutamatergic neurotransmission and oxidative stress after alcohol withdrawal. *Am J Psychiatry*, 155, 726-32.
- UNLU, M., MORGAN, M. E. & MINDEN, J. S. (1997) Difference gel electrophoresis: a single gel method for detecting changes in protein extracts. *Electrophoresis*, 18, 2071-7.
- VAN MUISWINKEL, F. L. & KUIPERIJ, H. B. (2005) The Nrf2-ARE Signalling pathway: promising drug target to combat oxidative stress in neurodegenerative disorders. *Curr Drug Targets CNS Neurol Disord*, 4, 267-81.
- VECH, R. L., LUMENG, L. & LI, T. K. (1975) Vitamin B6 metabolism in chronic alcohol abuse. The effect of ethanol oxidation on hepatic pyridoxal 5'-phosphate metabolism. *Journal of Clinical Investigation*, 55, 1026-32.
- VERCAUTEREN, F. G., BERGERON, J. J., VANDESANDE, F., ARCKENS, L. & QUIRION, R. (2004) Proteomic approaches in brain research and neuropharmacology. *Eur J Pharmacol*, 500, 385-98.

- VICTOR, M., ADAMS, R. D. & COLLINS, G. H. (1971) The Wernicke-Korsakoff syndrom: a clinical and pathological study of 245 patients, 82 with postmortem examinations. *Contemp Neurol Ser*, 7, 1-206.
- VICTOR, M., ADAMS, R. D. & COLLINS, G. H. (1989) *The Wernicke-Korsakoff Syndrome and Related Neurological Disorders Due to Alcoholism and Malnutrition.*, Davis, Philadelphia, PA.
- VITORINO, R., LOBO, M. J., FERRER-CORREIRA, A. J., DUBIN, J. R., TOMER, K. B., DOMINGUES, P. M. & AMADO, F. M. (2004) Identification of human whole saliva protein components using proteomics. *Proteomics*, 4, 1109-15.
- WAKANA, S., JIANG, H., NAGAE-POETSCHER, L. M., VAN ZIJL, P. C. & MORI, S. (2004) Fiber tract-based atlas of human white matter anatomy. *Radiology*, 230, 77-87.
- WALTON, N. H. & BOWDEN, S. C. (1997) DOES LIVER DYSFUNCTION EXPLAIN NEUROPSYCHOLOGICAL STATUS IN RECENTLY DETOXIFIED ALCOHOL-DEPENDENT CLIENTS? *Alcohol Alcohol.*, 32, 287-295.
- WAN, Y. J., MORIMOTO, M., THURMAN, R. G., BOJES, H. K. & FRENCH, S. W. (1995) Expression of the peroxisome proliferator-activated receptor gene is decreased in experimental alcoholic liver disease. *Life Sci*, 56, 307-17.
- WANG, L. N., YANG, G. F., HE, S. Z., JI, J. G., ZHU, M. W. & WANG, Q. S. (2005) [Proteomic comparison between human cerebellums and frontal lobes]. *Zhonghua Nei Ke Za Zhi*, 44, 254-7.

- WANG, Y. & FLOOR, E. (1998) Hydrogen peroxide inhibits the vacuolar H⁺-ATPase in brain synaptic vesicles at micromolar concentrations. *J Neurochem*, 70, 646-52.
- WATANABE, N., MADAULE, P., REID, T., ISHIZAKI, T., WATANABE, G., KAKIZUKA, A., SAITO, Y., NAKAO, K., JACKUSCH, M. & NARUMIYA, S. (1997) p140mDia, a mammalian homolog of *Drosophila* diaphanous, is a target protein for Rho small GTPase and is a ligand for profilin. *The EMBO journal*, 16, 3044-3056.
- WEBB, E., ASHTON, C. H., KELLY, P. & KAMALI, F. (1996) Alcohol and drug use in UK university students. *The Lancet*, 348, 922-925.
- WEIGHT, F. F. (1992) Cellular and molecular physiology of alcohol actions in the nervous system. *Int Rev Neurobiol*, 33, 289-348.
- WEITZDOERFER, R., FOUNTOULAKIS, M. & LUBEC, G. (2001) Aberrant expression of dihydropyrimidinase related proteins-2,-3 and -4 in fetal Down syndrome brain. *J Neural Transm Suppl*, 95-107.
- WHITEHEART, S. W. & MATVEEVA, E. A. (2004) Multiple binding proteins suggest diverse functions for the N-ethylmaleimide sensitive factor. *J Struct Biol*, 146, 32-43.
- WHITING, P. J., BONNERT, T. P., MCKERNAN, R. M., FARRAR, S., LE BOURDELLES, B., HEAVENS, R. P., SMITH, D. W., HEWSON, L., RIGBY, M. R., SIRINATHSINGHJI, D. J., THOMPSON, S. A. & WAFFORD, K. A. (1999) Molecular and functional diversity of the expanding GABA-A receptor gene family. *Ann N Y Acad Sci*, 868, 645-53.

- WIGGINS, R. C., GORMAN, A., ROLSTEN, C., SAMORAJSKI, T., BALLINGER, W. E. & FREUND, G. (1988) Effects of aging and alcohol on the biochemical composition of histologically normal human brain. *Metab Brain Dis*, 3, 67-80.
- WILCE, P., BECKMANN, A., SHANLEY, B. & MATSUMOTO, I. (1994) Gene expression during ethanol withdrawal. *Alcohol Alcohol Suppl*, 2, 97-102.
- WILKINS, M. R., GASTEIGER, E., SANCHEZ, J. C., BAIROCH, A. & HOCHSTRASSER, D. F. (1998) Two-dimensional gel electrophoresis for proteome projects: the effects of protein hydrophobicity and copy number. *Electrophoresis*, 19, 1501-5.
- WILLIAMS, K., WU, T., COLANGELO, C. & NAIRN, A. C. (2004) Recent advances in neuroproteomics and potential application to studies of drug addiction. *Neuropharmacology*, 47 Suppl 1, 148-66.
- WITZMANN, F. A., LI, J., STROTHER, W. N., MCBRIDE, W. J., HUNTER, L., CRABB, D. W., LUMENG, L. & LI, T. K. (2003) Innate differences in protein expression in the nucleus accumbens and hippocampus of inbred alcohol-preferring and -nonpreferring rats. *Proteomics*, 3, 1335-44.
- WOLOSKER, H., REIS, M., ASSREUY, J. & DE MEIS, L. (1996) Inhibition of glutamate uptake and proton pumping in synaptic vesicles by S-nitrosylation. *J Neurochem*, 66, 1943-8.
- XU, Z., DONG, D. L. & CLEVELAND, D. W. (1994) Neuronal intermediate filaments: new progress on an old subject. *Curr Opin Neurobiol*, 4, 655-61.
- YAN, L. J., LEVINE, R. L. & SOHAL, R. S. (1997) Oxidative damage during aging targets mitochondrial aconitase. *Proc Natl Acad Sci U S A*, 94, 11168-72.
- ZHAN, X. & DESIDERIO, D. M. (2003) Heterogeneity analysis of the human pituitary proteome. *Clin Chem*, 49, 1740-51.

ZHANG, J. P., XIA, J. M. & SUN, G. Y. (1997) Chronic ethanol inhibits inositol metabolism in specific brain regions. *Alcohol Clin Exp Res*, 21, 716-20.