

## References

- Aanonsen LM, Kajander KC, Bennet GJ, and Seybold VS. 1992. Autoradiographic analysis of <sup>125</sup>I-substance P binding in rat spinal cord following chronic constriction injury of the sciatic nerve. *Brain Research* 596:259-268.
- Abdala AP, Haibara AS, and Colombari E. 2003. Cardiovascular responses to substance P in the nucleus tractus solitarius: microinjection study in conscious rats. *American Journal of Physiology* 285:H891-H898.
- Abrahams TP, Hornby PJ, Chen K, Taveira Dasilva AM, and Gillis RA. The non-NMDA subtype of excitatory amino acid receptor plays the major role in control of cardiovascular function by the subretrofacial nucleus in cats. 1994. *The Journal of Pharmacology and Experimental Therapeutics* 270:424-432.
- Adachi T, Sato A, and Sato Y. 1993. Comparison of effects of morphine and CP-96,345, a substance P antagonist, administered intrathecally on the somatosympathetic reflex discharges in anesthetized rats. *Regulatory Peptides* 46:263-265.
- Agarwal SK and Calaresu FR. 1991. Monosynaptic connection from caudal to rostral ventrolateral medulla in the baroreceptor reflex pathway. *Brain Research* 555:70-74.
- Agarwal SK, Gelsema AJ, and Calaresu FR. 1989. Neurons in rostral VLM are inhibited by chemical stimulation of caudal VLM in rats. *American Journal of Physiology* 257:R265-R270.
- Agarwal SK, Gelsema AJ, and Calaresu FR. 1990. Inhibition of rostral VLM by baroreceptor activation is relayed through caudal VLM. *American Journal of Physiology* 258:R1271-R1278.
- Aicher SA, Saravay RH, Cravo S, Jeske I, Morrison SF, Reis DJ, and Milner TA. 1996. Monosynaptic projections from the nucleus tractus solitarius to C1 adrenergic neurons in the rostral ventrolateral medulla: comparison with input from the caudal ventrolateral medulla. *Journal of Comparative Neurology* 373:62-75.
- Aicher SA, Schreihofer AM, Kraus JA, Sharma S, Milner TA, and Guyenet PG. 2001. Mu-opioid receptors are present in functionally identified sympathoexcitatory neurons in the rat rostral ventrolateral medulla. *Journal of Comparative Neurology* 433:34-47.
- Akagi H, Otsuka M, and Yanagisawa M. 1980. Identification by high-performance liquid chromatography of immunoreactive substance P released from isolated rat spinal cord. *Neuroscience Letters* 20:259-263.
- Akemi SM, Vanderlei MJ, Ubriaco LO, and Colombari E. 2001. Lesions of the commissural nuclei of the solitary tract reduce arterial pressure in spontaneously hypertensive rats. *Hypertension* 38:560-564.
- Alexander RS. 1946. Tonic and reflex functions of medullary sympathetic cardiovascular centers. *Journal of Neurophysiology* 9:205-217.
- Allen AM. 2001. Blockade of angiotensin AT(1)-receptors in the rostral ventrolateral medulla of spontaneously hypertensive rats reduces blood pressure and sympathetic nerve discharge. *Journal of the Renin Angiotensin Aldosterone System* 2:120-124.
- Allen AM. 2002. Inhibition of the hypothalamic paraventricular nucleus in spontaneously hypertensive rats dramatically reduces sympathetic vasomotor tone. *Hypertension* 39:275-280.

- Alvarez FJ and Priestley JV. 1990. Anatomy of somatostatin-immunoreactive fibres and cell bodies in the rat trigeminal subnucleus caudalis. *Neuroscience* 38:343-357.
- Amano M, Asari T, and Kubo T. 1994. Excitatory amino acid receptors in the rostral ventrolateral medulla mediate hypertension induced by carotid body chemoreceptor stimulation. *Naunyn-Schmiedeberg's Archives of Pharmacology* 349:549-554.
- Amendt K, Czachurski J, Dembowski K, and Seller H. 1978. Neurons within the 'chemosensitive area' on the ventral surface of the brainstem which project to the intermediolateral cell column. *Pflugers Archives* 375:289-292.
- Amendt K, Czachurski J, Dembowski K, and Seller H. 1979. Bulbosplinal projections to the intermediolateral cell column: A neuroanatomical study. *Journal of the Autonomic Nervous System* 1:103-117.
- Andresen MC. 1984. Short- and long-term determinants of baroreceptor function in aged normo-tensive and spontaneously hypertensive rats. *Circulation Research* 54:750-759.
- Andrezik JA, Chan-Palay V, and Palay SL. 1981. The nucleus paragigianocellularis lateralis in the rat. Demonstration of afferents by the retrograde transport of horseradish peroxidase. *Anatomy and Embryology* 161:373-390.
- Angell-James JE. 1971. The effects of altering mean pressure, pulse pressure and pulse frequency on the impulse activity in baroreceptor fibres from the aortic arch and right subclavian artery in the rabbit. *Journal of Physiology* 214:65-88.
- Angell-James JE, Clarke JA, De Burgh Daly M, and Taton A. 1985. Role of carotid body chemoreceptors in the conscious renal hypertensive rabbit. *Acta Physiologica* 36:39-41.
- Appenrodt E, Pharow L, and Brattsrom A. 1993. Effects of central substance P on baroreflex regulation. *Neuropeptides* 25:77-81.
- Arai H and Emson PC. 1986. Regional distribution of neuropeptide K and other tachykinins (neurokinin A, neurokinin B and substance P) in the rat central nervous system. *Brain Research* 399:240-249.
- Arand AG, Zuccarello M, Skidmore BA, Berger RJ, and Keller JT. 1994. Effect of subarachnoid haemorrhage on trigeminovascular calcitonin-gene-related peptide and substance P of the rat dura mater versus cerebral vasculature. *Acta Neurochirurgica* 127:103-111.
- Armstrong DM, Pickel VM, Joh TH, Reis DJ, and Miller RJ. 1981. Immunocytochemical localization of catecholamine synthesizing enzymes and neuropeptides in area postrema and medial nucleus tractus solitarius of rat brain. *Journal of Comparative Neurology* 196:505-517.
- Armstrong DM, Ross CA, Pickel VM, Joh TH, and Reis DJ. 1982. Distribution of Dopamine-, noradrenaline-, and adrenaline containing cell bodies in the rat medulla oblongata: Demonstrated by the immunocytochemical localization of catecholamine biosynthetic enzymes. *Journal of Comparative Neurology* 212:173-187.
- Aubry JM, Lundstrom K, Kawashima E, Ayala G, Shulz P, Bartanusz V, and Kiss JZ. 1994. NK<sub>1</sub> receptor expression by cholinergic interneurons in human striatum. *Neuroreport* 5:1597-1600.
- Avanzino GL, Ruggeri P, Bianchi D, Cogo CE, Ermirio R, and Weaver LC. 1994. GABA receptor-mediated mechanisms in the RVLM studied by microinjections of two GABA receptor antagonists. *American Journal of Physiology* 266:H1722-H1728.
- Baccelli G, Guazzi M, Libretti A, and Zanchetti A. 1964. Respiratory influences on depressor and pressor responses to stimulation of the aortic nerve in the decerebrate cat. *Experientia* 20:95-96.

- Bach KB and Mitchell GS. 1998. Hypercapnia-induced long-term depression of respiratory activity requires  $\alpha_2$ -adrenergic receptors. *Journal of Applied Physiology* 84:2099-2105.
- Bae SJ, Matsunaga Y, Takenaka M, Tanaka Y, Hamazaki Y, Shimizu K, and Katayama I. 2002. Substance P induced preprotachykinin-a mRNA, neutral endopeptidase mRNA and substance P in cultured normal fibroblasts. *International Archives of Allergy & Immunology* 127:316-321.
- Bago M, Marson L, and Dean C. 2002. Serotonergic projections to the rostroventrolateral medulla from midbrain and raphe nuclei. *Brain Research* 945:249-258.
- Baker SJ, Morris JL, and Gibbins IL. 2003. Cloning of a C-terminally truncated NK-1 receptor from guinea-pig nervous system. *Brain Research Molecular Brain Research*. 111:136-147.
- Baker TL, Fuller DD, Zabka AG, and Mitchell GS. 2001. Respiratory plasticity: differential actions of continuous and episodic hypoxia and hypercapnia. *Respiration Physiology* 129:25-35.
- Bannon MJ, Poosch MS, Haverstick DM, Mandal A, Xue IC, Shibata K, and Dragovic LJ. 1992. Preprotachykinin gene expression in the human basal ganglia: characterization of mRNAs and pre-mRNAs produced by alternate RNA splicing. *Molecular Brain Research* 12:225-231.
- Barman SM, Gebber GL, and Orer HS. 2000. Medullary lateral tegmental field: an important source of basal sympathetic discharge in the rat. *American Journal of Physiology* 278:R995-R1004.
- Barnes KL, Diz DI, and Ferrario CM. 1991. Functional interactions between Angiotensin II and Substance P in the dorsal medulla. *Hypertension* 17:1121-1126.
- Beaujouan JC, Saffroy M, Torrens Y, and Glowinski J. 2000. Different subtypes of tachykinin NK(1) receptor binding sites are present in the rat brain. *Journal of Neurochemistry* 75:1015-1026.
- Beaujouan JC, Torrens Y, Viger A, and Glowinski J. 1984. A new type of tachykinin binding site in the rat brain characterized by specific binding of labeled eledosin derivative. *Molecular Pharmacology* 26:248-254.
- Bellucci F, Carini F, Catalani C, Cucchi P, Lecci A, Meini S, Patacchini R, Quartara L, Ricci R, Tramontana M, Giuliani S, and Maggi CA. 2002. Pharmacological profile of the novel mammalian tachykinin, hemokinin 1. *British Journal of Pharmacology* 135:266-274.
- Bellucci F, Meini S, Catalioto RM, Catalani C, Giuliani S, Quartara L, Giolitti A, Faiella A, Rotondaro L, Candenias ML, Pinto FM, and Maggi CA. 2004. Pharmacological evaluation of the alpha and beta human tachykinin NK2 receptor splice variants expressed in CHO cells. *European Journal of Pharmacology* 499:229-238.
- Bensaid M, Faucheux BA, Hirsch E, Agid Y, Soubrie P, and Oury-Donat F. 2001. Expression of tachykinin NK2 receptor mRNA in human brain. *Neuroscience Letters* 303:25-28.
- Bergstrom L, Lagercrantz H, and Terenius L. 1984. Postmortem analysis of neuropeptides in brains from sudden infant death victims. *Brain Research* 323:279-285.
- Bernardi L, Gabutti A, Porta C, Spicuzza L, and Abate C. 2001. Slow breathing reduces chemoreflex response to hypoxia and hypercapnia, and increases baroreflex sensitivity. *Journal of Hypertension* 19:2221-2229.
- Biaggioni I, Whetsell WO, Jobe J, and Nadeau JH. 1994. Baroreflex failure in a patient with central nervous system lesions involving the nucleus tractus solitarius. *Hypertension* 23:491-495.

- Biondo B, Magagnin S, Bruni B, Cazzullo A, Tosi D, and Maturri L. 2004. Glial and neuronal alterations in the nucleus tractus solitarii of sudden infant death syndrome victims. *Acta Neuropathologica* 108:309-318.
- Biscoe TJ. 1971. Carotid body: Structure and function. *Physiological Reviews* 51:437-495.
- Blanchi B, Kelly LM, Viemari JC, Lafon I, Burnet H, Bevingut M, Tillmanns S, Daniel L, Graf T, Hilaire G, and Sieweke MH. 2003. MafB deficiency causes defective respiratory rhythmogenesis and fatal central apnea at birth. *Nature Neuroscience* 6:1091-1100.
- Blessing WW. 1988. Depressor neurons in rabbit caudal medulla act via GABA receptors in rostral medulla. *American Journal of Physiology* 254:H686-H692.
- Blessing WW and Namath I. 2000. Regional blood flow and nociceptive stimuli in rabbits: patterning by medullary raphe, not ventrolateral medulla. *Journal of Physiology* 524:279-292.
- Blessing WW and Reis DJ. 1983. Evidence that GABA and glycine-like inputs inhibit vasodepressor neurons in the caudal ventrolateral medulla of the rabbit. *Neuroscience Letters* 37:57-62.
- Blumberg H, Jänig W, Rieckmann C, and Szulczyk P. 1980. Baroreceptor and chemoreceptor reflexes in postganglionic neurones supplying skeletal muscle and hairy skin. *Journal of the Autonomic Nervous System* 2:223-240.
- Bodineau L and Larnicol N. 2001. Brainstem and hypothalamic areas activated by tissue hypoxia: Fos-like immunoreactivity induced by carbon monoxide inhalation in the rat. *Neuroscience* 108:643-653.
- Bongianni F, Fontana G, and Pantaleo T. 1988. Effects of electrical and chemical stimulation of the Bötzing complex on respiratory activity in the cat. *Brain Research* 445:254-261.
- Bongianni F, Mutolo D, and Pantaleo T. 1997. Depressant effects on inspiratory and expiratory activity produced by chemical activation of Bötzing complex neurons in the rabbit. *Brain Research* 749:1-9.
- Bonner T, Affolter HU, Young AC, and Young WS. 1987. A cDNA encoding the precursor of the rat neuropeptide neurokinin B. *Molecular Brain Research* 2:243-249.
- Bonnet J, Kucharczyk N, Robineau P, Lonchampt M, Dacquet C, Regoli D, Faucherre JL, and Canet E. 1996. A water soluble, stable dipeptide NK1 receptor selective neurokinin receptor antagonist with potent in vivo pharmacological effects. *European Journal of Pharmacology* 310:37-46.
- Boone JB and Corry JM. 1996. Proenkephalin gene expression in the brainstem regulates post-exercise hypotension. *Molecular Brain Research* 42:31-38.
- Boscan P, Kasparov S, and Paton JF. 2002. Somatic nociception activates NK1 receptors in the nucleus tractus solitarii to attenuate the baroreceptor cardiac reflex. *European Journal of Neuroscience* 16:907-920.
- Bradley SR, Pieribone VA, Wang W, Severson CA, Jacobs RA, and Richerson GB. 2002. Chemosensitive serotonergic neurons are closely associated with large medullary arteries. *Nature Neuroscience* 5:401-402.
- Brattstrom A and Seidenbecher T. 1992. Central substance P increased blood pressure, heart rate and splanchnic nerve activity in anaesthetized rats without impairment of the baroreflex regulation. *Neuropeptides* 23:81-86.
- Brickner EW, Dowds EG, Willitts B, and Selkurt EE. 1956. Mesenteric blood flow as influenced by progressive hypercapnia. *American Journal of Physiology* 184:275-281.

- Brimijoin S, Lundberg JM, Brodin E, Hökfelt T, and Nilsson G. 1980. Axonal transport of substance P in the vagus and sciatic nerves of the guinea pig. *Brain Research* 191:443-457.
- Brown AM, Saum WR, and Yasui S. 1978. Baroreceptor dynamics and their relationship to afferent fiber type and hypertension. *Circulation Research* 42:694-702.
- Brown DL and Guyenet PG. 1984. Cardiovascular neurons of brain stem with projections to spinal cord. *American Journal of Physiology* 247:R1009-R1016.
- Brown DL and Guyenet PG. 1985. Electrophysiological study of cardiovascular neurons in the rostral ventrolateral medulla in rats. *Circulation Research* 56:359-369.
- Brown JH, Saum WR, and Tuley FH. 1976. A comparison of aortic baroreceptor discharge in normotensive and hypertensive rats. *Circulation Research* 39:488-496.
- Brown JL, Liu H, Maggio JE, Vigna SR, Mantyh PW, and Basbaum AI. 1995. Morphological characterization of substance P receptor-immunoreactive neurons in the rat spinal cord and trigeminal nucleus caudalis. *Journal of Comparative Neurology* 356:327-344.
- Buki A, Horvath Z, Kallo I, Liposits Z, Lengvari I, and Doczi TP. 1999. Peptidergic innervation of human cerebral blood vessels and saccular aneurysms. *Acta Neuropathologica* 98:383-388.
- Burman KJ, McKittrick DJ, Minson JB, West A, Arnolda LF, and Llewellyn-Smith IJ. 2001. Neurokinin-1 receptor immunoreactivity in hypotension sensitive sympathetic preganglionic neurons. *Brain Research* 915:238-243.
- Busija DW and Heistad DD. 1984. Factors involved in the physiological regulation of the cerebral circulation. *Reviews of Physiology, Biochemistry and Pharmacology* 101:161-211.
- Byrum CE and Guyenet PG. 1987. Afferent and efferent connection of the A5 noradrenergic cell group in the rat. *Journal of Comparative Neurology* 261:529-542.
- Caberletto L, Hurd YL, Murdoch P, Wahlin JP, Melotto S, Corsi M, and Carletti R. 2003. Neurokinin 1 receptor and relative abundance of the short and long isoforms in the human brain. *European Journal of Neuroscience* 17:1736-1746.
- Camarda V, Rizzi A, Calo G, Guerrini R, Salvadori S, and Regoli D. 2002. Pharmacological profile of hemokinin 1: a novel member of the tachykinin family. *Life Sciences* 71:363-370.
- Campagnole-Santos MJ, Diz DI, and Ferrario CM. 1988. Baroreceptor reflex modulation by angiotensin II at the nucleus tractus solitarii. *Hypertension* 11:167-171.
- Campos RR and McAllen RM. 1999. Tonic drive to sympathetic premotor neurons of rostral ventrolateral medulla from caudal pressor area neurons. *American Journal of Physiology* 276:R1209-R1213.
- Campos RR, Possas OS, Cravo SL, Lopes OU, and Guertzenstein PG. 1994. Putative pathways involved in cardiovascular responses evoked from the caudal pressor area. *Brazilian Journal of Medical and Biological Research* 27:2467-2479.
- Candenas ML, Cintado CG, Pennefather JN, Pareda MT, Loizaga JM, Maggi CA, and Pinto FM. 2002. Identification of a tachykinin NK (2) receptor splice variant and its expression in human and rat tissues. *Life Sciences* 72:269-277.
- Carter MS and Krause JE. 1990. Structure, expression, and some regulatory mechanisms of the rat preprotachykinin gene encoding substance-P, neurokinin-A, neuropeptide-K, and neuropeptide-gamma. *Journal of Neuroscience* 10:2203-2214.

- Cascieri MA, Shiao L-L, Mills SG, MacCoss M, Swain CJ, Yu H, Ber E, Sadowski S, Wu MT, Strader CD, and Foong TM. 1995. Characterisation of the interaction of diacylpiperazine antagonists with the human neurokinin-1 receptor: identification of a common binding site for structurally dissimilar antagonists. *Molecular Pharmacology* 47:660-665.
- Chan JYH, Barnes CD, and Chan SHH. 1990. Tonic enhancement of the sensitivity of baroreceptor reflex response by endogenous substance P in the rat. *Regulatory Peptides* 29:199-213.
- Chang MM, Leeman SE, and Niall HD. 1971. Amino acid sequence of substance P. *Nature New Biology* 232:86-87.
- Cheeta S, Tucci S, Sandhu J, Williams AR, Rupniak NM, and File SE. 2001. Anxiolytic actions of the substance P (NK1) receptor antagonist L-760735 and the 5-HT1A agonist 8-OH-DPAT in the social interaction test in gerbils. *Brain Research* 915:170-175.
- Chen LW, Wei LC, Liu HL, and Rao ZR. 2000. Noradrenergic neurons expressing substance P receptor (NK1) in the locus coeruleus complex: a double immunofluorescence study in the rat. *Brain Research* 873:155-159.
- Chen S and Aston-Jones G. 1995. Evidence that cholera toxin B subunit can be avidly taken up and transported by fibers of passage. *Brain Research* 674:107-111.
- Chida K, Miyagawa M, Kawamura H, and Takasu T. 1998. Effects of chemical stimulation of the rostral ventrolateral medulla on cerebral and renal microcirculation in spontaneously hypertensive rats. *Journal of the Autonomic Nervous System* 70:51-55.
- Chida K, Miyagawa M, Usui W, Kawamura H, Tokasu T, and Kanmatsuse K. 1995. Effects of chemical stimulation of the rostral and caudal ventrolateral medulla on cerebral and renal microcirculation in rats. *Journal of the Autonomic Nervous System* 51:77-84.
- Chitravanshi VC and Sapru H. 1999. GABA receptors in the phrenic nucleus of the rat. *American Journal of Physiology* 276:R420-R428.
- Chiwikata C, Brackmann B, Hunt N, Davidoff N, Schulze W, and Ivell R. 1991. Tachykinin (substance-P) gene expression in Leydig cells of the human and mouse testis. *Endocrinology* 128:2441-2448.
- Chu HW, Kraft M, Krause JE, Rex MD, and Martin RJ. 2000. Substance P and its receptor neurokinin 1 expression in asthmatic airways. *Journal of Allergy & Clinical Immunology* 106:713-722.
- Ciccocioppo R, Panocka I, Polidori C, De Caro G, Regoli D, and Massi M. 1997. Stimulation of tachykinin NK-3 receptors in the nucleus basalis magnocellularis reduces alcohol intake in rats. *Peptides* 18:1349-1355.
- Ciriello J. 1983. Brainstem projections of aortic baroreceptor afferent fibers in the rat. *Neuroscience Letters* 36:37-42.
- Ciriello J, Hryciyshyn AW, and Calaresu FR. 1981a. Glossopharyngeal and vagal afferent projections to the brain stem of the cat: A horseradish peroxidase study. *Journal of the Autonomic Nervous System* 4:63-79.
- Ciriello J, Hryciyshyn AW, and Calaresu FR. 1981b. Horseradish peroxidase study of the brainstem projections of carotid sinus and aortic depressor nerves in the cat. *Journal of the Autonomic Nervous System* 4:43-61.
- Coates EL, Li A, and Nattie EE. 1993. Widespread sites of brain stem ventilatory chemoreceptors. *Journal of Applied Physiology* 75:5-14.

- Coles SK, Miller R, Huela J, Wolken P, and Schlenker E. 2002. Frequency responses to hypoxia and hypercapnia in carotid body-denervated conscious rats. *Respiratory Physiology and Neurobiology* 130:113-120.
- Conley RK, Cumberbatch MJ, Mason GS, Williamson DJ, Harrison T, Locker K, Swain C, Maubach K, O'Donnell R, Rigby M, Hewson L, Smith D, and Rupniak NM. 2002. Substance P (neurokinin 1) receptor antagonists enhance dorsal raphe neuronal activity. *Journal of Neuroscience* 22:7730-7736.
- Connelly CA, Dobbins EG, and Feldman JL. 1992. Pre-Bötzinger complex in cats: respiratory neuronal discharge patterns. *Brain Research* 590:337-340.
- Cowan AR, Dean C, Bago M, and Seagard JL. 2000. Potentiation of non-N-methyl-D-aspartate receptor-induced changes in blood pressure by substance P in rats. *Neuroscience Letters* 278:161-164.
- Craig AD. 1995. Distribution of Brainstem Projections From Spinal Lamina I Neurons in the Cat and the Monkey. *Journal of Comparative Neurology* 361:225-248.
- Cravo SL and Morrison SF. 1993. The caudal ventrolateral medulla is a source of tonic sympathoinhibition. *Brain Research* 621:133-136.
- Cravo SL, Morrison SF, and Reis DJ. 1991. Differentiation of two cardiovascular regions within caudal ventrolateral medulla. *American Journal of Physiology* 261:R985-R994.
- Cuello AC, Jessell TM, Kanazawa I, and Iverson LL. 1977. Substance P: localization in synaptic vesicles in rat central nervous system. *Journal of Neurochemistry* 29:747-751.
- Cuello AC and Kanazawa I. 1978. The distribution of substance P immunoreactive fibers in the rat central nervous system. *Journal of Comparative Neurology* 178:129-156.
- Dalsgaard C-J, Haegerstrand A, Theodorsson-Norheim E, Brodin E, and Hökfelt T. 1985. Neurokinin A-like immunoreactivity in rat primary sensory neurons: coexistence with substance P. *Histochemistry* 83:37-39.
- Dam TV and Quirion R. 1986. Pharmacological characterization and autoradiographic localization of substance-P receptors in guinea-pig brain. *Peptides* 7:855-864.
- Dampney RAL. 1994. The subretrofacial vasomotor nucleus: anatomical, chemical and pharmacological properties and role in cardiovascular regulation. *Progress in Neurobiology* 42:197-227.
- Dampney RAL, Blessing WW, and Tan E. 1988. Origin of tonic GABAergic inputs to vasopressor neurons in the subretrofacial nucleus of the rabbit. *Journal of the Autonomic Nervous System* 24:227-239.
- Dampney RAL, Horiuchi J, Tagawa T, Fontes MAP, Potts PD, and Polson JW. 2003. Medullary and supramedullary mechanisms regulating sympathetic vasomotor tone. *Acta Physiologica Scandinavica* 177:209-218.
- Dampney RAL and Moon EA. 1980. Role of ventrolateral medulla in vasomotor response to cerebral ischemia. *American Journal of Physiology* 239:H349-H358.
- Danks JA, Rothman RB, Cascieri MA, Chicchi GG, Liang T, and Herkenham M. 1986. A comparative autoradiographic study of the distributions of substance P and edoisin binding sites in the rat brain. *Brain Research* 385:273-281.
- Davies RO and Edwards MW. 1973. Distribution of carotid body chemoreceptor afferents in the medulla of the cat. *Brain Research* 64:451-454.

- De Felipe C, Herrero JF, O'Brien JA, Palmer JA, Doyle CA, Smith AJ, Laird JM, Belmonte C, Cervero F, and Hunt SP. 1998. Altered nociception, analgesia and aggression in mice lacking the receptor for substance P. *Nature* 392:394-397.
- De Kock LL. 1951. Histology of the carotid body. *Nature* 167:611-612.
- De Kock LL. 1954. The intra-glomerular tissues of the carotid body. *Acta Anatomica* 21:101-106.
- De Luca A, Li CG, Rand MJ, Reid JJ, Thaina P, and Wong-Dusting HK. 1990. Effects of omega-conotoxin GVIA on autonomic neuroeffector transmission in various tissues. *British Journal of Pharmacology* 101:437-447.
- Del Negro CA, Koshiya N, Butera RJ, and Smith JC. 2002a. Persistent sodium current, membrane properties, and bursting behaviours of pre-Bötzinger Complex inspiratory neurons in vitro. *Journal of Neurophysiology* 88:2242-2250.
- Del Negro CA, Morgado-Valle C, and Feldman JL. 2002b. Respiratory rhythm: an emergent network property? *Neuron* 34:821-830.
- Del Negro CA, Morgado-Valle C, Hayes JA, Mackay DD, Pace RW, Crowder EA, and Feldman JL. 2005. Sodium and calcium current-mediated pacemaker neurons and respiratory rhythm generation. *Journal of Neuroscience* 25:446-453.
- Delgado-Zygmunt TJ, Arbab MA, Edvinsson L, Jansen I, and Svendgaard NA. 1990. Prevention of cerebral vasospasm in the rat by depletion or inhibition of substance P in conducting vessels. *Journal of Neurosurgery* 72:917-925.
- Delgado TJ, Diemer NH, and Svendgaard NA. 1986. Subarachnoid hemorrhage in the rat: cerebral blood flow and glucose metabolism after selective lesions of the catecholamine systems in the brainstem. *Journal of Cerebral Blood Flow and Metabolism* 6:600-606.
- Dembowsky K, Czachurski J, and Seller H. 1985. An intracellular study of the synaptic input to sympathetic preganglionic neurones of the third thoracic segment of the cat. *Journal of the Autonomic Nervous System* 13:201-244.
- Dembowsky K and McAllen RM. 1990. Baroreceptor inhibition of subretrofacial neurons: evidence from intracellular recordings in the cat. *Neuroscience Letters* 111:139-143.
- Derry DM and Wolfe LS. 1967. Gangliosides in isolated neurons and glial cells. *Science* 158:1450-1452.
- Desai MC, Lefkowitz SL, Thadeio PF, Longo KP, and Snider RM. 1992. Discovery of a potent substance P antagonist: recognition of the key molecular determinant. *Journal of Medicinal Chemistry* 35:4911-4913.
- Deschamps K and Couture R. 2005. The ventral tegmental area as a putative target for tachykinins in cardiovascular regulation. *British Journal of Pharmacology* 145:712-727.
- Deuchars SA, Morrison SF, and Gilbey MP. 1995. Medullary-evoked EPSPs in neonatal rat sympathetic preganglionic neurones in vitro. *Journal of Physiology* 487:453-463
- Deuchars SA, Spyer KM, and Gilbey MP. 1997. Stimulation within the rostral ventrolateral medulla can evoke monosynaptic GABAergic IPSPs in sympathetic preganglionic neurons in vitro. *Journal of Neurophysiology* 77:229-235.
- Difiglia M, Aronin N, and Leeman SE. 1982a. Immunoreactive substance P in the substantia nigra of the monkey: light and electron microscopic localization. *Brain Research* 233:381-388.

- Difiglia M, Aronin N, and Leeman SE. 1982b. Light microscopic and ultrastructural localization of immunoreactive substance P in the dorsal horn of the monkey spinal cord. *Neuroscience* 7:1127-1139.
- Dobbins EG and Feldman JL. 1994. Brainstem network controlling descending drive to phrenic motoneurons in rat. *Journal of Comparative Neurology* 347:64-86.
- Donaldson LF, Haskell CA, and Hanley MR. 1996. Functional characterization by heterologous expression of a novel cloned tachykinin peptide receptor. *Biochemical Journal* 320:1-5.
- Donaldson LF, Haskell CA, and Hanley MR. 2001. Messenger RNA localization and further characterization of the putative tachykinin receptor NK4 (NK3B). *Receptors & Channels* 7:259-272.
- Donoghue D, Felder RB, Jordan D, and Spyer KM. 1984. The central projections of baroreceptors and chemoreceptors in the cat: A neurophysiological study. *Journal of Physiology (Lond)* 347:397-409.
- Donoghue S, Fox RE, Kidd C, and McWilliam PN. 1981. The terminations and secondary projections of myelinated and non-myelinated fibers of the aortic nerve in the cat. *Quarterly Journal of Experimental Physiology* 66:405-422.
- Donoghue S, Garcia M, Jordan D, and Spyer KM. 1982. Identification and brain-stem projections of aortic baroreceptor afferent neurones in nodose ganglia of cats and rabbits. *Journal of Physiology (Lond)* 322:337-352.
- Doyle C and Hunt SP. 1999. Substance P receptor (neurokinin-1)-expressing neurons in lamina I of the spinal cord encode for the intensity of noxious stimulation: a c-fos study in the rat. *Neuroscience* 89:17-28.
- Drapeau G, Dorleansjuste P, Dion S, Rhaleb NE, Rouissi NE, and Regoli D. 1987. Selective agonists for substance-P and neurokinin receptors. *Neuropeptides* 10:43-54.
- Drolet G, Chalmers J, and Blessing W. 1993. Vasodepressor neurons in medulla alter cardiac contactility and cardiac output. *Hypertension* 21:210-215.
- Duffin J. 2004. Functional organization of respiratory neurones: a brief review of current questions and speculations. *Experimental Physiology* 89:517-529.
- Duffin J, Ezure K, and Lipski J. 1995. Breathing rhythm generation: Focus on the rostral ventrolateral medulla. *News in Physiological Sciences* 10:133-140.
- Duman RS, Heninger GR, and Nestler EJ. 1997. A molecular and cellular theory of depression. *Archives of General Psychiatry* 54:597-606.
- Dun NJ and Mo N. 1988. In vitro effects of substance P on neonatal rat sympathetic preganglionic neurones. *Journal of Physiology (Lond)* 399:321-333.
- Dun SL, Ng YK, Brailoiu GC, Ling EA, and Dun NJ. 2002. Cocaine- and amphetamine-regulated transcript peptide-immunoreactivity in adrenergic C1 neurons projecting to the intermediolateral cell column of the rat. *Journal of Chemical Neuroanatomy* 23:123-132.
- Dworkin BR, Dworkin S, and Tang S. 2000. Carotid and aortic baroreflexes of the rat: I. Open-loop and steady-state properties and blood pressure variability. *American Journal of Physiology* 279:R1910-R1921.
- Edvinsson L, Delgado-Zygmunt T, Ekman R, Jansen I, and Svendgaard NA. 1990. Involvement of perivascular sensory fibers in the pathophysiology of cerebral vasospasm following subarachnoid hemorrhage. *Journal of Cerebral Blood Flow and Metabolism* 10:602-607.

- Ellenberger HH and Feldman JL. 1990. Subnuclear organization of the lateral tegmental field of the rat. I: Nucleus ambiguus and ventral respiratory group. *Journal of Comparative Neurology* 294:202-211.
- Emonds-Alt X, Doutremepuich JD, Heaulme M, Neliat G, Santucci V, Steinberg R, Vilain P, Bichon D, Ducoux JP, Proietto V, Van Broek D, Soubrie P, Le Fur G, and Breliere JC. 1993. In vitro and in vivo biological activities of SR140333, a novel potent non-peptide tachykinin NK1 receptor antagonist. *European Journal of Pharmacology* 250:403-413.
- Evans AR, Nicol GD, and Vasko MR. 1996. Differential regulation of evoked peptide release by voltage-sensitive calcium channels in rat sensory neurons. *Brain Research* 712:265-273.
- Ezure K, Tanaka I, and Saito Y. 2003. Brainstem and spinal projections of augmenting expiratory neurons in the rat. *Neuroscience Research* 45:41-51.
- Fan W and Andresen MC. 1998. Differential frequency-dependent reflex integration of myelinated and nonmyelinated rat aortic baroreceptors. *American Journal of Physiology* 275:632-640.
- Fan W, Schild JH, and Andresen MC. 1999. Graded and dynamic reflex summation of myelinated and unmyelinated rat aortic baroreceptors. *American Journal of Physiology* 277:R748-R756.
- Feldberg W and Guertzenstein PG. 1972. A vasodepressor effect of pentobarbitone sodium. *Journal of Physiology (Lond.)* 224:83-103.
- Feldberg W and Guertzenstein PG. 1976. Vasodepressor effects obtained by drugs acting on the ventral surface of the brainstem. *Journal of Physiology* 258:337-355.
- Feldman JL, Connelly CA, Ellenberger HH, and Smith JC. 1990. The cardiorespiratory system within the brainstem. *European Journal of Neuroscience* 3:171.
- Feldman JL and Del Negro CA. 2006. Looking for inspiration: new perspectives on respiratory rhythm. *Nature Reviews Neuroscience* 7:232-242.
- Feldman JL, Mitchell GS, and Nattie EE. 2003. Breathing: rhythmicity, plasticity, chemosensitivity. *Annual Review of Neuroscience* 26:239-266.
- Feldman JL and Smith JC. 1989. Cellular mechanisms underlying modulation of breathing pattern in mammals. *Annals of the New York Academy of Sciences* 563:114-130.
- Feldman PD. 1995. Neurokinin (1) receptor mediation of the vasodepressor effects of substance-P in the nucleus of the tractus-solitarius. *Journal of Pharmacology & Experimental Therapeutics* 273:617-623.
- Ferguson SS, Menard L, Barak LS, Koch WJ, Colapietro AM, and Caron MG. 1995. Role of phosphorylation in agonist-promoted  $\beta_2$ -adrenergic receptor sequestration. Rescue of a sequestration-defective mutant receptor by  $\beta$ ARK1. *Journal of Biological Chemistry* 270:24782-24789.
- Fewtrell CMS, Foreman JC, Jordan CC, Oehme P, Renner H, and Stewart JM. 1982. Effects of substance P on histamine and 5-hydroxytryptamine release in the rat. *Journal of Physiology (Lond.)* 330:393-411.
- Fidone SJ, Gonzalez C, Dinger BG, and Hanson GR. 1988. Mechanisms of chemotransmission in the mammalian carotid body. *Progress in Brain Research* 74:169-179.
- Fidone SJ and Sato A. 1969. A study of chemoreceptor and baroreceptor A and C-fibres in the cat carotid nerve. *Journal of Physiology (Lond.)* 205:527-548.

- Figini M, Emanuelli C, Bertrand C, Sicuteri R, Regoli D, and Geppetti P. 1997. Differential activation of the epithelial and smooth muscle NK1 receptors by synthetic tachykinin agonists in guinea-pig trachea. *British Journal of Pharmacology* 121:773-781.
- Finley JCW and Katz DM. 1992. The central organization of carotid body afferent projections to the brainstem of the rat. *Brain Research* 572:108-116.
- Fisher ND and Nistri A. 1993. Substance P and TRH share a common effector pathway in rat spinal motoneurons: an in vitro electrophysiological investigation. *Neuroscience Letters* 153:115-119.
- Fitzgerald RS. 2000. Oxygen and carotid body chemtransduction: the cholinergic hypothesis- a brief history and new evaluation. *Respiration Physiology* 120:89-104.
- Floor E, Grad O, and Leeman SE. 1982. Synaptic vesicles containing substance P purified by chromatography on controlled pore glass. *Neuroscience* 7:1647-1655.
- Folkers K, Hörig J, Rosell S, and Björkroth U. 1981. Chemical design of antagonists of substance P. *Acta Physiologica Scandinavica* 111:505-506.
- Fong TM, Anderson SA, Yu H, Huang RRC, and Strader CD. 1992a. Differential activation of intracellular effector by two isoforms of human neurokinin-1 receptor. *Molecular Pharmacology* 41:24-30.
- Fong TM, Huang RRC, and Strader CD. 1992b. Localisation of agonist and antagonist binding domains of the human neurokinin-1 receptor. *Journal of Biological Chemistry* 267:25664-25667.
- Fong TM, Yu H, Cascieri MA, Underwood D, Swain CJ, and Strader CD. 1994. Interaction of glutamine 165 in the fourth transmembrane segment of the human neurokinin-1 receptor with quinuclidine antagonists. *Journal of Biological Chemistry* 269:14957-14961.
- Fox AJ, Naeem S, Patel IA, Walpole C, and Urban L. 1996. Receptors mediating tachykinin-evoked depolarisations of neurons in the neonatal rat spinal cord. *Acta Biologica Hungarica* 47:129-144.
- Fregosi RF and Fuller DD. 1997. Respiratory-related control of extrinsic tongue muscle activity. *Respiration Physiology* 110:295-306.
- Froger N, Gardier AM, Moratalla R, Alberti I, Lena I, Boni C, De Felipe C, Rupniak NM, Hunt SP, Jacquot C, Hamon M, and Lanfumey L. 2001. 5-hydroxytryptamine (5-HT)<sub>1A</sub> autoreceptor adaptive changes in substance P (neurokinin 1) receptor knock-out mice mimic antidepressant-induced desensitization. *Journal of Neuroscience* 21:8188-8197.
- Fujino M, Kurosawa M, Saito H, Sato A, and Swenson RS. 1987. Effects of a substance P analogue with antagonist properties ([D-Arg<sup>1</sup>, D-Trp<sup>7,9</sup>, Leu<sup>11</sup>]substance P) on spontaneous activity of the adrenal sympathetic nerve and its evoked reflex discharges in response to somatic afferent stimulation. *Neuroscience Letters* 80:315-320.
- Fujisawa K and Ito Y. 1982. The effects of substance P on smooth muscle cells and on neuro-effector transmission in the guinea-pig ileum. *British Journal of Pharmacology* 76:279-290.
- Fung ML, Wang W, and St John WM. 1994. Medullary loci critical for expression of gasping in adult rats. *Journal of Physiology* 480:597-611.
- Gaddum JH and Schild H. 1935. Depressor substances in extracts of intestine. *Journal of Physiology (Lond.)* 83:1-14.

- Gallacher DV, Hanley MR, Peterson OH, Roberts ML, Squire-Pollard LG, and Yule DI. 1990. Substance P and bombesin elevate cytosolic  $Ca^{2+}$  by different molecular mechanisms in a rat pancreatic acinar cell line. *Journal of Physiology (Lond.)* 426:193-207.
- Gallagher PJ, Paxinos G, and White SW. 1985. The role of substance P in arterial chemoreflex control of ventilation. *Journal of the Autonomic Nervous System* 12:195-210.
- Gatti PJ, Shirahata M, Johnson TA, and Massari VJ. 1995. Synaptic interactions of substance P immunoreactive nerve terminals in the baro- and chemoreceptor reflexes of the cat. *Brain Research* 693:133-147.
- Gazi L, Nickolls SA, and Strange PG. 2003. Functional coupling of the human dopamine D(2) receptor with Galpha(i1), Galpha(i2), Galpha(i3) and Galpha(o) G proteins: evidence for agonist regulation of G protein selectivity. *British Journal of Pharmacology* 138:775-786.
- Gerard NP, Bao L, He XP, and Gerard C. 1993. Molecular aspects of the tachykinin receptors. *Regulatory Peptides* 43:21-35.
- Gerard NP, Garraway LA, Eddy RL, Shows TB, Iijima H, Paquet JL, and Gerard C. 1991. human substance-P receptor (nk-1) - organization of the gene, chromosome localization, and functional expression of cDNA clones. *Biochemistry* 30:10640-10646.
- Gether U, Emonds-Alt X, Breliere JC, Fuji T, Hagiwara D, Pradier L, Garret C, and Johansen TE. 1994. Evidence for a common molecular mode of action for chemically distinct non-peptide antagonists at the neurokinin-1 (substance P) receptor. *Molecular Pharmacology* 45:500-508.
- Gether U, Johansen TE, and Schwartz TW. 1993a. Chimeric NK<sub>1</sub> (substance P)/ NK<sub>3</sub> (neurokinin B) receptors. *Journal of Biological Chemistry* 268:7893-7898.
- Gether U, Yokota Y, Emonds-Alt X, Breliere JC, Lowe JA, Snider M, Nakanishi S, and Schwartz TW. 1993b. Two non-peptide tachykinin antagonists act through epitopes on corresponding segments of the NK<sub>1</sub> and NK<sub>2</sub> receptors. *Proceedings of the National Academy of Sciences of the USA* 90:6194-6198.
- Golanov EV, Christensen JRC, and Reis DJ. 2000a. The medullary cerebrovascular vasodilator area mediates cerebrovascular vasodilation and electroencephalogram synchronization elicited from fastigial nucleus in Sprague-Dawley rats. *Neuroscience Letters* 288:183-186.
- Golanov EV, Christensen JRC, and Reis DJ. 2001. Neurons of a limited subthalamic area mediate elevations in cortical cerebral blood flow evoked by hypoxia and excitation of neurons of the rostral ventrolateral medulla. *Journal of Neuroscience* 21:4032-4041.
- Golanov EV and Reis DJ. 1994. Nitric oxide and prostanoids participate in cerebral vasodilation elicited by electrical stimulation of rostral ventrolateral medulla. *Journal of Cerebral Blood Flow and Metabolism* 14:492-502.
- Golanov EV and Reis DJ. 1999. A role for K<sup>+</sup><sub>ATP</sub>-channels in mediating the elevations of cerebral blood flow and arterial pressure by hypoxic stimulation of oxygen-sensitive neurons of rostral ventrolateral medulla. *Brain Research* 827:210-214.
- Golanov EV and Reis DJ. 2001. Neurons of nucleus of the solitary tract synchronize the EEG and elevate cerebral blood flow via a novel medullary area. *Brain Research* 892:1-12.
- Golanov EV, Ruggiero DA, and Reis DJ. 2000b. A brainstem area mediating cerebrovascular and EEG responses to hypoxic excitation of rostral ventrolateral medulla in rat. *Journal of Physiology* 529:413-429.

- Gonzalez C, Almaraz L, Obeso A, and Rigual R. 1994. Carotid body chemoreceptors: From natural stimuli to sensory discharges. *Physiological Reviews* 74:829-898.
- Goodchild AK, Llewellyn-Smith IJ, Sun QJ, and Chalmers J. 2000. Calbindin-immunoreactive neurons in the reticular formation of the rat brainstem: catecholamine content and spinal projections. *Journal of Comparative Neurology* 424:547-562.
- Goodchild AK, Moon EA, Dampney RAL, and Howe PRC. 1984. Evidence that adrenaline neurons in the rostral ventrolateral medulla have a vasopressor function. *Neuroscience Letters* 45:267-272.
- Goodman OBJ, Krupnick JG, Santini F, Gurevich VV, Penn RB, Gagnon AW, Keen JH, and Benovich JL. 1996.  $\beta$ -Arrestin acts as a clathrin adaptor in endocytosis of the  $\beta_2$ -adrenergic receptor. *Nature* 383:447-450.
- Grady EF, Garland AM, Gamp PD, Lovett M, Payan DG, and Bunnett NW. 1995. Delineation of the endocytic pathway of substance P and its seven-transmembrane domain NK1 receptor. *Molecular Biology of the Cell* 6:509-524.
- Granata AR, Sved AF, and Reis DJ. 1984. In vivo release by vagal stimulation of L-[3H] glutamic acid in the nucleus tractus solitarius preloaded with L-[3H] glutamine. *Brain Research Bulletin* 12:5-9.
- Gray PA, Janczewski WA, Mellen N, McCrimmon DR, and Feldman J.L. 2001. Normal breathing requires preBötzinger complex neurokinin-1 receptor-expressing neurons. *Nature Neuroscience* 4:927-930.
- Gray PA, Rekling JC, Bocchiaro CM, and Feldman JL. 1999. Modulation of respiratory frequency by peptidergic input to rhythmogenic neurons in the preBötzinger complex. *Science* 286:1566-1568.
- Greenberg HE, Sica A, Batson D, and Scharf SM. 1999. Chronic intermittent hypoxia increases sympathetic responsiveness to hypoxia and hypercapnia. *Journal of Applied Physiology* 86:298-305.
- Greenfeder S, Cheewatrakoolpong B, Billah M, Egan RW, Keene E, Murgolo NJ, and Anthes JC. 1999. The neurokinin-1 and neurokinin-2 receptor binding sites of MDL103,392 differ. *Bioorganic & Medicinal Chemistry* 7:2867-2876.
- Groom AS and Malpas SC. 1997. Baroreflex control of heart rate during hypoxia and hypercapnia in chronically hypertensive rabbits. *Clinical and Experimental Pharmacology and Physiology* 24:229-234.
- Guyenet PG, Filtz TM, and Donaldson SR. 1987. Role of excitatory amino acids in rat vagal and sympathetic baroreflexes. *Brain Research* 407:272-284.
- Guyenet PG, Mulkey DK, Stornetta RL, and Bayliss DA. 2005. Regulation of ventral surface chemoreceptors by the central respiratory pattern generator. *Journal of Neuroscience* 25:8938-8947.
- Guyenet PG, Schreihofer AM, and Stornetta RL. 2001. Regulation of sympathetic tone and arterial pressure by the rostral ventrolateral medulla after depletion of C1 cells in rats. *Annals of the New York Academy of Sciences* 940:259-269.
- Guyenet PG, Sevigny CP, Weston MC, and Stornetta RL. 2002. Neurokinin-1 receptor-expressing cells of the ventral respiratory group are functionally heterogeneous and predominantly glutamatergic. *Journal of Neuroscience* 22:3806-3816.
- Guyenet PG, Darnall RA, and Riley TA. 1990. Rostral ventrolateral medulla and sympathorespiratory integration in rats. *American Journal of Physiology* 259:R1063-R1074.
- Guyenet PG, Halselton JR, and Sun M-K. 1989. Sympathoexcitatory neurons of the rostroventrolateral medulla and the origin of the sympathetic vasomotor tone. *Progress in Brain Research* 81:105-116.

- Guyenet PG, Koshiya N, Huangfu D, Verberne AJM, and Riley TA. 1993. Central respiratory control of A5 and A6 pontine noradrenergic neurons. *American Journal of Physiology* 264:R1035-R1044.
- Guyenet PG and Wang H. 2001. Pre-Botzinger neurons with preinspiratory discharges "in vivo" express NK1 receptors in the rat. *Journal of Neurophysiology* 86:438-446.
- Habler H-J, Janig W, and Michaelis M. 1994. Respiratory modulation in the activity of sympathetic neurones. *Progress in Neurobiology* 43:567-606.
- Haeusler G and Osterwalder R. 1980. Evidence suggesting a transmitter or neuromodulatory role for substance P at first synapse of the baroreceptor reflex. *Naunyn Schmiedebergs Arch Pharmacol* 314:111-121.
- Hagiwara D, Miyake H, Igari N, Karino M, Maeda Y, Fujii T, and Matsuo M. 1994. Studies on neurokinin antagonists .4. Synthesis and structure- Activity-relationships of novel dipeptide substance-P antagonists - n-2-[(4r)-4-hydroxy-1-[(1-methyl-1h-indol-3-yl)carbonyl]-l-prolyl]-n-methyl-n-(phenylmethyl)-3-(2-naphthyl)-l-alaninamide and its related-compounds. *Journal of Medicinal Chemistry* 37:2090-2099.
- Hagiwara D, Miyake H, Morimoto H, Murai M, Fujii T, and Matsuo M. 1992. Studies on neurokinin antagonists .2. Design and structure- activity-relationships of novel tripeptide substance-p antagonists, n-alpha-[n-alpha-(n-alpha-acetyl-l-threonyl)-n1-formyl-d-tryptophyl]-n-methyl-n-(phenyl-methyl)-l-phenylalaninamide and its related-compounds. *Journal of Medicinal Chemistry* 35:3184-3191.
- Hall ME, Miley FB, and Stewart JM. 1989. Cardiovascular effects of substance P peptides in the nucleus of the solitary tract. *Brain Research* 497:280-290.
- Hamid Q, Belvisi MG, Stretton D, Rohde J, Harmor AJ, and Barnes PJ. 1991. Localization of beta-preprotachykinin messenger-RNA in nodose ganglion. *Neuropeptides* 20:145-150.
- Hanley MR, Lee CM, Jones LM, and Michell RH. 1980. Similar effects of substance P and related peptides on salivation and on phosphatidylinositol turnover in rat salivary glands. *Molecular Pharmacology* 18:78-83.
- Hanna BD, Liroy F, and Polosa C. 1981. Role of carotid and central chemoreceptors in the CO<sub>2</sub> response of sympathetic preganglionic neurons. *Journal of the Autonomic Nervous System* 3:421-435.
- Hansen JT. 1985. Ultrastructure of the primate carotid body: a morphometric study of the glomus cells and nerve endings in the monkey (*Macaca fascicularis*). *Journal of Neurocytology* 14:13-32.
- Hansson H-A, Holmgren J, and Svennerholm L. 1977. Ultrastructural localization of cell membrane G<sub>M1</sub> gangliosides by cholera toxin. *Proceedings of the National Academy of Sciences of the USA* 74:3782-3786.
- Hara H, Nosko M, and Weir B. 1986. Cerebral perivascular nerves in subarachnoid hemorrhage. A histochemical and immunohistochemical study. *Journal of Neurosurgery* 65:531-539.
- Hardwick JC, Mawe GM, and Parsons RL. 1997. Tachykinin-induced activation of non-specific cation conductance via NK3 neurokinin receptors in guinea-pig intracardiac neurones. *Journal of Physiology (Lond.)* 504:65-74.
- Harlan RE, Garcia MM, and Krause JE. 1989. Cellular localization of substance P- and neurokinin A-encoding preprotachykinin mRNA in the female rat brain. *Journal of Comparative Neurology* 287:179-212.
- Harmor A and Keen P. 1982. Synthesis, and central and peripheral axonal transport of substance P in a dorsal root ganglion-nerve preparation in vitro. *Brain Research* 231:379-385.

- Harmar A, Schofield JG, and Keen P. 1980. Cycloheximide-sensitive synthesis of substance P by isolated dorsal root ganglia. *Nature* 284:267-269.
- Harrison S and Geppetti P. 2001. Substance P. *International Journal of Biochemistry & Cell Biology* 33:555-576.
- Harry GJ, Goodrum JF, Toews AD, and Morell P. 1987. Axonal transport characteristics of gangliosides in sensory axons of rat sciatic nerve. *Journal of Neurochemistry* 48:1529-1536.
- Hastrup H and Schwartz TW. 1996. Septide and Neurokinin A are high affinity ligands on the NK-1 receptor: evidence from homologous versus heterologous binding analysis. *FEBS Letters* 399:264-266.
- Hayar A and Guyenet PG. 2000. Prototypical imidazoline-1 receptor ligand moxonidine activates alpha2-adrenoceptors in bulbospinal neurons of the RVL. *Journal of Neurophysiology* 83:766-776.
- Hedner J, Hedner T, Wessberg P, and Jonason J. 1984. Interaction of substance P with the respiratory control system in the rat. *Journal of Pharmacology & Experimental Therapeutics* 228:196-201.
- Helke CJ, Capuano S, Tran N, and Zhuo H. 1997. Immunocytochemical studies of the 5-HT<sub>1A</sub> receptor in ventral medullary neurons that project to the intermediolateral cell column and contain serotonin or tyrosine hydroxylase immunoreactivity. *Journal of Comparative Neurology* 379:261-270.
- Helke CJ, Charlton CG, and Wiley RG. 1985. Suicide transport of ricin demonstrates the presence of substance P receptors on medullary somatic and autonomic motor neurons. *Brain Research* 328:190-195.
- Helke CJ, Goldman W, and Jacobowitz DM. 1980a. Demonstration of substance P in aortic nerve afferent fibers by combined use of fluorescent retrograde neuronal labeling and immunocytochemistry. *Peptides* 1:359-364.
- Helke CJ and Hill KM. 1988. Immunohistochemical study of neuropeptides in vagal and glossopharyngeal afferent neurons in the rat. *Neuroscience* 26:539-551.
- Helke CJ, Jacobowitz DM, and Thoa NB. 1981. Capsaicin and potassium evoked substance P release from the nucleus tractus solitarius and spinal trigeminal nucleus in vitro. *Life Sciences* 29:1779-1785.
- Helke CJ and Niederer AJ. 1990. Studies on the coexistence of substance P with other putative transmitters in the nodose and petrosal ganglia. *Synapse* 5:144-151.
- Helke CJ, O'Donohue TL, and Jacobowitz DM. 1980b. Substance P as a baro- and chemo-receptor afferent neurotransmitter: immunocytochemical and neurochemical evidence in the rat. *Peptides* 1:1-9.
- Helke CJ, Shults CW, Chase TN, and O'Donohue TL. 1984. Autoradiographic localization of substance P receptors in rat medulla: effect of vagotomy and nodose ganglionectomy. *Neuroscience* 12:215-223.
- Henry JL. 1976. Effects of substance P on functionally identified units in cat spinal cord. *Brain Research* 114:439-451.
- Henry JL. 1987. Discussion of nomenclature for tachykinins and tachykinin receptors. In Henry JL, Couture R, Cuellar AC, Pelletier G, Quirion R, and Regoli D, editors. *Substance P and Neurokinins*. New York: Springer-Verlag. p 17-18.
- Henry JL and Sessle BJ. 1985. Effects of glutamate, substance P and eledoisin-related peptide on solitary tract neurones involved in respiration and respiratory reflexes. *Neuroscience* 14:863-873.
- Hershey AD, Dykema PE, and Krause JE. 1991. Organization, structure, and expression of the gene encoding the rat substance P receptor. *Journal of Biological Chemistry* 266:4366-4374.

- Hershey AD and Krause JE. 1990. Molecular characterization of a functional cDNA-encoding the rat substance-P receptor. *Science* 247:958-962.
- Heymann E and Mentlein R. 1978. Liver dipeptidyl aminopeptidase IV hydrolyses substance P. *FEBS Letters* 91:360-364.
- Hilaire G, Monteau R, Gauthier P, Rega P, and Morin D. 1990. Functional significance of the dorsal respiratory group in adult and newborn rats: in vivo and in vitro studies. *Neuroscience Letters* 111:133-138.
- Hirakawa H, Nakamura T, and Hayashida Y. 1997. Effect of carbon dioxide on autonomic cardiovascular responses to systemic hypoxia in conscious rats. *American Journal of Physiology* 273:R747-754.
- Hirooka Y and Dampney RAL. 1995. Endogenous angiotensin within the rostral ventrolateral medulla facilitates the somatosympathetic reflex. *Journal of Hypertension* 13:747-754.
- Hirooka Y, Potts PD, and Dampney RAL. 1997. Hypoxia-induced Fos expression in neurons projecting to the pressor region in the rostral ventrolateral medulla. *Neuroscience* 80:1209-1224.
- Ho WZ, Lai JP, Zhu XH, Uvaydova M, and Douglas SD. 1997. Human monocytes and macrophages express substance P and neurokinin-1 receptor. *Journal of Immunology* 159:5654-5660.
- Holmdahl G, Håkanson R, Leander S, Rosell S, Folkers K, and Sundler F. 1981. A substance P antagonist, (DPro<sup>2</sup>,DTrp<sup>7,9</sup>)-SP, inhibits inflammatory responses in the rabbit eye. *Science* 214:1029-1031.
- Holzer P. 1988. Local effector functions of capsaicin-sensitive sensory nerve- endings - involvement of tachykinins, calcitonin gene-related peptide and other neuropeptides. *Neuroscience* 24:739-768.
- Holzer P and HolzerPetsche U. 1997. Tachykinins in the gut .2. Roles in neural excitation, secretion and inflammation. *Pharmacology & Therapeutics* 73:219-263.
- Hooper NM, Kenny AJ, and Turner AJ. 1985. The metabolism of neuropeptides. Neurokinin A (substance K) is a substrate for endopeptidase-24.11 but not for peptidyl dipeptidase A (angiotensin-converting enzyme). *Journal of Biochemistry* 231:357-361.
- Horiuchi J and Dampney RAL. 1998. Dependence of sympathetic vasomotor tone on bilateral inputs from the rostral ventrolateral medulla in the rabbit: role of baroreceptor reflexes. *Neuroscience Letters* 248:113-116.
- Horiuchi J, Killinger S, and Dampney RAL. 2004. Contribution to sympathetic vasomotor tone of tonic glutamatergic inputs to neurons in the RVLM. *American Journal of Physiology* 287:R1335-R1343.
- Horiuchii J and Dampney RAL. 2002. Evidence for tonic disinhibition of RVLM sympathoexcitatory neurons from the caudal pressor area. *Autonomic Neuroscience* 99:102-110.
- Housley GD, Martin-Body RL, Dawson NJ, and Sinclair JD. 1987. Brain stem projections of the glossopharyngeal nerve and its carotid sinus branch in the rat. *Neuroscience* 22:237-250.
- Hökfelt T, Kellerth JO, Nilsson G, and Pernow B. 1975a. Experimental immunohistochemical studies on the localization and distribution of substance P in cat primary sensory neurons. *Brain Research* 100:235-252.
- Hökfelt T, Kellerth JO, Nilsson G, and Pernow B. 1975b. Substance P: localization in the central nervous system and in some primary sensory neurons. *Science* 190:889-890.

- Hösli L, Hösli E, Zehntner C, and Landolt H. 1981. Effects of substance P on neurones and glial cells in cultured rat spinal cord. *Neuroscience Letters* 24:165-168.
- Hsieh JH, Chang YC, Su CK, Hwang JC, Yen CT, and Chai CY. 1998. A single minute lesion around the ventral respiratory group in medulla produces fatal apnea in cats. *Journal of the Autonomic Nervous System* 73:7-18.
- Hua XY, Theodorsson-Norheim E, Brodin E, Lundberg JM, and Hökfelt T. 1985. Multiple tachykinins (neurokinin A, neuropeptide K and substance P) in capsaicin-sensitive sensory neurons in the guinea-pig. *Regulatory Peptides* 13:1-19.
- Huang R-RC, Yu H, Strader CD, and Fong TM. 1994. Localization of the ligand binding site of the neurokinin-1 receptor: interretation of chimeric mutations and single-residue substitutions. *Molecular Pharmacology* 45:690-695.
- Huang RR, Huang D, Strader CD, and Fong TM. 1995. Conformational compatibility as a basis of differential affinities of tachykinins for the neurokinin-1 receptor. *Biochemistry* 34:16467-16472.
- Huangfu D, Hwang L, Riley TA, and Guyenet PG. 1992. Splanchnic nerve response to A5 area stimulation in rats. *American Journal of Physiology* 263:R437-R446.
- Hunt CE. 1989. Impaired arousal from sleep: Relationship to sudden infant death syndrome. *Journal of Perinatology* 9:184-187.
- Ichikawa H, Rabchevsky A, and Helke CJ. 1993. Presence and coexistence of putative neurotransmitters in carotid sinus baro- and chemoreceptor afferent neurons. *Brain Research* 611:67-74.
- Ikegami Y, Maeda M, Yokota A, and Hayashida Y. 1997. Cerebral extracellular lactate concentration and blood flow during chemical stimulation of the nucleus tractus solitarius in anesthetized rats. *Brain Research* 758:33-38.
- Inoue M, Maeda M, and Takao S. 1997. Regional differentiation of blood flow responses to microinjection of sodium nitroprusside into the nucleus tractus solitarius of anesthetized rats. *Journal of the Autonomic Nervous System* 63:172-178.
- Ito S and Sved AF. 1997. Tonic glutamate-mediated control of rostral ventrolateral medulla and sympathetic vasomotor tone. *American Journal of Physiology* 273:R487-R494.
- Ito S and Sved AF. 2000. Pharmacological profile of depressor response elicited by sarthran in rat ventrolateral medulla. *American Journal of Physiology* 279:H2961-H2966.
- Iverson LL, Hanley MR, Sandberg BEB, Lee C-M, Pinnock RD, and Watson SP. 1982. Substance P receptors in the nervous system and the possible receptor subtypes. In Porter R and O'Conner M, editors. *Substance P in the Nervous System*. London: Pitman. p 186-205.
- Jacquin T, Denavit-Saubie M, and Champagnat J. 1989. Substance P and serotonin mutually reverse their excitatory effects in the rat nucleus tractus solitarius. *Brain Research* 502:214-222.
- Janczewski WA and Feldman JL. 2006. Distinct rhythm generators for inspiration and expiration in the juvenile rat. *Journal of Physiology (Lond.)* 570:407-420.
- Janczewski WA, Onimaru H, Homma I, and Feldman JL. 2002. Opioid-resistant respiratory pathway from the preinspiratory neurones to abdominal muscles: *in vivo* and *in vitro* study in the newborn rat. *Journal of Physiology (Lond.)* 545:1017-1026.
- Jenkinson KM, Mann PT, Southwell BR, and Furness JB. 2000. Independent endocytosis of the NK(1) and NK(3) tachykinin receptors in neurons of the rat myenteric plexus. *Neuroscience* 100:191-199.

- Jenson CJ, Gerard NP, Schwartz TW, and Gether U. 1994. The species selectivity of chemically distinct tachykinin non-peptide antagonists is dependent on common divergent residues of the rat and human neurokinin-1 receptors. *Molecular Pharmacology* 45:294-299.
- Jeske I, Reis DJ, and Milner TA. 1995. Neurons in the barosensory area of the caudal ventrolateral medulla project monosynaptically on to sympathoexcitatory bulbospinal neurons in the rostral ventrolateral medulla. *Neuroscience* 65:343-353.
- Johnson SM, Smith JC, and Feldman JL. 1996. Modulation of respiratory rhythm in vitro: role of  $G_{i/o}$  protein-mediated mechanisms. *Journal of Applied Physiology* 80:2120-2133.
- Johnson SM, Smith JC, Funk GD, and Feldman JL. 1994. Pacemaker behavior of Respiratory neurons in medullary slices from neonatal rat. *Journal of Neurophysiology* 72 No.6.:2598-2608.
- Jordan J, Shannon JR, Diedrich A, Black B, Costa F, Robertson D, and Biaggioni I. 2000. Interaction of carbon dioxide and sympathetic nervous system activity in the regulation of cerebral perfusion in humans. *Hypertension* 36:383-388.
- Kageyama M, Fujita H, Nakata K, and Shirasawa E. 1997. Involvement of both L- and N- type voltage-dependent  $Ca^{2+}$  channels in KCl- and veratridine-evoked transmitter release from non-adrenergic, non-cholinergic nerves in the rabbit iris sphincter. *Naunyn-Schmiedeberg's Archives of Pharmacology* 355:638-644.
- Kalia M, Fuxe K, Hökfelt T, Johansson O, Lang R, Ganten D, Cuello C, and Terenius L. 1984. Distribution of neuropeptide immunoreactive nerve terminals within the subnuclei of the nucleus of the tractus solitarius of the rat. *Journal of Comparative Neurology* 222:409-444.
- Kanazawa I, Ogawa T, kimura S, and Munekata E. 1984. Regional distribution of substance P, neurokinin  $\alpha$  and neurokinin  $\beta$  in rat central nervous system. *Neuroscience Research* 2:111-120.
- Kangawa K, Minamino N, Fukuda A, and Matsuo H. 1983. Neuromedin K: A novel mammalian tachykinin identified in the porcine spinal cord. *Biochemical and Biophysical Research Communications* 114:533-540.
- Kangrga IM and Loewy AD. 1995. Whole-cell recordings from visualized C1 adrenergic bulbospinal neurons: ionic mechanisms underlying vasomotor tone. *Brain Research* 670:215-232.
- Katsoulis S, Schmidt WE, Clemens A, Schworer H, and Creutzfeldt W. 1992. Vasoactive intestinal polypeptide induces neurogenic contraction of guinea-pig ileum. Involvement of acetylcholine and substance P. *Regulatory Peptides* 38:155-164.
- Katz S and Perryman JH. 1965. Respiratory and blood pressure responses to stimulation of peripheral afferent nerves. *American Journal of Physiology* 208:993-999.
- Kawai Y, Qi J, Comer AM, Gibbons H, Win J, and Lipski J. 1999. Effects of cyanide and hypoxia on membrane currents in neurones acutely dissociated from rostral ventrolateral medulla of the rat. *Brain Research* 830:246-257.
- Kawano H and Masuko S. 1997. Synaptic contacts of substance P-immunoreactive axon terminals in the nucleus tractus solitarius onto neurons projecting to the caudal ventrolateral medulla oblongata in the rat. *Brain Research* 754:315-320.
- Keller JT, Mullen BG, and Zuccarello M. 1993. Dural neuropeptide changes after subarachnoid hemorrhage in the rat. *Brain Research Bulletin* 31:713-718.
- Key BJ and Wigfield CC. 1992. Changes in the tail surface temperature of the rat following injection of 5-hydroxytryptamine into the ventrolateral medulla. *Neuropharmacology* 31:717-723.

- Khan I and Collins SM. 1994. Fourth isoform of preprotachykinin messenger RNA encoding for substance P in the rat intestine. *Biochemical & Biophysical Research Communications* 202:796-802.
- Khawaja AM and Rogers DF. 1996. Tachykinins: receptor to effector. *International Journal of Biochemistry Cell Biology* 28:721-738.
- Kiely JM and Gordon FJ. 1993. Non-NMDA receptors in the rostral ventrolateral medulla mediate somatosympathetic pressor responses. *Journal of the Autonomic Nervous System* 43:231-240.
- Kiely JM and Gordon FJ. 1994. Role of rostral ventrolateral medulla in centrally mediated pressor responses. *American Journal of Physiology* 267:H1549-H1556.
- Kim CS, McNamara MC, Lauder JM, and Lawson EE. 1994. Immunocytochemical detection of serotonin content in raphe neurons of newborn and young adult rabbits before and after acute hypoxia. *International Journal of Developmental Neuroscience* 12:499-505.
- Kirchheim HR. 1976. Systemic arterial baroreceptor reflexes. *Physiological Reviews* 56:100-176.
- Kobayashi M, Cheng ZB, Tanaka K, and Nosaka S. 1999. Is the aortic depressor nerve involved in arterial chemoreflexes in rats? *Journal of the Autonomic Nervous System* 78:38-48.
- Kobbert C, Apps R, Bechmann I, Lanciego JL, Mey J, and Thanos S. 2000. Current concepts in neuroanatomical tracing. *Progress in Neurobiology* 62:327-351.
- Koizumi K, Collin R, Kaufman A, and Brooks CM. 1970. Contribution of unmyelinated afferent excitation to sympathetic reflexes. *Brain Research* 20:99-106.
- Kondo H. 1976. Innervation of the carotid body of the adult rat. A series ultrathin section analysis. *Cell and tissue research* 173:1-15.
- Koshiya N and Guyenet PG. 1994a. Role of the pons in the carotid sympathetic chemoreflex. *American Journal of Physiology* 267: R508-R518.
- Koshiya N and Guyenet PG. 1994b. A5 noradrenergic neurons and the carotid sympathetic chemoreflex. *American Journal of Physiology* 267:R519-R526.
- Koshiya N and Guyenet PG. 1996a. Nucleus tractus solitarius neurons with carotid chemoreceptor inputs arborize in the rostral ventrolateral medulla. *American Journal of Physiology* 270:R1273-R1278.
- Koshiya N and Guyenet PG. 1996b. Tonic sympathetic chemoreflex after blockade of respiratory rhythmogenesis in the rat. *Journal of Physiology* 491:859-869.
- Koshiya N, Huangfu D, and Guyenet PG. 1993. Ventrolateral medulla and sympathetic chemoreflex in the rat. *Brain Research* 609:174-184.
- Koshiya N and Smith JC. 1999. Neuronal pacemaker for breathing visualized *in vitro*. *Nature* 400:360-363.
- Kotani H, Hoshimaru M, Nawa H, and Nakanishi S. 1986. Structure and gene organization of bovine neuromedin-K precursor. *Proceedings of the National Academy of Sciences of the USA* 83:7074-7078.
- Kramer MS, Cutler N, Feighner J, Shrivastava R, Carman J, Sramek JJ, Reines SA, Liu GH, Snavely D, Wyatt-Knowles E, Hale JJ, Mills SG, MacCoss M, Swain CJ, Harrison T, Hill RG, Hefti F, Scolnick EM, Cascieri MA, Chicchi GG, Sadowski S, Williams AR, Hewson L, Smith D, Carlson EJ, Hargreaves RJ, and Rupniak NMJ. 1998. Distinct mechanism for antidepressant activity by blockade of central substance P receptors. *Science* 281:1640-1645.

- Kramer MS, Winokur A, Kelsey J, Preskorn SH, Rothschild AJ, Snavely D, Ghosh K, Ball WA, Reines SA, Munjack D, Apter JT, Cunningham L, Kling M, Bari M, Getson A, and Lee Y. 2004. Demonstration of the efficacy and safety of a novel substance P (NK1) receptor antagonist in major depression. *Neuropsychopharmacology* 29:385-392.
- Krase W, Koch M, and Schnitzler H-U. 1994. Substance P is involved in the sensitization of the acoustic startle response by footshock in rats. *Behavioural Brain Research* 63:81-88.
- Krause JE, Chirgwin JM, Carter MS, and Xu ZS. 1987. Three rat preprotachykinin mRNAs encode the neuropeptides substance P and neurokinin A. *Proceedings of the National Academy of Sciences of the USA* 84:881-885.
- Krause JE, Staveteig PT, Mentzer JN, Schmidt SK, Tucker JB, Brodbeck RM, Bu JY, and Karpitskiy VV. 1997. Functional expression of a novel human neurokinin-3 receptor homolog that binds [H-3]senktide and [(125)-I- MePhe(7)]neurokinin B, and is responsive to tachykinin peptide agonists. *Proceedings of the National Academy of Sciences of the USA* 94:310-315.
- Kubo T, Amano M, and Asari T. 1993. N-methyl-D-aspartate receptors but not non-N-methyl-D-aspartate receptors mediate hypertension induced by carotid body chemoreceptor stimulation in the rostral ventrolateral medulla of the rat. *Neuroscience Letters* 164:113-116.
- Kubo T and Kihara M. 1987. Blood pressure modulation by substance P in the rat nucleus tractus solitarius. *Brain Research* 413:379-383.
- Kubo T and Kihara M. 1988a. Evidence for aminobutyric acid receptor-mediated modulation of the aortic baroreceptor reflex in the nucleus tractus solitarii of the rat. *Neuroscience Letters* 89:156-160.
- Kubo T and Kihara M. 1988b. Evidence of N-methyl-D-aspartate receptor-mediated modulation of the aortic baroreceptor reflex in the rat nucleus tractus solitarii. *Neuroscience Letters* 87:69-74.
- Kubo T and Kihara M. 1988c. N-Methyl-D-aspartate receptors mediate tonic vasodepressor control in the caudal ventrolateral medulla of the rat. *Brain Research* 451:366-370.
- Kubo T and Kihara M. 1990. Modulation of the aortic baroreceptor reflex by neuropeptide Y, neurotensin and vasopressin microinjected into the nucleus tractus solitarii of the rat. *Naunyn-Schmiedeberg's Archives of Pharmacology* 342:182-188.
- Kubo T, Kihara M, and Misu Y. 1991. Ipsilateral but not contralateral blockade of excitatory amino acid receptors in the caudal ventrolateral medulla inhibits aortic baroreceptor reflex in rats. *Naunyn-Schmiedeberg's Archives of Pharmacology* 343:46-51.
- Kubota Y, Takagi H, Morishima Y, Powell JF, and Smith AD. 1985. Synaptic interaction between catecholaminergic neurons and substance P-immunoreactive axons in the caudal part of the nucleus of the solitary tract of the rat: demonstration by the electron microscopic mirror technique. *Brain Research* 333:188-192.
- Kudlacz EM, Logan DE, Shatzer SA, Farrell AM, and Baugh LE. 1993. Tachykinin-mediated respiratory effects in conscious guinea pigs: modulation by NK1 and NK2 receptor antagonists. *European Journal of Pharmacology* 241:17-25.
- Kumada M, Terui N, and Kuwaki T. 1990. Arterial baroreceptor reflex: Its central and peripheral neural mechanisms. *Progress in Neurobiology* 35:331-361.
- Kummer W. 1988. Retrograde neuronal labelling and double-staining immunohistochemistry of tachykinin- and calcitonin gene-related peptide-immunoreactive pathways in the carotid sinus nerve of the guinea pig. *Journal of the Autonomic Nervous System* 23:131-141.

- Kuraishi Y, Hirota N, Sato Y, Hanashima N, Takagi H, and Satoh M. 1989. Stimulus specificity of peripherally evoked substance P release from the rabbit dorsal horn in situ. *Neuroscience* 30:241-250.
- Kurtz MM, Wang R, Clements MK, Cascieri MA, Austin CP, Cunningham BR, Chicchi GG, and Liu Q. 2002. Identification, localization and receptor characterization of novel mammalian substance P-like peptides. *Gene* 296:205-212.
- Kusakabe T, Hirakawa H, Matsuda H, Kawakami T, Takenaka T, and Hayashida Y. 2003. Peptidergic innervation in the rat carotid body after 2, 4, and 8 weeks of hypocapnic hypoxic exposure. *Histology & Histopathology* 18:409-418.
- Laferriere A, Liu JK, and Moss IR. 2003. Neurokinin-1 versus mu-opioid receptor binding in rat nucleus tractus solitarius after single and recurrent intermittent hypoxia. *Brain Research Bulletin* 59:307-313.
- Lahiri S and DeLaney RG. 1975. Stimulus interaction in the responses of carotid body chemoreceptor single afferent fibers. *Respiration Physiology* 24:249-266.
- Lahiri S, Rozanov C, Roy A, Storey B, and Buerk DG. 2001. Regulation of oxygen sensing in peripheral arterial chemoreceptors. *International Journal of Biochemistry and Cell Biology* 33:755-774.
- Lai JP, Douglas SD, and Ho WZ. 1998. Human lymphocytes express substance P and its receptor. *Journal of Immunology* 86:80-86.
- Laufer R, Wormser U, Friedman ZY, Gilon C, Chorev M, and Selinger Z. 1985. Neurokinin B is a preferred agonist for a neuronal substance P receptor and its action is antagonised by enkaphalin. *Proceedings of the National Academy of Sciences of the USA* 82:7444-7448.
- Lawrence AJ and Jarrott B. 1994. L-glutamate as a neurotransmitter at baroreceptor afferents: evidence from in vivo microdialysis. *Neuroscience* 58:585-591.
- Lawson SN, Crepps BA, and Perl ER. 1997. Relationship of substance P to afferent characteristics of dorsal root ganglion neurones in the guinea-pig. *Journal of Physiology* 505:177-191.
- Leander S, Hakanson R, Rosell S, Folkers K, Sundler F, and Tornqvist K. 1981. A specific substance P antagonist blocks smooth muscle contractions induced by non-cholinergic, non-adrenergic nerve stimulation. *Nature* 294:467-469.
- Lecat S, Bucher B, Mely Y, and Galzi JL. 2002. Mutations in the extracellular amino-terminal domain of the NK2 neurokinin receptor abolish cAMP signaling but preserve intracellular calcium responses. *Journal of Biological Chemistry* 277:42034-42048.
- Lee C-M, Iverson LL, Hanley MR, and Sandberg BEB. 1982a. The possible existence of multiple receptors for substance P. *Naunyn-Schmiedeberg's Archives of Pharmacology* 318:281-289.
- Lee CH, Strosberg AM, Roszkowski AP, and Warren LA. 1982b. A model for evaluation of postural hypotension induced by drugs in conscious restrained normotensive rats. *Journal of Pharmacological Methods* 7:15-24.
- Leger L, Gay N, and Cesuglio R. 2002. Neurokinin NK1- and NK3-immunoreactive neurons in serotonergic cell groups in the rat brain. *Neuroscience Letters* 323:146-150.
- Leibstein AG, Dermietzel R, Willenberg IM, and Pauschert R. 1985. Mapping the different neuropeptides in the lower brainstem of the rat: with special reference to the ventral surface. *Journal of the Autonomic Nervous System* 14:299-313.

- Lembeck F. 1953. Zur Frage der zentralen Übertragung afferenter Impulse. III Mitteilung. Das Vorkommen und die Bedeutung der Substanz P in den dorsalen Wurzeln des Rückenmarks. *Archiv für Experimentelle Pathologie und Pharmakologie* 219:197-213.
- Len WB, Tsou MY, Chan SHH, and Chan JYH. 1994. Substance P suppresses the activity of  $\alpha_2$ -adrenoceptors of the nucleus reticularis gigantocellularis involved in cardiovascular regulation in the rat. *Brain Research* 638:227-234
- Lencer WI and Tsai B. 2003. The intracellular voyage of cholera toxin: going retro. *Trends in Biochemical Sciences* 28:639-645.
- Leone C and Gordon FJ. 1989. Is L-Glutamate a neurotransmitter of baroreceptor information in the nucleus of the tractus solitarius? *Journal of Pharmacology and Experimental Therapeutics* 250:953-962.
- Lepre M, Evans RH, Olpe HR, and Brugger F. 1993. The modulation of the monosynaptic reflex by substance P in the hemisectioned spinal cord preparation of the rat and gerbil. *Neuroscience* 55:727-735.
- Li H, Leeman SE, Slack BE, Hauser G, Saltsman WS, Krause JE, Krzysztof Blusztajn J, and Boyd ND. 1997. A substance P (neurokinin-1) receptor mutant carboxyl-terminally truncated to resemble a naturally occurring receptor isoform displays enhanced responsiveness and resistance to desensitization. *Proceedings of the National Academy of Sciences of the USA* 94:9475-9480.
- Li Q, Goodchild AK, Seyedabadi M, and Pilowsky PM. 2005. Preprotachykinin A mRNA is colocalized with tyrosine hydroxylase-immunoreactivity in bulbospinal neurons. *Neuroscience* 136:205-216.
- Li WM, Sato, Suzuki A, and Trzebski A. 1996a. Systemic hypoxia facilitates somato-cardiac sympathetic A- and C- reflexes in anesthetized rats. *Neuroscience Letters* 216:175-178.
- Li WM, Sato A, Sato Y, and Schmidt RF. 1996b. Morphine microinjected into the nucleus tractus solitarius and rostral ventrolateral medullary nucleus enhances somatosympathetic A- and C- reflexes in anesthetized rats. *Neuroscience Letters* 221:53-56.
- Li Y-W, Bayliss DA, and Guyenet PG. 1995. C1 neurons of neonatal rats: intrinsic beating properties and  $\alpha_2$ -adrenergic receptors. *American Journal of Physiology* 269:R1356-R1369.
- Li Y-W and Guyenet PG. 1997. Effect of substance P on C1 and other bulbospinal cells of the RVLM in neonatal rats. *American Journal of Physiology* 273:R805-R813.
- Li Y-W and Guyenet PG. 1995. Neuronal inhibition by a GABA<sub>B</sub> receptor agonist in the rostral ventrolateral medulla of the rat. *American Journal of Physiology* 268:R428-R437.
- Li Y-W, Gieroba ZJ, McAllen RM, and Blessing WW. 1991. Neurons in rabbit caudal ventrolateral medulla inhibit bulbospinal barosensitive neurons in rostral medulla. *American Journal of Physiology* 261:R44-R51.
- Li Y-W and Guyenet PG. 1996. Activation of GABA<sub>B</sub> receptors increases a potassium conductance in rat bulbospinal neurons of the C1 region. *American Journal of Physiology* 271:R1304-R1310.
- Li Y-W and Guyenet PG. 1996. Angiotensin II decreases a resting K<sup>+</sup> conductance in rat bulbospinal neurons of the C1 area. *Circulation Research* 78:274-282.
- Light AR and Perl ER. 1979. Spinal termination of functionally identified primary afferent neurons with slowly conducting myelinated fibres. *Journal of Comparative Neurology* 186:133-150.
- Lindfors N, Yamamoto Y, Pantaleo T, Lagercrantz H, Brodin E, and Ungerstedt U. 1986. In Vivo release of substance P in the nucleus tractus solitarius increases during hypoxia. *Neuroscience Letters* 69:94-97.

- Linnik MD and Moskowitz MA. 1989. Identification of immunoreactive substance P in human and other mammalian endothelial cells. *Peptides* 10:957-962.
- Linnik MD, Sakas DE, Uhl GR, and Moskowitz MA. 1989. Subarachnoid blood and headache: altered trigeminal gene expression. *Annals of Neurology* 25:179-184.
- Lioy F, Hanna BD, and Polosa C. 1981. Cardiovascular control by medulla surface chemoreceptors. *Journal of the Autonomic Nervous System* 3:1-7.
- Lipski J, Duffin J, Kruszezwska B, and Zhang X. 1993. Upper cervical inspiratory neurons in the rat: an electrophysiological and morphological study. *Experimental Brain Research* 95:477-487.
- Lipski J, Kanjhan R, Kruszezwska B, and Rong W-F. 1995a. Criteria for intracellular identification of pre-sympathetic neurons in the rostral ventrolateral medulla in the rat. *Clinical and Experimental Hypertension* 17:51-65.
- Lipski J, Kanjhan R, Kruszezwska B, and Smith ML. 1995b. Barosensitive neurons in the rostral ventrolateral medulla of the rat *in vivo*: morphological properties and relationship to C1 adrenergic neurons. *Neuroscience* 69:601-618.
- Lipski J, Kanjhan R, Kruszezwska B, and Rong W-F. 1996. Properties of presympathetic neurons in the rostral ventrolateral medulla in the rat: an intracellular study '*in vivo*'. *Journal of Physiology (Lond.)* 490.3:729-744.
- Lipski J, Kawai Y, Qi J, Comer A, and Win J. 1998. Whole cell patch-clamp study of putative vasomotor neurons isolated from the rostral ventrolateral medulla. *American Journal of Physiology* 274:R1099-R1110.
- Lipski J, McAllen RM, and Spyer KM. 1975. The sinus nerve and baroreceptor input to the medulla of the cat. *Journal of Physiology* 251:61-78.
- Lipski J, McAllen RM, and Spyer KM. 1977. The carotid chemoreceptor input to the respiratory neurones of the nucleus of tractus solitarius. *Journal of Physiology* 269:797-810.
- Lipski J, Zhang X, Kruszezwska B, and Kanjhan R. 1994. Morphological study of long axonal projections of ventral medullary inspiratory neurons in the rat. *Brain Research* 640:171-184.
- Littlewood NK, Todd AJ, Spike RC, Watt C, and Shehab SAS. 1995. The types of neuron in spinal dorsal horn which possess neurokinin-1 receptors. *Neuroscience* 66:597-608.
- Liu L, Markus I, Vandenberg RJ, Neilan BA, Murray M, and Burcher E. 2004. Molecular identification and characterization of three isoforms of tachykinin NK(1)-like receptors in the cane toad *Bufo marinus*. *American Journal of Physiology* 287:R575-R585.
- Liu RL, Ding Y, and Aghajanian GK. 2002. Neurokinins activate local glutamatergic inputs to serotonergic neurons of the dorsal raphe nucleus. *Neuropsychopharmacology* 27:329-340.
- Liu Z, Chen CY, and Bonham AC. 1998. Metabotropic glutamate receptors depress vagal and aortic baroreceptor signal transmission in the NTS. *American Journal of Physiology* 275:H1682-H1694.
- Ljungdahl A, Hökfelt T, and Nilsson G. 1978. Distribution of substance P-like immunoreactivity in the central nervous system of the rat-I. Cell bodies and nerve terminals. *Neuroscience* 3:861-943.
- Llewellyn-Smith IJ, Arnolda LF, Pilowsky PM, Chalmers JP, and Minson JB. 1998. GABA- and glutamate- immunoreactive synapses on sympathetic preganglionic neurons projecting to the superior cervical ganglion. *Journal of the Autonomic Nervous System* 71:96-110.

- Llewellyn-Smith IJ, Minson JB, Wright AP, and Hodgson AJ. 1990. Cholera toxin B-gold, a retrograde tracer that can be used in light and electron microscopic immunocytochemical studies. *Journal of Comparative Neurology* 294:179-191.
- Locatelli M. 2000. The importance of substance P and calcitonin gene related peptide as vasodilator neuropeptide during acute phase of experimental posthemorrhagic vasospasm. *Journal of Neurological Sciences* 44:186-191.
- Loewy AD, McKellar S, and Saper CB. 1979. Direct projections from the A5 catecholamine cell group to the intermediolateral cell column. *Brain Research* 174:309-314.
- Lorenz RG, Saper CB, Wong DL, Ciaranello RD, and Loewy AD. 1985. Co-localization of substance P- and phenylethanolamine-n-methyltransferase-like immunoreactivity in neurons of ventrolateral medulla that project to the spinal cord: potential role in control of vasomotor tone. *Neuroscience Letters* 55:255-260.
- Lorez HP, Haeusler G, and Aepli L. 1983. Substance P neurons in medullary baroreflex area and baroreflex function of capsaicin-treated rats. Comparison with other primary afferent systems. *Neuroscience* 8:507-523.
- Lovick TA. 1989. Cardiovascular responses to 5-HT in the ventrolateral medulla of the rat. *Journal of the Autonomic Nervous System* 28:35-41.
- Lundberg JM, Hökfelt T, Nilsson G, Terenius L, Rehfeld J, Elde R, and Said S. 1978. Peptide neurons in the vagus, splanchnic and sciatic nerves. *Acta Physiologica Scandinavica* 104:499-501.
- Luppi PH, Sakai K, Salvert D, Fort P, and Jouvet M. 1987. Peptidergic hypothalamic afferents to the cat nucleus raphe pallidus as revealed by a double immunostaining technique using unconjugated cholera toxin as a retrograde tracer. *Brain Research* 402:339-345.
- MacDonald MR, Takeda J, Rice CM, and Krause JE. 1989. Multiple tachykinins are produced and secreted upon post-translational processing of the three substance P precursor proteins, a-, b-, and g-preprotachykinin. Expression of the preprotachykinins in AtTT-20 cells infected with vaccinia virus recombinants. *Journal of Biological Chemistry* 264:15578-15592.
- Machado BH. 2001. Neurotransmission of the cardiovascular reflexes in the nucleus tractus solitarius of awake rats. *Annals of the New York Academy of Sciences* 940:179-196.
- Machado BH and Bonagamba LGH. 1992. Microinjection of S-nitrocysteine into the nucleus tractus solitarii of conscious rats decreases arterial pressure but L-glutamate does not. *European Journal of Pharmacology* 221:179-182.
- Machado BH and Bonagamba LGH. 2005. Antagonism of glutamate receptors in the intermediate and caudal NTS of awake rats produced no changes in the hypertensive response to chemoreflex activation. *Autonomic Neuroscience: Basic and Clinical* 117:25-32.
- Machado BH, Castania JA, Bonagamba LGH, and Salgado HC. 2000. Neurotransmission of autonomic components of aortic baroreceptor afferents in the NTS of awake rats. *American Journal of Physiology* 279:H67-H75.
- Madden CJ and Sved AF. 2003. Cardiovascular regulation after destruction of the C1 cell group of the rostral ventrolateral medulla in rats. *American Journal of Physiology* 285:H2734-H2748.
- Maeda M, Duelli R, Schrock H, and Kuschinsky W. 1998. Autoradiographic determination of local cerebral blood flow and local cerebral glucose utilization during chemical stimulation of the nucleus tractus solitarii of anesthetized rats. *Journal of the Autonomic Nervous System* 69:132-140.

- Maeda M, Nakai M, Krieger AJ, and Sapru HN. 1990. Chemical stimulation of the nucleus tractus solitarius decreases cerebral blood flow in anesthetized rats. *Brain Research* 520:255-261.
- Maggi CA. 1995. Tachykinins and calcitonin-gene-related peptide (CGRP) as cotransmitters released from peripheral endings of sensory nerves. *Progress in Neurobiology* 45:1-98.
- Maggi CA. 2000. Principles of tachykinergic co-transmission in the peripheral and enteric nervous system. *Regulatory Peptides* 93:53-64.
- Maggi CA and Giuliani S. 1995. Role of tachykinins as excitatory mediators of NANC contraction in the circular muscle of the rat small intestine. *Journal of Autonomic Pharmacology* 15:335-350.
- Maggi CA, Giuliani S, and Zagorodnyuk V. 1997. Sequential activation of the triple excitatory transmission to the circular muscle of the guinea-pig colon. *Neuroscience* 79:263-274.
- Maggi CA, Patacchini R, Meini S, Quartara L, Sisto A, Potier E, Giuliani S, and Giachetti A. 1994. Comparison of tachykinin nk1 and nk2 receptors in the circular muscle of the guinea-pig ileum and proximal colon. *British Journal of Pharmacology* 112:150-160.
- Maggi CA, Patacchini R, Santichioli P, and Giuliani S. 1991. Tachykinin antagonists and capsiacin-induced contraction of the rat isolated urinary bladder: evidence for tachykinin-mediated cotransmission. *British Journal of Pharmacology* 103:1535-1541.
- Maggi CA and Schwartz TW. 1997. The dual nature of the tachykinin NK1 receptor. *Trends in Pharmacological Sciences* 18:351-355.
- Maggi CA, Theodorsson E, Santichioli P, and Giuliani S. 1992. Tachykinins and calcitonin gene-related peptide as co-transmitters in local motor responses produced by sensory nerve activation in the guinea-pig isolated renal pelvis. *Neuroscience* 46:549-559.
- Maggi CA, Tramontana M, Cecconi R, and Santichioli P. 1990. Neurochemical evidence for the involvement of N-type calcium channels in transmitter secretion from peripheral endings of sensory nerves in guinea pigs. *Neuroscience Letters* 114:203-206.
- Maghni K, Michoud MC, Alles M, Rubin A, Govindaraju V, Meloche C, and Martin JG. 2003. Airway smooth muscle cells express functional neurokinin-1 receptors and the nerve-derived preprotachykinin-a gene: regulation by passive sensitization. *American Journal of Respiratory Cell & Molecular Biology* 28:103-110.
- Makeham JM, Goodchild AK, Costin NS, and Pilowsky PM. 2004. Hypercapnia selectively attenuates the somato-sympathetic reflex. *Respiratory Physiology & Neurobiology* 140:133-143.
- Makeham JM, Goodchild AK, and Pilowsky PM. 2001. NK1 receptor and the ventral medulla of the rat: bulbospinal and catecholaminergic neurons. *Neuroreport* 12:3663-3667.
- Makeham JM, Goodchild AK, and Pilowsky PM. 2005. NK1 receptor activation in rat rostral ventrolateral medulla selectively attenuates somato-sympathetic reflex while antagonism attenuates sympathetic chemoreflex. *American Journal of Physiology* 288:R1707-R1715.
- Maley B and Elde R. 1982. Immunohistochemical localization of putative neurotransmitters within the feline nucleus tractus solitarius. *Neuroscience* 7:2469-2490.
- Maley BE, Sasek CA, and Seybold VS. 1989. Substance P binding sites in the nucleus tractus solitarius of the cat. *Peptides* 9:1301-1306.
- Malpas SC. 1998. The rhythmicity of sympathetic nerve activity. *Progress in Neurobiology* 56:65-96.

- Mandel DA and Schreihof AM. 2006. Central respiratory modulation of barosensitive neurons in rat caudal ventrolateral medulla. *Journal of Physiology* 572:881-896.
- Mantyh PW, DeMaster E, Malhotra A, Ghilardi JR, Rogers SD, Mantyh CR, Liu H, Basbaum AI, Vigna SR, Maggio JE, and Simone DA. 1995. Receptor endocytosis and dendrite reshaping in spinal neurons after somatosensory stimulation. *Science* 268:1629-1632.
- Mantyh PW, Gates T, Mantyh CR, and Maggio JE. 1989. Autoradiographic localization and characterization of tachykinin receptor binding sites in the rat brain and peripheral tissues. *Journal of Neuroscience* 9:258-279.
- Mantyh PW, Rogers SD, Ghilardi JR, Maggio JE, Mantyh CR, and Vigna SR. 1996. Differential expression of two isoforms of the neurokinin-1 (substance P) receptor in vivo. *Brain Research* 719:8-13.
- Mao J, Wang X, Chen F, Wang R, Rojas A, Shi Y, Piao H, and Jiang C. 2003. Molecular basis for the inhibition of G protein-coupled inward rectifier K<sup>+</sup> channels by protein kinase C. *Proceedings of the National Academy of Sciences of the USA* 101:1087-1092.
- Marshall JM. 1986. Modulation of the centrally-evoked visceral alerting/defense response by changes in CSF pH at the ventral surface of the medulla oblongata and by systemic hypercapnia. *Pflügers Archiv European Journal of Physiology* 407:46-54.
- Marshall JM. 1994. Peripheral chemoreceptors and cardiovascular regulation. *Physiological Reviews* 74:543-594.
- Martin SE and Longhurst JC. 1986. Evidence against high pressure arterial baroreceptors in the abdominal viscera of cats. *American Journal of Physiology* 251:H1283-H1291.
- Martini F, Reynaud JC, and Puizillout JJ. 1995. Effects of substance P on cardiovascular regulation in the rabbit. *Journal of the Autonomic Nervous System* 51:143-152.
- Massari VJ, Shirahata M, Johnson AT, Lauenstein J-M, and Gatti PJ. 1998. Substance P immunoreactive nerve terminals in the dorsolateral nucleus of the tractus solitarius: roles in the baroreceptor reflex. *Brain Research* 785:329-340.
- Masu Y, Nakayama K, Tamaki H, Harada Y, Kuno M, and Nakanishi S. 1987. cDNA cloning of bovine substance-K receptor through oocyte expression system. *Nature* 329:836-838.
- Matsas R, Fulcher IS, and Kenny AJ. 1983. Substance P and [Leu]enkephalin are hydrolysed by an enzyme in pig caudate synaptic membranes that is identical with the endopeptidase of kidney microvilli. *Proceedings of the National Academy of Sciences of the USA* 80:3111-3115.
- Matsas R, Kenny AJ, and Turner AJ. 1986. An immunohistochemical study of endopeptidase-24.11 (enkephalinase) in the pig nervous system. *Neuroscience* 18:991-1012.
- Maubach KA and Jones RS. 1997. Electrophysiological characterisation of tachykinin receptors in the rat nucleus of the solitary tract and dorsal motor nucleus of the vagus in vitro. *British Journal of Pharmacology* 122:1151-1159.
- Maubach KA, Martin K, Chicchi G, Harrison T, Wheeldon A, Swain CJ, Cumberbatch MJ, Rupniak NM, and Seabrook GR. 2002. Chronic substance P (NK1) receptor antagonist and conventional antidepressant treatment increases burst firing of monoamine neurones in the locus coeruleus. *Neuroscience* 109:609-617.
- Mauborgne A, Bourgoin S, Benoliel J-J, Hirsch M, Berthier J-L, Hamon M, and Casselin F. 1987. Enkephalinase is involved in the degradation of endogenous substance P released from slices of rat substantia nigra. *Journal of Pharmacology & Experimental Therapeutics* 243:674-680.

- Mazzone SB, Hinrichsen CF, and Geraghty DP. 1998. Hypoxia attenuates the respiratory response to injection of substance P into the nucleus of the solitary tract of the rat. *Neuroscience Letters* 256:9-12.
- McAllen RM. 1985. Mediation of the fastigial pressor response and a somatosympathetic reflex by ventral medullary neurons in the cat. *Journal of Physiology* 368:423-433.
- McAllen RM. 1992. Actions of carotid chemoreceptors on subretrofacial bulbospinal neurons in the cat. *Journal of the Autonomic Nervous System* 40:181-188.
- McAllen RM, Habler HJ, Michaelis M, Peters O, and Janig W. 1994. Monosynaptic excitation of preganglionic vasomotor neurons by subretrofacial neurons of the rostral ventrolateral medulla. *Brain Research* 634:227-234.
- McCall RB and Harris LT. 1987. Sympathetic alterations after midline medullary raphe lesions. *American Journal of Physiology* 253:R91-R100.
- McCarthy PW and Lawson SN. 1989. Cell type and conduction velocity of rat primary sensory neurons with substance P-like immunoreactivity. *Neuroscience* 28:745-753.
- McConalogue K, Corvera CU, Gamp PD, Grady EF, and Bunnett NW. 1998. Desensitization of the neurokinin-1 receptor (NK1-R) in neurons: effects of substance P on the distribution NK1-R, G<sub>αq/11</sub>, G-protein coupled receptor kinase-2/3, and β-arrestin-1/2. *Molecular Biology of the Cell* 9:2305-2324.
- McDonald DM. 1980. Regulation of chemoreceptor sensitivity in the carotid body: the role of presynaptic sensory nerves. *Federation Proceedings* 39:2627-2635.
- McDonald DM and Mitchell RA. 1981. The neural pathway involved in 'efferent inhibition' of chemoreceptors in the cat carotid body. *Journal of Comparative Neurology* 201:457-476.
- McEwen BS. 2000. Allostasis and allostatic load: implications for neuropsychopharmacology. *Neuropsychopharmacology* 22:108-124.
- McKay LC, Janczewski WA, and Feldman JL. 2005. Sleep-disordered breathing after targeted ablation of preBötzinger complex neurons. *Nature Neuroscience* 8:1142-1144.
- McLean S, Ganong A, Seymour PA, Snider RM, Desai MC, Rosen T, Bryce DK, Longo KP, Reynolds LS, Robinson G, Schmidt AW, Siok C, and Heym J. 1993. Pharmacology of CP-99,994 - A nonpeptide antagonist of the tachykinin neurokinin-1 receptor. *Journal of Pharmacology and Experimental Therapeutics* 267:472-479.
- McLeod AL, Krause JE, Cuello AC, and Ribeiro-Da-Silva A. 1998. Preferential synaptic relationships between substance P-immunoreactive boutons and neurokinin 1 receptor sites in the rat spinal cord. *Proceedings of the National Academy of Sciences of the USA* 95:15775-15780.
- Meini S, Catalani C, Bellucci F, Cucchi P, Giuliani S, Zappitelli S, Rotondaro L, Pasqui F, Guidi A, Altamura M, Giolitti A, and Maggi CA. 2005. Pharmacology of an original and selective non peptide antagonist ligand for the human tachykinin NK2 receptor. *European Journal of Pharmacology* 516:104-111.
- Meini S and Maggi CA. 1994. Evidence for a capsiacin-sensitive, tachykinin-mediated component in the NANC contraction of the rat urinary bladder to nerve stimulation. *British Journal of Pharmacology* 112:1123-1131.
- Meini S, Patacchini R, Lecci A, Poulos C, Rovero P, and Maggi CA. 1995. GR-73,632 and [glu(obzl)(11)]substance-P are selective agonists for the septide-sensitive tachykinin NK1 receptor in the rat urinary-bladder. *Neuropeptides* 28:99-106.

- Mellen NM, Janczewski WA, Bocchiaro CM, and Feldman JL. 2003. Opioid-induced quantal slowing reveals dual networks for respiratory rhythm generation. *Neuron* 37:821-826.
- Menetrey D and Basbaum AI. 1987. The distribution of substance P-, enkephalin- and dynorphin-immunoreactive neurons in the medulla of the rat and their contribution to bulbospinal pathways. *Neuroscience* 23:173-187.
- Michael-Titus AT, Fernandes K, Setty H, and Whelpton R. 2002. In vivo metabolism and clearance of substance P and co-expressed tachykinins in rat striatum. *Neuroscience* 110:277-286.
- Mileusnic D, Lee JM, Magnuson DJ, Hejna MJ, Krause JE, Lorens JB, and Lorens SA. 1999. Neurokinin-3 receptor distribution in rat and human brain: an immunohistochemical study. *Neuroscience* 89:1269-1290.
- Mills CA, Flacke JW, Miller JD, Davis LJ, Bloor BC, and Flacke WE. 1988a. Cardiovascular effects of fentanyl reversal by naloxone at varying arterial carbon dioxide tensions in dogs. *Anesthesia & Analgesia* 67:730-736.
- Mills EH, Minson JB, Pilowsky PM, and Chalmers JP. 1988b. N-methyl-D-aspartate receptors in the spinal cord mediate pressor responses to stimulation of the rostral ventrolateral medulla in the rat. *Clinical and Experimental Pharmacology and Physiology* 15:147-155.
- Milner TA and Giuliano R. 1996. Afferent sources of substance P in the C1 area of the rat rostral ventrolateral medulla. *Neuroscience Letters* 205:37-40.
- Milner TA, Pickel VM, Abate C, Joh TH, and Reis DJ. 1988. Ultrastructural characterization of substance P-like immunoreactive neurons in the rostral ventrolateral medulla in relation to neurons containing catecholamine-synthesizing enzymes. *Journal of Comparative Neurology* 270:427-445.
- Minamino N, Kangawa K, Fukuda A, and Matsuo H. 1984. Neuromedin L: A novel mammalian peptide identified in porcine spinal cord. *Neuropeptides* 4:157-166.
- Minneman KP. 2001. Splice variants of G protein-coupled receptors. *Molecular Interventions* 1:108-116.
- Minota S, Dun NJ, and Karczmar AG. 1981. Substance P-induced depolarization in sympathetic neurons: not simple K-inactivation. *Brain Research* 216:224-228.
- Minson JB, Llewellyn-Smith IJ, Chalmers JP, Pilowsky PM, and Arnold LF. 1997. *c-fos* identifies GABA-synthesizing barosensitive neurons in caudal ventrolateral medulla. *Neuroreport* 8:3015-3021.
- Minson JB, Llewellyn-Smith IJ, Pilowsky PM, and Chalmers JP. 1994. Bulbospinal neuropeptide Y-immunoreactive neurons in the rat: comparison with adrenaline-synthesizing neurons. *Journal of the Autonomic Nervous System* 47:233-243.
- Minson JB, Pilowsky PM, Llewellyn-Smith IJ, Kaneko T, Kapoor V, and Chalmers JP. 1991. Glutamate in spinally projecting neurons of the rostral ventral medulla. *Brain Research* 555:326-331.
- Miura M, Okada J, Takayama K, and Jingu H. 1996. Barosensitive and chemosensitive neurons in the rat medulla: A double labeling study with *c-fos*/glutamate, GAD, PNMT and calbindin. *Journal of the Autonomic Nervous System* 61:17-25.
- Miura M, Takayama K, and Okada J. 1987. Study of possible transmitters in the solitary tract nucleus of the cat involved in the carotid sinus baro- and chemoreceptor reflex. *Journal of the Autonomic Nervous System* 19:179-188.

- Miyawaki T, Goodchild AK, and Pilowsky PM. 2001. Rostral ventral medulla 5-HT<sub>1A</sub> receptors selectively inhibit the somatosympathetic reflex. *American Journal of Physiology* 280:R1261-R1268.
- Miyawaki T, Goodchild AK, and Pilowsky PM. 2002a. Activation of Mu-opioid receptors in rat ventrolateral medulla selectively blocks baroreceptor reflexes while activation of delta opioid receptors blocks somato-sympathetic reflexes. *Neuroscience* 109:133-144.
- Miyawaki T, Goodchild AK, and Pilowsky PM. 2002b. Evidence for a tonic GABA-ergic inhibition of excitatory respiratory related afferents to presympathetic neurons in the rostral ventrolateral medulla. *Brain Research* 924:56-62.
- Miyawaki T, Goodchild AK, and Pilowsky PM. 2003. Maintenance of sympathetic tone by a nickel chloride-sensitive mechanism in the rostral medulla of the adult rat. *Neuroscience* 116:455-464.
- Miyawaki T, Minson JB, Arnolda LF, Chalmers JP, Llewellyn-Smith IJ, and Pilowsky PM. 1996a. Role of excitatory amino acid receptors in cardiorespiratory coupling in the ventrolateral medulla. *American Journal of Physiology* 271:R1221-R1230.
- Miyawaki T, Minson JB, Arnolda LF, Llewellyn-Smith IJ, Chalmers JP, and Pilowsky PM. 1996b. AMPA/kainate receptors mediate sympathetic chemoreceptor reflex in the rostral ventrolateral medulla. *Brain Research* 726:64-68.
- Miyawaki T, Pilowsky P, Sun Q-J, Minson J, Suzuki S, Arnolda L, Llewellyn-Smith I, and Chalmers J. 1995. Central inspiration increases barosensitivity of neurons in rat rostral ventrolateral medulla. *American Journal of Physiology* 268:R909-R918.
- Miyawaki T, Suzuki S, Minson J, Arnolda L, Chalmers J, Llewellyn-Smith I, and Pilowsky P. 1997. Role of AMPA/Kainate receptors in transmission of the sympathetic baroreflex in rat CVLM. *American Journal of Physiology* 272:R800-R812.
- Mizusawa A, Ogawa H, Kikuchi Y, Hida W, Kurosawa H, Okabe S, Takishima T, and Shirato K. 1994. In-vivo release of glutamate in nucleus-tractus-solitarii of the rat during hypoxia. *Journal of Physiology* 478:55-66.
- Monteau R, Ptak K, Broquere N, and Hilaire G. 1996. Tachykinins and central respiratory activity: an in vitro study on the newborn rat. *European Journal of Pharmacology* 314:41-50.
- Morgan SE, Pallot DJ, and Willshaw P. 1981. The effect of ventilation with different concentrations of oxygen upon the synaptic vesicle density in nerve endings of the cat carotid body. *Neuroscience* 6:1461-1467.
- Morilak DA, Morris M, and Chalmers JP. 1988. Release of substance P in the nucleus tractus solitarius measured by in vivo microdialysis: response to stimulation of the aortic depressor nerves in rabbit. *Neuroscience Letters* 94:131-137.
- Morin-Surun MP, Jordan D, Champagnat J, Spyer KM, and Denavit-Saubie M. 1984. Excitatory effects of iontophoretically applied substance P on neurons in the nucleus tractus solitarius of the cat: lack of interaction with opiates and opioids. *Brain Research* 307:388-392.
- Morrison SF. 2003. Glutamate transmission in the rostral ventrolateral medullary sympathetic premotor pathway. *Cellular and Molecular Neurobiology* 23:761-772.
- Morrison SF, Milner TA, and Reis DJ. 1988. Reticulospinal vasomotor neurons of the rat rostral ventrolateral medulla: relationship to sympathetic nerve activity and the C1 adrenergic cell group. *Journal of Neuroscience* 8:1286-1301.

- Morrison SF and Reis DJ. 1989. Reticulospinal vasomotor neurons in the RVL mediate the somatosympathetic reflex. *American Journal of Physiology* 256:R1084-R1097.
- Morteau O, Lu B, Gerard C, and Gerard NP. 2001. Hemokinin 1 is a full agonist at the substance P receptor. *Nature Immunology* 2:1088.
- Mosqueda-Garcia R, Tseng CJ, Appalsamy M, and Robertson D. 1989. Modulatory effect of adenosine on baroreflex activation in the brainstem of normotensive rats. *European Journal of Pharmacology* 174:119-122.
- Moussaoui SM, Le Prado N, Bonici B, Faucher DC, Cui n  F, Laduron PM, and Garret C. 1992. Distribution of neurokinin B in rat spinal cord and peripheral tissues: comparison with neurokinin A and substance P and effects of neonatal capsaicin treatment. *Neuroscience* 48:969-978.
- Mulkey DK, Stornetta RL, Weston MC, Simmons JR, Parker A, Bayliss DA, and Guyenet PG. 2004. Respiratory control by ventral surface chemoreceptor neurons in rats. *Nature Neuroscience* 7:1360-1369.
- Murugaian J, Sundaram K, Krieger A, and Sapru H. 1989. Electrolytic lesions in the depressor area of the ventrolateral medulla of the rat abolish depressor responses to the aortic nerve stimulation. *Brain Research* 499:371-377.
- Mutolo D, Bongiani F, Carfi M, and Pantaleo T. 2002. Respiratory changes induced by kainic acid lesions in rostral ventral respiratory group of rabbits. *American Journal of Physiology* 283:R227-R242.
- N'Diaye A, Sevoz-Couche C, Nosjean A, Hamon M, and Laguzzi R. 2001. Stimulation of 5-HT<sub>2</sub> receptors in the nucleus tractus solitarius enhances NMDA receptor-mediated reflex-evoked bradycardic responses in the rat. *Autonomic Neuroscience* 92:45-55.
- Nagata O, Li WM, and Sato A. 1995. Glutamate *N*-methyl-D-aspartate (NMDA) and non-NMDA receptor antagonists administered into the brain stem depress the renal sympathetic reflex discharges evoked by single shock of somatic afferents in anesthetized rats. *Neuroscience Letters* 201:111-114.
- Nakajima Y, Tsuchida K, Negishi M, Ito S, and Nakanishi S. 1992. Direct linkage of three tachykinin receptors to stimulation of both phosphatidylinositol hydrolysis and cyclic AMP cascades in transfected Chinese hamster ovary cells. *Journal of Biological Chemistry* 267:2437-2442.
- Nakanishi S. 1987. Substance-P precursor and kininogen - their structures, gene organizations, and regulation. *Physiological Reviews* 67:1117-1142.
- Nakaya Y, Kaneko T, Shigemoto R, Nakanishi S, and Mizuno N. 1994. Immunohistochemical Localization of Substance P Receptor in the Central Nervous System of the Adult Rat. *Journal of Comparative Neurology* 347:249-274.
- Narumi S and Maki Y. 1978. Stimulatory effects of substance P on neurite extension and cAMP levels in cultured neuroblastoma cells. *Journal of Neurochemistry* 30:1321-1326.
- Natarajan M and Morrison SF. 2000. Sympathoexcitatory CVLM neurons mediate responses to caudal pressor area stimulation. *American Journal of Physiology* 279:R364-R374.
- Nathan MA and Reis DJ. 1977. Chronic labile hypertension produced by lesions of the nucleus tractus solitarii in the cat. *Circulation Research* 40:72-81.
- Nattie EE and Li A. 2002. Substance P-saporin lesion of neurons with NK1 receptors in one chemoreceptor site in rats decreases ventilation and chemosensitivity. *Journal of Physiology* 544:603-616.

- Nawa H, Kotani H, and Nakanishi S. 1984. Tissue-specific generation of two preprotachykinin mRNAs from one gene by alternative RNA splicing. *Nature* 312:729-734.
- Nawa H, Hirose T, Takashima H, Inayama S, and Nakanishi S. 1983. Nucleotide sequences of cloned cDNA for two types of bovine brain SP precursor. *Nature* 306:32-36.
- Nielsen AM, Bisgard GE, and Mitchell GS. 1986. Phrenic nerve responses to hypoxia and CO<sub>2</sub> in decerebrate dogs. *Respiration Physiology* 65:267-283.
- Nowak LM and Macdonald RL. 1982. Substance P: ionic basis for depolarizing responses of mouse spinal cord neurons in cell culture. *Journal of Neuroscience* 2:1119-1128.
- Numao Y, Koshiya N, Gilbey MP, and Spyer KM. 1987. Central respiratory drive-related activity in sympathetic nerves of the rat: the regional differences. *Neuroscience Letters* 81:279-284.
- Numao Y, Saito M, Terui N, and Kumuda M. 1985. The aortic nerve-sympathetic reflex in the rat. *Journal of the Autonomic Nervous System* 13:65-79.
- Núñez-Abades PA, Pásaro R, and Bianchi AL. 1992. Study of the topographical distribution of different populations of motoneurons within rat's nucleus ambiguus, by means of four different fluorochromes. *Neuroscience Letters* 135:103-107.
- Nyberg F, Le Greves P, Sundqvist C, and Terenius L. 1984. Characterization of substance P (1-7) en (1-8) generating enzyme in human cerebrospinal fluid. *Biochemical and Biophysical Research Communications* 125:244-250.
- Ogawa T, Kanazawa I, and Kimura S. 1985. Regional distribution of substance P, neurokinin  $\alpha$  and neurokinin  $\beta$  in rat spinal cord, nerve roots and dorsal root ganglia, and the effects of dorsal root section or spinal transection. *Brain Research* 359:152-157.
- Onimaru H, Arata A, and Homma I. 1989. Firing properties of respiratory rhythm generating neurons in the absence of synaptic transmission in rat medulla in vitro. *Experimental Brain Research* 76:530-536.
- Onimaru H and Homma I. 2003. A novel functional neuron group for respiratory rhythm generation in the ventral medulla. *Journal of Neuroscience* 23:1478-1486.
- Onoue H, Kaito N, Akiyama M, Tomii M, Tokudome S, and Abe T. 1995. Altered reactivity of human cerebral arteries after subarachnoid hemorrhage. *Journal of Neurosurgery* 83:510-515.
- Onoue H, Tsutsui M, Smith L, Stelter A, O'Brien T, and Katusic ZS. 1998. Expression and function of recombinant endothelial nitric oxide synthase gene in canine basilar artery after experimental subarachnoid hemorrhage. *Stroke* 29:1959-1965.
- Ootsuka Y and McAllen RM. 2005. Interactive drives from two brain stem premotor nuclei are essential to support rat tail sympathetic activity. *American Journal of Physiology* 289:R1107-R1115.
- Otake K, Ruggiero DA, and Nakamura Y. 1995. Adrenergic innervation of the forebrain neurons that project to the paraventricular thalamic nucleus in the rat. *Brain Research* 697:17-26.
- Otsuka M and Konishi S. 1976. Release of substance P-like immunoreactivity from isolated spinal cord of newborn rat. *Nature* 264:83-84.
- Otsuka M and Yoshioka K. 1993. Neurotransmitter functions of mammalian tachykinins. *Physiological Reviews* 73:229-308.
- Ozawa Y and Takashima S. 2002. Developmental neurotransmitter pathology in the brainstem of sudden infant death syndrome: a review and sleep position. *Forensic Science International* 130 Suppl:S53-S59.

- Page NM and Bell NJ. 2002. The human tachykinin NK1 (short form) and tachykinin NK4 receptor: a reappraisal. *European Journal of Pharmacology* 437:27-30.
- Page NM, Bell NJ, Gardiner SM, Manyonda IT, Brayley KJ, Strange PG, and Lowry PJ. 2003. Characterization of the endokinins: human tachykinins with cardiovascular activity. *Proceedings of the National Academy of Sciences of the USA* 100:6245-6250.
- Page NM, Woods RJ, Gardiner SM, Lomthaisong K, Gladwell RT, Butlin DJ, Manyonda IT, and Lowry PJ. 2000. Excessive placental secretion of neurokinin B during the third trimester causes pre-eclampsia. *Nature* 405:797-800.
- Pagliardini S, Adachi T, Ren J, Funk GD, and Greer JJ. 2005. Fluorescent tagging of rhythmically active respiratory neurons within the pre-Bötzinger complex of rat medullary slice preparations. *Journal of Neuroscience* 25:2591-2596.
- Paintal AS. 1973. Vagal sensory receptors and their reflex effects. *Physiological Reviews* 53:159-227.
- Palanche T, Ilien B, Zoffmann S, Reck MP, Bucher B, Edelstein SJ, and Galzi JL. 2001. The Neurokinin A Receptor Activates Calcium and cAMP Responses through Distinct Conformational States. *Journal of Biological Chemistry* 276:34853-34861.
- Pamidimukkala J and Hay M. 2001. Frequency dependence of endocytosis in aortic baroreceptor neurons and role of group III mGluRs. *American Journal of Physiology* 281:H387-H395.
- Panneton WM and Loewy AD. 1980. Projections of the carotid sinus nerve to the nucleus of the solitary tract in the cat. *Brain Research* 191:239-244.
- Pascual DW and Bost KL. 1990. Substance P production by P388D1 macrophages: a possible autocrine function for this neuropeptide. *Immunology* 71:52-56.
- Pasqualin A, Tsukahara T, Hongo K, Van Beek O, Kassell NF, and Torner JC. 1992. Cerebrovascular effects of substance P after experimental subarachnoid haemorrhage. *Acta Neurochirurgica* 119:139-145.
- Patacchini R, De Giorgio R, Bartho L, Barbara G, Corinaldesi G, and Maggi CA. 1998. Evidence that tachykinins are the main NANC excitatory neurotransmitters in the guinea-pig common bile duct. *British Journal of Pharmacology* 124:1703-1711.
- Patak E, Candenas ML, Pennefather JN, Ziccone S, Lilley A, Martin JD, Flores C, Mantecón AG, and Pinto FM. 2003. Tachykinins and tachykinin receptors in the human uterus. *British Journal of Pharmacology* 139:523-532.
- Paton JF, Deuchars J, Ahmad Z, Wong JF, Murphy D, and Kasparov S. 2001. Adenoviral vector demonstrates that angiotensin II-induced depression of the cardiac baroreflex is mediated by endothelial nitric oxide synthase in the nucleus tractus solitarii of the rat. *Journal of Physiology* 531:445-458.
- Paton JF and Dutschmann M. 2002. Central control of upper airway resistance regulating respiratory airflow in mammals. *Journal of Anatomy* 201:319-323.
- Paton JF and Kasparov S. 1999. Differential effects of angiotensin II on cardiorespiratory reflexes mediated by nucleus tractus solitarii - a microinjection study in the rat. *Journal of Physiology* 521:213-225.
- Pawloski-Dahm C and Gordon FJ. 1992. Evidence for a kynurenate-insensitive glutamate receptor in nucleus tractus solitarii. *American Journal of Physiology* 262:H1611-H1615.

- Pelletier CL, Clement DL, and Shepherd JT. 1972. Comparison of afferent activity of canine aortic and sinus nerves. *Circulation Research* 31:557-568.
- Pena F and Ramirez JM. 2004. Substance P-mediated modulation of pacemaker properties in the mammalian respiratory network. *Journal of Neuroscience* 24:7549-7556.
- Pequignot JM, Hellstrom S, and Johansson C. 1984. Intact and sympathectomized carotid bodies of long-term hypoxic rats: a morphometric ultrastructural study. *Journal of Neurocytology* 13:481-493.
- Perez DM and Karnik SS. 2005. Multiple Signaling States of G-Protein-Coupled Receptors. *Pharmacological Reviews* 57:147-161.
- Pernow B. 1953. Studies on substance P purification, occurrence, and biological actions. *Acta Physiologica Scandinavica* 29:1-90.
- Perrone MH. 1981. Biochemical evidence that L-glutamate is a neurotransmitter of primary vagal afferent nerve fibers. *Brain Research* 230:283-293.
- Petiot E, Barres C, Chapuis B, and Julien C. 2001. Frequency response of renal sympathetic nervous activity to aortic depressor nerve stimulation in the anaesthetized rat. *Journal of Physiology* 537:949-959.
- Petitot F, Saffroy M, Torrens Y, Lavielle S, Chassaing G, Loeuillet D, Glowinski J, and Beaujouan JC. 1992. Possible existence of a new tachykinin receptor subtype in the guinea pig ileum. *Peptides* 13:383-388.
- Petrov T, Krukoff TL, and Jhamandas JH. 1993. Branching projections of catecholaminergic brainstem neurons to the paraventricular hypothalamic nucleus and the central nucleus of the amygdala in the rat. *Brain Research* 609:81-92.
- Phillips JK, Goodchild AK, Dubey R, Sesiashvili E, Takeda M, Chalmers J, Pilowsky PM, and Lipski J. 2001. Differential expression of catecholamine biosynthetic enzymes in the rat ventrolateral medulla. *Journal of Comparative Neurology* 431:20-34.
- Phillis JW, Scislo TJ, and O'Leary DS. 1997. Purines and the nucleus tractus solitarius: effects on cardiovascular and respiratory function. *Clinical & Experimental Pharmacology & Physiology* 24:738-742.
- Pickering AE, Boscan P, and Paton JF. 2003. Nociception attenuates parasympathetic but not sympathetic baroreflex via NK1 receptors in the rat nucleus tractus solitarii. *Journal of Physiology* 551:589-599.
- Pike ER, Jackson DA, Bourke PJ, and Page DI. 1968. Measurement of turbulent velocities from the Doppler shift in scattered laser light. *Journal of Physics E: Scientific Instruments* 1:727-730.
- Pilowsky P. 1995. Good Vibrations? Respiratory rhythms in the central control of blood pressure. *Clinical and Experimental Pharmacology & Physiology* 22:594-604.
- Pilowsky P, Llewellyn-Smith I, Lipski J, and Chalmers J. 1992. Substance P immunoreactive boutons form synapses with feline sympathetic preganglionic neurons: an intracellular and electron microscope study. *J Comp Neurol* 320:121-135.
- Pilowsky PM and Goodchild AK. 2002. Baroreceptor reflex pathways and neurotransmitters: 10 years on. *Journal of Hypertension* 20:1675-1688.

- Pilowsky PM, Jiang C, and Lipski J. 1990. An intracellular study of respiratory neurons in the rostral ventrolateral medulla of the rat and their relationship to catecholamine-containing neurons. *Journal of Comparative Neurology* 301:604-617.
- Pilowsky PM, Llewellyn-Smith IJ, Lipski J, Minson JB, Arnolda LF, and Chalmers JP. 1994. Projections from inspiratory neurons of the ventral respiratory group to the subretrofacial nucleus of the cat. *Brain Research* 633:63-71.
- Pilowsky PM, Minson JB, Hodgson AJ, Howe PRC, and Chalmers JP. 1986. Does substance P coexist with adrenaline in neurones of the rostral ventrolateral medulla in the rat? *Neuroscience Letters* 71:293-298.
- Pinto FM, Cintado CG, Devillier P, and Candenas ML. 2001. Expression of preprotachykinin-B, the gene that encodes neurokinin B, in the rat uterus. *European Journal of Pharmacology* 425:R1-R2.
- Pinto FM, Saulnier JP, Faisy C, Naline E, Molimard M, Prieto L, Martin JD, Emonds-Alt X, Advenier C, and Candenas ML. 2002. SR 142801, a tachykinin NK(3) receptor antagonist, prevents beta(2)-adrenoceptor agonist-induced hyperresponsiveness to neurokinin A in guinea-pig isolated trachea. *Life Sciences* 72:307-320.
- Polson JW, Halliday GM, McAllen RM, Coleman MJ, and Dampney RAL. 1992. Rostrocaudal differences in morphology and neurotransmitter content of cells in the subretrofacial vasomotor nucleus. *Journal of the Autonomic Nervous System* 38:117-138.
- Post C and Paulsson I. 1985. Antinociceptive and neurotoxic actions of substance P analogues in the rat's spinal cord after intrathecal administration. *Neuroscience Letters* 57:159-164.
- Potts JT and Fuchs IE. 2001. Naturalistic activation of baroreceptor afferents release substance P in the nucleus solitarius of the cat. *Brain Research* 893:155-164.
- Powell D, Leeman SE, Tregear GW, Niall HD, and Potts JT. 1973. Radioimmunoassay for substance P. *Nature New Biology* 241:252-254.
- Prabhakar NR. 2000. Oxygen sensing by the carotid body chemoreceptors. *Journal of Applied Physiology* 88:2287-2295.
- Prabhakar NR, Runold M, Yamamoto Y, Lagercrantz H, Cherniack NS, and Von Euler C. 1987. Role of vagal afferents in substance P-induced respiratory responses in anaesthetized rabbits. *Acta Physiologica Scandinavica* 131:63-71.
- Pradier L, Menager J, Guern JL, Bock MD, Heuillet E, Fardin V, Garret C, Doble A, and Mayaux JF. 1994. Septide - an agonist for the NK1 receptor acting at a site distinct from substance-P. *Molecular Pharmacology* 45:287-293.
- Ptak K, Hunt SP, and Monteau R. 2000. Substance P and central respiratory activity: a comparative in vitro study in NK1 receptor knockout and wild-type mice. *Pflugers Archiv European Journal of Physiology* 440:446-451.
- Ptak K, Zummo GG, Alheid GF, Tkatch T, Surmeier DJ, and McCrimmon DR. 2005. Sodium current in medullary neurons isolated from the pre-Bötzinger complex region. *Journal of Neuroscience* 25:5159-5170.
- Quartara L and Maggi CA. 1997. The Tachykinin NK1 receptor: Part I. Ligands and mechanisms of cellular activation. *Neuropeptides* 31:537-563.
- Quirion R, Dam TV, and Guard S. 1991. Selective neurokinin receptor radioligands. *Annals of the New York Academy of Sciences* 632:137-144.

- Ramirez JM, Schwarzacher SW, Pierrefiche O, Olivera BM, and Richter DW. 1998. Selective lesioning of the cat pre-Bötzinger complex *in vivo* eliminates breathing but not gasping. *Journal of Physiology* 507:895-907.
- Randic M, Ryu PD, and Urban L. 1986. Effects of polyclonal and monoclonal antibodies to substance P on slow excitatory transmission in rat spinal dorsal horn. *Brain Research* 383:15-27.
- Rathner JA and McAllen RM. 1999. Differential control of sympathetic drive to the rat tail artery and kidney by medullary premotor cell groups. *Brain Research* 834:196-199.
- Reis DJ, Granata AR, Perrone MH, and Talman WT. 1981. Evidence that glutamic acid is the neurotransmitter of baroreceptor afferents terminating in the nucleus tractus solitarius (NTS). *Journal of the Autonomic Nervous System* 3:321-334.
- Rekling JC, Champagnat J, and Denavit-Saubie M. 1996. Electroresponsive properties and membrane potential trajectories of three types of inspiratory neurons in the newborn mouse brain stem *in vitro*. *Journal of Neurophysiology* 75:795-810.
- Rekling JC, Shao XM, and Feldman JL. 2000. Electrical coupling and excitatory synaptic transmission between rhythmogenic respiratory neurons in the preBötzinger complex. *Journal of Neuroscience* 20:1-5.
- Richardson DW, Wasserman AJ, and Patterson JL. 1961. General and regional circulatory responses to change in blood pH and carbon dioxide tension. *Journal of Clinical Investigation* 40:31-43.
- Richerson GB, Wang W, Tiwari J, and Bradley SR. 2001. Chemosensitivity of serotonergic neurons in the rostral ventral medulla. *Respiration Physiology* 129:175-189.
- Riley J, Lin LH, Chianca DA, Jr., and Talman WT. 2002. Ablation of NK1 receptors in rat nucleus tractus solitarius blocks baroreflexes. *Hypertension* 40:823-826.
- Rodier ME, Laferriere A, and Moss IR. 2001. Effects of age and clustered hypoxia on [(125)I] substance P binding to neurokinin-1 receptors in brainstem of developing swine. *Brain Research Developmental Brain Research*. 127:31-39.
- Rosenkilde MM, Cahir M, Gether U, Hjorth SA, and Swartz TW. 1994. Mutations along transmembrane segment II of the NK-1 receptor affect substance P competition with non-peptide antagonists but not substance P binding. *Journal of Biological Chemistry* 269:28160-28164.
- Ross CA, Armstrong DM, Ruggiero DA, Pickel VM, Joh TH, and Reis DJ. 1981. Adrenaline neurons in the rostral ventrolateral medulla innervate thoracic spinal cord: A combined immunocytochemical and retrograde transport demonstration. *Neuroscience Letters* 25:257-262.
- Ross CA, Ruggiero DA, Joh TH, Park DH, and Reis DJ. 1984. Rostral ventrolateral medulla: Selective projections to the thoracic autonomic cell column from the region containing C1 adrenaline neurons. *Journal of Comparative Neurology* 228:168-185.
- Ruggiero DA, Cravo SL, Arango V, and Reis DJ. 1989. Central control of the circulation by the rostral ventrolateral reticular nucleus: anatomical substrates. *Progress in Brain Research* 81:49-79.
- Rupniak NM, Carlson EJ, Webb JK, Harrison T, Porsolt RD, Roux S, De Felipe C, Hunt SP, Oates B, and Wheeldon A. 2001. Comparison of the phenotype of NK1R<sup>-/-</sup> mice with pharmacological blockade of the substance P (NK1) receptor in assays for antidepressant and anxiolytic drugs. *Behavioural Pharmacology* 12:497-508.

- Sachon E, Girault-Lagrange S, Chassaing G, Lavielle S, and Sagan S. 2002. Analogs of Substance P modified at the C-terminus which are both agonist and antagonist of the NK-1 receptor depending on the second messenger pathway. *Journal of Peptide Research* 59:232-240.
- Saeki Y, Sato A, Sato Y, and Trzebski A. 1989. Stimulation of rostral ventrolateral medullary neurons increases cortical cerebral blood flow via activation of the intracerebral neural pathway. *Neuroscience Letters* 107:26-32.
- Saffroy M, Beaujouan JC, Torrens Y, Besseyre J, Bergstrom L, and Glowinski J. 1988. Localization of tachykinin binding sites (NK<sub>1</sub>, NK<sub>2</sub> and NK<sub>3</sub> ligands) in the rat brain. *Peptides* 9:227-241.
- Saffroy M, Torrens Y, Glowinski J, and Beaujouan JC. 2001. Presence of NK2 binding sites in the rat brain. *Neurochemistry* 79:985-996.
- Saffroy M, Torrens Y, Glowinski J, and Beaujouan JC. 2003. Autoradiographic distribution of tachykinin NK2 binding sites in the rat brain: comparison with NK1 and NK3 binding sites. *Neuroscience* 116:761-773.
- Saito A, Handa J, and Toda N. 1991. Reactivity to vasoactive agents of canine basilar arteries exposed to experimental subarachnoid hemorrhage. *Surgical Neurology* 35:461-467.
- Sakamoto H, Spike RC, and Todd AJ. 1999. Neurons in laminae III and IV of the rat spinal cord with the neurokinin-1 receptor receive few contacts from unmyelinated primary afferents which do not contain substance P. *Neuroscience* 94:903-908.
- Sakima A, Yamazato M, Sesoko S, Muratani H, and Fukiyama K. 2000. Cardiovascular and sympathetic effects of L-glutamate and glycine injected into the rostral ventrolateral medulla of conscious rats. *Hypertension Research* 23:633-641.
- Sandberg BE, Lee CM, Hanley MR, and Iverson LL. 1981. Synthesis and biological properties of enzyme-resistant analogues of substance P. *European Journal of Biochemistry* 114:329-337.
- Santarelli L, Gobbi G, Debs PC, Sibille ET, Blier P, Hen R, and Heath MJ. 2001. Genetic and pharmacological disruption of neurokinin 1 receptor function decreases anxiety-related behaviors and increases serotonergic function. *Proceedings of the National Academy of Sciences of the USA* 98:1912-1917.
- Sapru HN, Gonzalez E, and Krieger AJ. 1981. Aortic nerve stimulation in the rat: cardiovascular and respiratory responses. *Brain Research Bulletin* 6:393-398.
- Sapru HN and Krieger AJ. 1977. Carotid and aortic chemoreceptor function in the rat. *Journal of Applied Physiology* 42:344-348.
- Sarau HM, Mooney JL, Schmidt DB, Foley JJ, Buckley PT, Giardina GAM, Wang DY, Lee JA, and Hay DWP. 2000. Evidence that the proposed novel human "neurokinin-4" receptor is pharmacologically similar to human neurokinin-3 receptor but is not of human origin. *Molecular Pharmacology* 58:552-559.
- Sasai Y and Nakanishi S. 1989. Molecular characterization of rat substance K receptor and its mRNAs. *Biochemical and Biophysical Research Communications* 165:695-702.
- Sasek CA, Wessendorf MW, and Helke CJ. 1990. Evidence for co-existence of thyrotropin-releasing hormone, substance P and serotonin in ventral medullary neurons that project to the intermediolateral cell column in the rat. *Neuroscience* 35:105-119.

- Sato A, Sato Y, and Schmidt RF. 1981. Heart rate changes reflecting modifications of efferent cardiac sympathetic outflow by cutaneous and muscle afferent volleys. *Journal of the Autonomic Nervous System* 4:231-247.
- Sawaguchi T, Ozawa Y, Patricia F, Kadhim H, Groswasser J, Sottiaux M, Takashima S, Nishida H, and Kahn A. 2003. Substance P in the midbrains of SIDS victims and its correlation with sleep apnea. *Early Human Development* 75 Suppl:S51-S59.
- Sawchenko PE and Swanson LW. 1982. The organization of noradrenergic pathways from the brainstem to the paraventricular and supraoptic nuclei in the cat. *Brain Research* 257:275-325.
- Schmidlin F, Dery O, Bunnett NW, and Grady EF. 2002. Heterologous regulation of trafficking and signaling of G protein-coupled receptors: beta-arrestin-dependent interactions between neurokinin receptors. *Proceedings of the National Academy of Sciences of the USA* 99:3324-3329.
- Schmidlin F, Roosterman D, and Bunnett NW. 2003. The third intracellular loop and carboxyl tail of neurokinin 1 and 3 receptors determine interactions with beta-arrestins. *American Journal of Physiology* 285:C945-C958.
- Schmidt AW, McClean S, and Heym J. 1992. The substance P receptor antagonist CP 96,345 interacts with Ca<sup>2+</sup> channels. *European Journal of Pharmacology* 215:93-98.
- Schreihof AM and Guyenet PG. 1997. Identification of C1 presympathetic neurons in rat rostral ventrolateral medulla by juxtacellular labeling in vivo. *Journal of Comparative Neurology* 387:524-536.
- Schreihof AM and Guyenet PG. 2000. Sympathetic reflexes after depletion of bulbospinal catecholaminergic neurons with anti-DBH-saporin. *American Journal of Physiology* 280:R729-R742.
- Schreihof AM, Stornetta RL, and Guyenet PG. 1999. Evidence for glycinergic respiratory neurons: Böttinger neurons express mRNA for glycinergic transporter 2. *Journal of Comparative Neurology* 407:583-597.
- Schwarzacher SW, Smith JC, and Richter DW. 1995. Pre-Böttinger Complex in the cat. *Journal of Neurophysiology* 73:1452-1461.
- Seagard JL, Dean C, and Hopp FA. 2000. Modulation of the carotid baroreceptor reflex by substance P in the nucleus tractus solitarius. *Journal of the Autonomic Nervous System* 78:77-85.
- Seagard JL, Hopp FA, Drummond HA, and van Wynsberghe DM. 1993. Selective contribution of two types of carotid sinus baroreceptors to the control of blood pressure. *Circulation Research* 72:1011-1022.
- Seagard JL, Van Brederode JFM, Dean C, Hopp FA, Gallenberg LA, and Kampine JP. 1990. Firing characteristics of single-fiber carotid sinus baroreceptors. *Circulation Research* 66:1499-1509.
- Segu L, Lanoir J, and Puizillout JJ. 1991. Up-regulation of substance P binding sites in the vagus nerve projection area of the cat brainstem after nodosectomy. A quantitative autoradiographic study. *Journal of Chemical Neuroanatomy* 4:447-459.
- Seller H, König S, and Czachurski J. 1990. Chemosensitivity of sympathoexcitatory neurones in the rostroventrolateral medulla of the cat. *Pflugers Archives* 416:735-741.
- Sergeyev V, Hokfelt T, and Hurd Y. 1999. Serotonin and substance P co-exist in dorsal raphe neurons of the human brain. *Neuroreport* 10:3967-3970.
- Shen LL and Duffin J. 2002. Caudal expiratory neurones in the rat. *Pflugers Archives* 444:405-410.

- Shigemoto R, Nomura S, Ohishi H, Sugihara H, Nakanishi S, and Mizuno N. 1993. Immunohistochemical localization of a metabotropic glutamate receptor, mGluR5, in the rat brain. *Neuroscience Letters* 163:53-57.
- Shigemoto R, Yokota Y, Tsuchida K, and Nakanishi S. 1990. Cloning and expression of rat neuromedin K receptor cDNA. *Journal of Biological Chemistry* 265:623-628.
- Shiokawa Y, Holst JJ, Torben J, Rasmussen N, Schmidt P, and Svendgaard NA. 1993. Cerebrovascular changes following administration of gammaglobulins against substance P or calcitonin gene related peptide in monkey with subarachnoid haemorrhage. *British Journal of Neurosurgery* 7:507-518.
- Shiokawa Y and Svendgaard NA. 1994. Cerebrovascular sensory innervation involved in the development of cerebral vasospasm following a subarachnoid hemorrhage. *Journal of the Autonomic Nervous System* 49 Suppl:S167-S170.
- Shults CW, Yajima H, Gullner H-G, Chase TN, and O'Donohue TL. 1985. Demonstration and distribution of kassinin-like material (substance K) in the rat central nervous system. *Journal of Neurochemistry* 45:552-558.
- Simon C, Improta G, Chamoin MC, and Ternaux JP. 1992. Substance P like-immunoreactivity release from enterochromaffin cells of rat mucosa. Inhibition by serotonin and calcium-free medium. *Neurochemistry International* 20:529-536.
- Sivam SP and Krause JE. 1992. Tachykinin systems in the spinal cord and basal ganglia: influence of neonatal capsiacin treatment r dopaminergic intervention on levels of peptides, substance P-encoding mRNA's, and substance P receptor mRNA. *Journal of Pharmacology and Experimental Therapeutics* 248:1297-1301.
- Skrivanek J, Ledeen RW, Margolis RU, and Margolis RK. 1982. Gangliosides associated with microsomal subfractions of brain: comparison with synaptic plasma membranes. *Journal of Neurobiology* 13:95-106.
- Smith DW, Hewson L, Fuller P, Williams AR, Wheeldon A, and Rupniak NMJ. 1999. The substance P antagonist L-760735 inhibits stress-induced NK<sub>1</sub> receptor internalization in the basolateral amygdala. *Brain Research* 848:90-95.
- Smith JC, Ellenberger HH, Ballanyi K, Richter DW, and Feldman JL. 1991. Pre-Botzinger complex: A brainstem region that may generate respiratory rhythm in mammals. *Science* 254:726-729.
- Smith JC, Morrison DE, Ellenberger HH, Otto MR, and Feldman JL. 1989. Brainstem projections to the major respiratory neuron populations in the medulla of the cat. *Journal of Comparative Neurology* 281:69-96.
- Smith JK and Barron KW. 1990. GABAergic responses in ventrolateral medulla in spontaneously hypertensive rats. *Journal of Physiology* 258:R450-R456.
- Snider RM, Constantine JW, Lowe III JA, Longo KP, Lebel WS, Woody HA, Drozda SE, Desai MC, Vinick FJ, Spencer RW, and Hess H. 1991. A potent nonpeptide antagonist of the substance P (nk<sub>1</sub>) receptor. *Science* 251:435-437.
- Solomon S, Llewellyn-Smith IJ, Minson JB, Arnolda LF, Chalmers JP, and Pilowsky PM. 1999. Neurokinin-1 receptors and spinal cord control of blood pressure in spontaneously hypertensive rats. *Brain Research* 815:116-120.
- Somers VK, Mark AL, and Abboud FM. 1991. Interaction of baroreceptor and chemoreceptor reflex control of sympathetic nerve activity in normal humans. *Journal of Clinical Investigation* 87:1953-1957.

- Somogyi P, Minson JB, Morilak D, Llewellyn-Smith I, McIlhinney RAJ, and Chalmers JP. 1989. Evidence for an excitatory amino acid pathway in the brain stem and for its involvement in cardiovascular control. *Brain Research* 496:401-407.
- Song S-Y, Iwashita S, Noguchi K, and Konishi S. 1988. Inositol trisphosphate-linked calcium mobilization couples substance P receptors to conductance increase in a rat pancreatic acinar cell line. *Neuroscience Letters* 95:143-148.
- Srinivasan M, Goiny M, Pantaleo T, Jagercrantz H, Brodin E, Runold M, and Yamamoto Y. 1991. Enhanced in vivo release of substance P in the nucleus tractus solitarius during hypoxia in the rabbit: role of peripheral input. *Brain Research* 546:211-216.
- Steinberg R, Marco N, Voutsinos B, Bensaid M, Rodier D, Souilhac J, Alonso R, Oury-Donat F, Le Fur G, and Soubrie P. 1998. Expression and presence of septal neurokinin-2 receptors controlling hippocampal acetylcholine release during sensory stimulation. *European Journal of Neuroscience* 10:2337-2345.
- Steiner DF, Smeekens SP, Ohagi S, and Chan SJ. 1992. The new enzymology of precursor processing endoproteases. *Journal of Biological Chemistry* 267:23435-23438.
- Steinschneider A. 1972. Prolonged apnea and the sudden infant death syndrome, clinical and laboratory observations. *Pediatrics* 50:4-62.
- Steinschneider A, Weinstein SL, and Diamond E. 1982. The sudden infant death syndrome and apnea/obstruction during neonatal sleep and feeding. *Pediatrics* 70:858-863.
- Stornetta RL, Akey PJ, and Guyenet PG. 1999. Location and electrophysiological characterization of rostral medullary adrenergic neurons that contain neuropeptide Y mRNA in rat medulla. *Journal of Comparative Neurology* 415:482-500.
- Stornetta RL, Rosin DL, Wang H, Sevigny CP, Weston MC, and Guyenet PG. 2003a. A group of glutamatergic interneurons expressing high levels of both neurokinin-1 receptors and somatostatin identifies the region of the pre-Botzinger complex. *Journal of Comparative Neurology* 455:499-512.
- Stornetta RL, Schreihofer AM, Pelaez NM, Sevigny CP, and Guyenet PG. 2001. Preproenkephalin mRNA is expressed by C1 and non-C1 barosensitive bulbospinal neurons in the rostral ventrolateral medulla of the rat. *Journal of Comparative Neurology* 435:111-126.
- Stornetta RL, Sevigny CP, and Guyenet PG. 2002a. Vesicular glutamate transporter DNPI/VGLUT2 mRNA is present in C1 and several other groups of brainstem catecholaminergic neurons. *Journal of Comparative Neurology* 444:191-206.
- Stornetta RL, Sevigny CP, and Guyenet PG. 2003b. Inspiratory augmenting bulbospinal neurons express both glutamatergic and enkephalinergic phenotypes. *Journal of Comparative Neurology* 455:113-124.
- Stornetta RL, Sevigny CP, Schreihofer AM, Rosin DL, and Guyenet PG. 2002b. Vesicular glutamate transporter DNPI/GLUT2 is expressed by both C1 adrenergic and nonaminergic presympathetic vasomotor neurons of the rat medulla. *Journal of Comparative Neurology* 444:207-220.
- Strack AM, Sawyer WB, Hughes JH, Platt KB, and Loewy AD. 1989. A general pattern of CNS innervation of the sympathetic outflow demonstrated by transneuronal pseudorabies viral infections. *Brain Research* 491:156-162.
- Stumm R, Culmsee C, Schafer MK, Kriegstein J, and Weihe E. 2001. Adaptive plasticity in tachykinin and tachykinin receptor expression after focal cerebral ischemia is differentially linked to gabaergic and glutamatergic cerebrocortical circuits and cerebrovascular endothelium. *Journal of Neuroscience* 21:798-811.

- Sugiura Y, Lee CL, and Perl ER. 1987. Central projections of identified, unmyelinated (C) afferent fibres innervating mammalian skin. *Science* 234:358-361.
- Sun M-K. 1995. Central neural organization and control of sympathetic nervous system in mammals. *Progress in Neurobiology* 47:157-233.
- Sun M-K and Guyenet PG. 1989. Effects of vasopressin and other neuropeptides on rostral medullary sympathetic neurons in vitro. *Brain Research* 492:261-270.
- Sun M-K, Jeske IT, and Reis DJ. 1992. Cyanide excites medullary sympathetic neurons in rats. *American Journal of Physiology* 262:R182-R189.
- Sun M-K and Guyenet PG. 1985. GABA-mediated baroreceptor inhibition of reticulospinal neurons. *American Journal of Physiology* 249:R672-R680.
- Sun M-K and Guyenet PG. 1986. Effect of clonidine and gamma-aminobutyric acid on the discharges of medullo-spinal sympathetic neurons in the rat. *Brain Research* 368:1-17.
- Sun M-K and Guyenet PG. 1987. Arterial baroreceptor and vagal inputs to sympathetic neurons in rat medulla. *American Journal of Physiology* 252:R699-R709.
- Sun M-K, Hackett JT, and Guyenet PG. 1988a. Sympathetic neurons of rostral ventrolateral medulla exhibit pacemaker properties in the presence of a glutamate-receptor antagonist. *Brain Research* 438:23-40.
- Sun M-K and Reis DJ. 1993a. Differential responses of barosensitive neurons of rostral ventro-lateral medulla to hypoxia in rats. *Brain Research* 609:333-337.
- Sun M-K and Reis DJ. 1993b. Hypoxic excitation of medullary vasomotor neurons in rats are not mediated by glutamate or nitric oxide. *Neuroscience Letters* 157:219-222.
- Sun M-K and Reis DJ. 1994a. Central neural mechanisms mediating excitation of sympathetic neurons by hypoxia. *Progress in Neurobiology* 44:197-219.
- Sun M-K and Reis DJ. 1994b. Hypoxia-activated Ca<sup>2+</sup> currents in pacemaker neurons of rat rostral ventrolateral medulla. *Journal of Physiology (Lond.)* 476:101-116.
- Sun M-K and Reis DJ. 1994c. Hypoxia selectively excites vasomotor neurons of rostral ventrolateral medulla in rats. *American Journal of Physiology* 266:R245-R256.
- Sun M-K and Reis DJ. 1995a. Decerebration does not alter hypoxic sympathetic responses in rats. *Journal of the Autonomic Nervous System* 53:77-81.
- Sun M-K and Reis DJ. 1995b. NMDA receptor-mediated sympathetic chemoreflex excitation of RVL-spinal vasomotor neurons in rats. *Journal of Physiology (Lond.)* 482.1:53-68.
- Sun M-K and Reis DJ. 1996. Medullary vasomotor activity and hypoxic sympathetic excitation in pentobarbital-anesthetized rats. *American Journal of Physiology* 270:R348-R355.
- Sun M-K and Spyer KM. 1991a. Responses of rostral ventrolateral medulla spinal vasomotor neurons to chemoreceptor stimulation in rats. *Journal of the Autonomic Nervous System* 33:79-84.
- Sun M-K and Spyer KM. 1991b. Reticulospinal vasomotor neurons in decerebrate rats: effect of pentobarbitone. *Journal of the Autonomic Nervous System* 33:85-90.

- Sun M-K, Young BS, Hackett JT, and Guyenet PG. 1988b. Reticulospinal pacemaker neurons of the rat rostral ventrolateral medulla with putative sympathoexcitatory function: an intracellular study in vitro. *Brain Research* 442:229-239.
- Sun Q-J, Minson JB, Llewellyn-Smith IJ, Arnolda LF, Chalmers JP, and Pilowsky PM. 1997. Bötzing neurons project towards bulbospinal neurons in the rostral ventrolateral medulla of the rat. *Journal of Comparative Neurology* 388:23-31.
- Suzuki M, Kuramochi T, and Suga T. 1993. GABA receptor subtypes involved in the neuronal mechanisms of baroreceptor reflex in the nucleus tractus solitarii of rabbits. *Journal of the Autonomic Nervous System* 43:27-35.
- Sved AF and Curtis JT. 1993. Amino acid neurotransmitters in nucleus tractus solitarius: an in vivo microdialysis study. *Journal of Neurochemistry* 61:2089-2098.
- Sved AF, Ito S, and Madden CJ. 2000. Baroreflex dependent and independent roles of the caudal ventrolateral medulla in cardiovascular regulation. *Brain Research Bulletin* 51:129-133.
- Sved AF, Ito S, Madden CJ, Stocker SD, and Yajima Y. 2001. Excitatory inputs to the RVLM in the context of the baroreceptor reflex. *Annals of the New York Academy of Sciences* 940:247-258.
- Sved AF and Tsukamoto K. 1992. Tonic stimulation of GABA<sub>B</sub> receptors in the nucleus tractus solitarius modulates the baroreflex. *Brain Research* 592:37-43.
- Sved AF, Tsukamoto K, and Schreihofer AM. 1992. Stimulation of  $\alpha$ 2-adrenergic receptors in nucleus tractus solitarius is required for the baroreceptor reflex. *Brain Research* 576:297-303.
- Svendgaard NA, Arbab MA, Delgado-Zygmunt T, and Shiokawa Y. 1996. Trigeminal afferents and brainstem centers involved in the occurrence of cerebral vasospasm. *Neurological Research* 18:394-400.
- Svendgaard NA, Arbab MA, Delgado TJ, and Rosengren E. 1987. Effect of selective lesions of medullary catecholamine nuclei on experimental cerebral vasospasm in the rat. *Journal of Cerebral Blood Flow and Metabolism* 7:21-28.
- Svendgaard NA, Brismar J, Delgado TJ, and Rosengren E. 1985. Subarachnoid haemorrhage in the rat: effect on the development of vasospasm of selective lesions of the catecholamine systems in the lower brainstem. *Stroke* 16:602-608.
- Svendgaard NA, Goksel M, and Westring S. 1998. Trigeminal nerve and brainstem catecholamine systems in cerebral vasospasm. *Neurologia Medico-Chirurgica* 38 Suppl:146-151.
- Swaminath G, Xiang Y, Lee TW, Steenhuis J, Parnot C, and Kobilka BK. 2004. Sequential Binding of Agonists to the  $\beta$ 2 Adrenoceptor: kinetic evidence for intermediate conformational states. *Journal of Biological Chemistry* 279:686-691.
- Swanson, L. 1998. *Brain Maps: Structure of the rat brain*. Elsevier. Amsterdam.
- Sweerts BW, Jarrott B, and Lawrence AJ. 1999. Expression of preprogalanin mRNA following acute and chronic restraint stress in brains of normotensive and hypertensive rats. *Molecular Brain Research* 69:113-123.
- Tagawa T, Horiuchi J, Potts PD, and Dampney RAL. 1999. Sympathoinhibition after angiotensin receptor blockade in the rostral ventrolateral medulla is independent of glutamate and  $\gamma$ -aminobutyric acid receptors. *Journal of the Autonomic Nervous System* 77:21-30.

- Takakura AC, Moreira TS, Colombari E, West GH, Stornetta RL, and Guyenet PG. 2006. Peripheral chemoreceptor inputs to retrotrapezoid nucleus (RTN) CO<sub>2</sub>-sensitive neurons in rats. *Journal of Physiology* 572:503-523.
- Talman WT. 1989. Kynurenic acid microinjected into the nucleus tractus solitarius of rat blocks the arterial baroreflex but not responses to glutamate. *Neuroscience Letters* 102:247-252.
- Talman WT. 1997. Glutamatergic neurotransmission in the nucleus tractus solitarius: from server to peripherals in the cardiovascular information superhighway. *Brazilian Journal of Medical and Biological Research* 30:1-7.
- Talman WT, Perrone MH, and Reis DJ. 1980. Evidence for L-glutamate as the neurotransmitter of baroreceptor afferent nerve fibers. *Science* 209:813-815.
- Talman WT and Reis DJ. 1981. Baroreflex actions of substance-P micro-injected into the nucleus-tractus-solitarius in rat - A consequence of local distortion. *Brain Research* 220:402-407.
- Tanaka M, Nagashima K, McAllen RM, and Kanosue K. 2002. Role of the medullary raphe in thermoregulatory vasomotor control in rats. *Journal of Physiology* 540:657-664.
- Tang FI, Chiu TH, and Wang Y. 1998. Electrochemical studies of the effects of substance P on dopamine terminals in the rat striatum. *Experimental Neurology* 152:41-49.
- Tateishi K, Kishimoto S, Kobayashi H, Kobuke K, and Matsuoka Y. 1990. Distribution and localization of neurokinin A-like immunoreactivity and neurokinin B-like immunoreactivity in rat peripheral tissue. *Regulatory Peptides* 30:193-200.
- Tateishi K, Matsuoka Y, and Hamaoka T. 1989. Establishment of highly specific radioimmunoassays for neurokinin A and neurokinin B and determination of tissue distribution of these peptides in rat central nervous system. *Regulatory Peptides* 24:245-257.
- Taylor CW, Merritt JE, Putney JW, and Rubin RP. 1986. A guanine nucleotide-dependent regulatory protein couples substance P receptors to phospholipase C in rat parotid gland. *Biochemical & Biophysical Research Communications* 136:362-368.
- Teichberg VI, Cohen S, and Blumberg S. 1981. Distinct classes of substance P receptors revealed by a comparison of the activities of substance P and some of its segments. *Regulatory Peptides* 1:327-333.
- Teixeira RM, Santos ARS, Ribiero SJ, Calixto JB, Rae GA, and De Lima TCM. 1996. Effects of central administration of tachykinin receptor agonists and antagonists on plus-maze behavior in mice. *European Journal of Pharmacology* 311:7-14.
- Thoren PN and Jones J. 1977. Characteristics of aortic baroreceptor C-fibers in the rabbit. *Acta Physiologica Scandinavica* 99:448-456.
- Todd AJ, Spike RC, and Polgár E. 1998. A quantitative study of neurons which express neurokinin 1 or somatostatin sst<sub>2a</sub> receptor in rat spinal dorsal horn. *Neuroscience* 85:459-473.
- Tousignant C, Guillemette G, and Regoli D. 1991. Binding-sites for [H-3] [sar<sup>9</sup>,met<sup>(o2)</sup>11]substance-P in rat-brain and guinea-pig ileum. *Brain Research* 560:1-11.
- Tran Dinh YR, Debdi M, Couraud JY, Creminon C, Seylaz J, and Sercombe R. 1994. Time course of variations in rabbit cerebrospinal fluid levels of calcitonin gene-related peptide- and substance P-like immunoreactivity in experimental subarachnoid hemorrhage. *Stroke* 25:160-164.
- Tregear GW, Niall HD, Potts JT, Leeman SE, and Chang MM. 1971. Synthesis of substance P. *Nature New Biology* 232:87-89.

- Tschope C, Jost N, Unger T, and Culman J. 1995. Central cardiovascular and behavioural effects of carboxy- and amino-terminal fragments of substance P in conscious rats. *Brain Research* 690:15-24.
- Tseng CJ, Lin HC, Wang SD, and Tung CS. 1993. Immunohistochemical study of catecholamine enzymes and neuropeptide Y (NPY) in the rostral ventrolateral medulla and bulbospinal projection. *Journal of Comparative Neurology* 334:294-303.
- Tsuchida K, Shigemoto R, Yokota Y, and Nakanishi S. 1990. Tissue distribution and quantitation of the mRNAs for three rat tachykinin receptors. *European Journal of Biochemistry* 193:751-757.
- Tucker DC, Saper CB, Ruggiero DA, and Reis DJ. 1987. Organization of central adrenergic pathways: I. Relationships of ventrolateral medullary projections to the hypothalamus and spinal cord. *The Journal of Comparative Neurology* 259:591-603.
- Uemura Y, Sugimoto T, Okamoto S, Handa H, and Mizuno N. 1987. Changes of neuropeptide immunoreactivity in cerebrovascular nerve fibres after experimentally produced SAH. Immunohistochemical study in the dog. *Journal of Neurosurgery* 66:741-747.
- Ulfers AL, Piserchio A, and Mierke DF. 2002. Extracellular domains of the neurokinin-1 receptor: structural characterization and interactions with substance P. *Biopolymers* 66:339-349.
- Underwood MD, Iadecola C, and Reis DJ. 1994. Lesions of the rostral ventrolateral medulla reduce the cerebrovascular response to hypoxia. *Brain Research* 635:217-223.
- Underwood MD, Iadecola C, Sved AF, and Reis DJ. 1992. Stimulation of C1 area neurons globally increases regional cerebral blood flow but not metabolism. *Journal of Cerebral Blood Flow and Metabolism* 12:844-855.
- Unger T, Carolus S, Demmert G, Ganten D, Lang RE, Maser-Guth C, Steinberg H, and Veelken R. 1988. Substance P induces a cardiovascular defense reaction in the rat: pharmacological characterization. *Circulation Research* 63:812-820.
- Urban L and Randic M. 1984. Slow excitatory transmission in rat dorsal horn: possible mediation by peptides. *Brain Research* 290:336-341.
- Urbanski RW, Murugaian J, Krieger AJ, and Sapru HN. 1989. Cardiovascular effects of substance P receptor stimulation in the ventrolateral medullary pressor and depressor areas. *Brain Research* 491:383-389.
- Van der Hal A, Rodriguez AM, and Sargent CW. 1985. Hypoxic and hypercapnic arousal responses and prediction of subsequent apnea of infancy. *Pediatrics* 75:848-854.
- Vardhan A, Kachroo A, and Sapru HN. 1993a. Excitatory amino acid receptors in commissural nucleus of the NTS mediate carotid chemoreceptor responses. *American Journal of Physiology* 264:R41-R50.
- Vardhan A, Kachroo A, and Sapru HN. 1993b. Excitatory amino acid receptors in the nucleus tractus solitarius mediate the responses to the stimulation of cardiopulmonary vagal afferent C-fiber endings. *Brain Research* 618:23-31.
- Varner KJ, Vasquez EC, and Brody MJ. 1994. Lesions in rostral ventrolateral or rostral ventrolateral medulla block neurogenic hypertension. *Hypertension* 24:91-96.
- Varty GB, Cohen-Williams ME, Morgan CA, Pylak U, Duffy RA, Lachowicz JE, Carey GJ, and Coffin VL. 2002. The gerbil elevated plus-maze II: anxiolytic-like effects of selective neurokinin NK1 receptor antagonists. *Neuropsychopharmacology* 27:371-379.

- Verberne AJM, Stornetta RL, and Guyenet PG. 1999. Properties of C1 and other ventrolateral medullary neurones with hypothalamic projections in the rat. *Journal of Physiology* 517:477-494.
- Verna A. 1979. Ultrastructure of the carotid body in the mammals. *International Review of Cytology* 60:271-330.
- Verna A. 1997. The mammalian carotid body: morphological data. In Gonzalez C, editor. *The Carotid Body Chemoreceptors*. Austin, Texas: MIU Landes Bioscience. p 1-29.
- Viana DiPrisco G, Albo Z, and Vertes R. 2002. Discharge properties of neurons of the median raphe nucleus during hippocampal theta rhythm in the rat. *Experimental Brain Research* 145:383-394.
- von Euler US and Gaddum JH. 1931. An unidentified depressor substance in certain tissue extracts. *Journal of Physiology (Lond.)* 72:74-87.
- Walker BR. 1987. Cardiovascular effect of V1 vasopressinergic blockade during acute hypercapnia in conscious rats. *American Journal of Physiology* 252:R127-R133.
- Walker BR and Brizzee BL. 1990. Cardiovascular responses to hypoxia and hypercapnia in barodenervated rats. *Journal of Applied Physiology* 68:678-686.
- Wallach JH and Loewy AD. 1980. Projections of the aortic nerve to the nucleus tractus solitarius in the rabbit. *Brain Research* 188:247-251.
- Wang H, Germanson TP, and Guyenet PG. 2002a. Depressor and tachypneic responses to chemical stimulation of the ventral respiratory group are reduced by ablation of neurokinin-1 receptor-expressing neurons. *Journal of Neuroscience* 22:3755-3764.
- Wang H, Stornetta RL, Rosin DL, and Guyenet PG. 2001. Neurokinin-1 receptor-immunoreactive neurons of the ventral respiratory group in the rat. *Journal of Comparative Neurology* 434:128-146.
- Wang H, Weston MC, McQuiston TJ, Stornetta RL, and Guyenet PG. 2003. Neurokinin-1 receptor-expressing cells regulate depressor region of rat ventrolateral medulla. *American Journal of Physiology* 285:H2757-H2769.
- Wang W, Bradley SR, and Richerson GB. 2002b. Quantification of the response of rat medullary raphe neurones to independent changes in  $pH_o$  and  $P_{CO_2}$ . *Journal of Physiology* 540:951-970.
- Wang ZY, Tung SR, Strichartz GR, and Häkanson R. 1994a. Investigation of the specificity of FK888 as a tachykinin NK1 receptor antagonist. *British Journal of Pharmacology* 111:1342-1346.
- Wang ZY, Tung SR, Strichartz GR, and Häkanson R. 1994b. Non-specific actions of the non-peptide tachykinin receptor antagonists, CP-96,345, RP 67580 and SR 48968 on neurotransmission. *British Journal of Pharmacology* 111:179-184.
- Warden MK and Young III WS. 1988. Distribution of cells containing mRNAs encoding substance P and neurokinin B in the rat central nervous system. *Journal of Comparative Neurology* 272:90-113.
- Watson SP and Downes CP. 1983. Substance P induced hydrolysis of inositol phospholipids in guinea pig ileum and rat hypothalamus. *European Journal of Pharmacology* 93:245-253.
- Wendling MG, Eckstein JW, and Abboud FM. 1967. Cardiovascular responses to carbon dioxide before and after  $\beta$ -adrenergic blockade. *Journal of Applied Physiology* 22:223-226.
- Westlund KN and Craig AD. 1996. Association of spinal lamina I projections with brainstem catecholamine neurons in the monkey. *Experimental Brain Research* 110:151-162.

- Weston MC, Stornetta RL, and Guyenet PG. 2004. Glutamatergic neuronal projections from the marginal layer of the rostral ventral medulla to the respiratory centers in rats. *Journal of Comparative Neurology* 473:73-85.
- Whitty CJ, Paul MA, and Bannon MJ. 1997. Neurokinin receptor mRNA localization in human midbrain dopamine neurons. *Journal of Comparative Neurology* 382:394-400.
- Whitty CJ, Walker PD, Goebel DJ, Poosch MS, and Bannon MJ. 1995. Quantitation, cellular localization and regulation of neurokinin receptor gene expression within the rat substantia nigra. *Neuroscience* 64:419-425.
- Willette RN, Barcas PP, Krieger AJ, and Sapru HN. 1984a. Endogenous GABAergic mechanisms in the medulla and the regulation of blood pressure. *Journal of Pharmacology and Experimental Therapeutics* 230:34-39.
- Willette RN, Barcas PP, Krieger AJ, and Sapru HN. 1983a. Vasopressor and depressor areas in the rat medulla. Identification by microinjection of L-glutamate. *Neuropharmacology* 22:1071-1079.
- Willette RN, Krieger AJ, Barcas PP, and Sapru HN. 1983b. Medullary aminobutyric acid (GABA) receptors and the regulation of blood pressure in the rat. *Journal of Pharmacology and Experimental Therapeutics* 226:893-899.
- Willette RN, Punnen-Grandy S, Krieger AJ, and Sapru HN. 1987. Differential regulation of regional vascular resistance by the rostral and caudal ventrolateral medulla in the rat. *Journal of the Autonomic Nervous System* 18:143-151.
- Willette RN, Punnen S, Krieger AJ, and Sapru HN. 1984b. Interdependence of rostral and caudal ventrolateral medullary areas in the control of blood pressure. *Brain Research* 321:169-174.
- Xie A, Skatrud JB, Puleo DS, and Morgan BJ. 2001. Exposure to hypoxia produces long-lasting sympathetic activation in humans. *Journal of Applied Physiology* 91:1555-1562.
- Yachnis AT, Crawley JN, Jenson RT, McGrane MM, and Moody TW. 1984. The antagonism of bombesin in the CNS by substance P analogues. *Life Sciences* 35:1963-1969.
- Yaksh TL, Jessell TM, Gamse R, Mudge AW, and Leeman SE. 1980. Intrathecal morphine inhibits substance P release from mammalian spinal cord in vivo. *Nature* 286:155-157.
- Yamamoto Y and Lagercrantz H. 1985. Some effects of substance P on central respiratory control in rabbit pups. *Acta Physiologica Scandinavica* 124:449-455.
- Yamanouchi H, Takashima S, and Becker LE. 1993. Correlation of astrogliosis and substance P immunoreactivity in the brainstem of victims of sudden infant death syndrome. *Neuropediatrics* 24:200-203.
- Yamashita K, Koide Y, and Aiyoshi Y. 1983. Effects of substance P on thyroidal cAMP levels and thyroid hormone release from canine thyroid slices. *Life Sciences* 32:2163-2166.
- Yen JC, Chan JYH, and Chan SHH. 1999. Differential Roles of NMDA and Non-NMDA Receptors in Synaptic Responses of Neurons in Nucleus Tractus Solitarii of the Rat. *Journal of Neurophysiology* 81:3034-3043.
- Yokosawa H, Endo S, Ogura Y, and Ishii S. 1983. A new feature of angiotensin-converting enzyme in the brain: hydrolysis of substance P. *Biochemical and Biophysical Research Communications* 116:735-742.

- Yokota Y, Sasai Y, Tanaka K, Fujiwara T, Tsuchida K, Shigemoto R, Kakizuka A, Ohkubo H, and Nakanishi S. 1989. Molecular characterization of a functional cDNA for rat substance P receptor. *Journal of Biological Chemistry* 264:17649-17652.
- Yu D and Gordon FJ. 1996. Anatomical evidence for a bi-neuronal pathway connecting the nucleus tractus solitarius to caudal ventrolateral medulla to rostral ventrolateral medulla in the rat. *Neuroscience Letters* 205:21-24.
- Zagon A and Spyer KM. 1996. Stimulation of aortic nerve evokes three different response patterns in neurons of rostral VLM of the rat. *American Journal of Physiology* 271:R1720-R1728.
- Zagorodnyuk V, Santichioli P, Maggi CA, and Giachetti A. 1995. Evidence that tachykinin NK<sub>1</sub> and NK<sub>2</sub> receptors mediate NANC excitation and contraction in the circular smooth muscle of the guinea-pig duodenum. *British Journal of Pharmacology* 115:237-246.
- Zagorodnyuk V, Santichioli P, Turini D, and Maggi CA. 1997. Tachykinin NK<sub>1</sub> and NK<sub>2</sub> receptors mediate NANC excitatory neuromuscular transmission in the human ileum. *Neuropeptides* 31:265-271.
- Zanzinger J, Czachurski J, Offner B, and Seller H. 1994. Somato-sympathetic reflex transmission in the ventrolateral medulla oblongata: spatial organization and receptor types. *Brain Research* 656:353-358.
- Zanzinger J, Czachurski J, and Seller H. 1995a. Effects of nitric oxide on sympathetic baroreflex transmission in the nucleus tractus solitarii and caudal ventrolateral medulla in cats. *Neuroscience Letters* 197:199-202.
- Zanzinger J, Czachurski J, and Seller H. 1995b. Inhibition of basal and reflex-mediated sympathetic activity in the RVLM by nitric oxide. *American Journal of Physiology* 268:R958-R962.
- Zerari F, Fischer J, Sagot M, Frobert Y, Couraud J, and Conrath M. 1998. Substance P receptor immunodetection in the spinal cord: comparative use of direct anti-receptor antibody and anti-complementary peptide antibody. *Brain Research Bulletin* 46:263-268.
- Zhang C, Bonagamba LG, and Machado BH. 2000a. Blockade of NK-1 receptors in the lateral commissural nucleus tractus solitarii of awake rats had no effect on the cardiovascular responses to chemoreflex activation. *Brazilian Journal of Medical & Biological Research* 33:1379-1385.
- Zhang J and Mifflin SW. 1998a. Differential roles for NMDA and non-NMDA receptor subtypes in baroreceptor afferent intergration in the nucleus of the solitary tract of the rat. *Journal of Physiology* 511:733-745.
- Zhang J and Mifflin SW. 1998b. Receptor subtype specific effects of GABA agonists on neurons receiving aortic depressor nerve inputs within the nucleus of the solitary tract. *Journal of the Autonomic Nervous System* 73:170-181.
- Zhang J and Mifflin SW. 2000. Responses of aortic depressor nerve-evoked neurones in rat nucleus of the solitary tract to changes in blood pressure. *Journal of Physiology* 529:431-443.
- Zhang WH and Mifflin SW. 1993. Excitatory amino-acid receptors within NTS mediate arterial chemoreceptor reflexes in rats. *American Journal of Physiology* 265:H770-H773.
- Zhang Y, Lu L, Furlonger C, Wu GE, and Paige CJ. 2000b. Hemokinin is a hematopoietic-specific tachykinin that regulates B lymphopoiesis. *Nature Immunology* 1:392-397.
- Zhou D, Huang Q, Fung ML, Li A, Darnall RA, Nattie EE, and St John WM. 1996. Phrenic response to hypercapnia in the unanesthetized, decerebrate, newborn rat. *Respiration Physiology* 104:11-22.

# Appendix