Errata for 'Disability and Wellbeing Monitoring Framework: baseline indicator data for Australians aged 18-64 years'

Centre of Research Excellence in Disability and Health, released 14th June 2022. https://doi.org/10.25910/ffxs-wd42

Errors were identified in some data tables. These have been corrected in the version of the report dated 23rd June 2022.

Page 18

Table D4: Lifestyle factors – baseline indicator data

Corrected data values for 'Fruit and vegetable consumption' highlighted.

Topics and Indicators	Disability (95% CI)	No disability (95% CI)	Difference (95% CI)	Ratio (95% CI)
Fruit and vegetable consumption	All disability			
% people who met both fruit and vegetable	4% (4, 5)	5% (5, 6)	1 pt. (-2, 0)	0.9 (0.7, 1.1)
consumption guidelines (2013 NHRMC	F: 7% (5, 8)	F: 8% (7, 9)	F: -1 pt. (-3, 1)	F: <mark>0.9 (0.6, 1.1)</mark>
guidelines)	M: 2% (1, 3)	M: 2% (2, 3)	M: 0 pt. (-1, 1)	M: <mark>0.9 (0.5, 1.3)</mark>
Source: National Health Survey 2017-18	Severe disability			
	<mark>5% (2, 8)</mark>	<mark>5% (5, 6)</mark>	0 pt. (-3, 3)	1.0 (0.5, 1.5)

Page 27

Table D9: Information and communications – baseline indicator data

For the indicator 'Internet access', data for 'Severe disability' have been removed.

Corrected data values for 'Health literacy' highlighted.

Topics and <i>Indicators</i>	Disability (95% CI)	No disability (95% CI)	Difference (95% CI)	Ratio (95% CI)
Health literacy	All disability			
% people who said it was always or usually	80% (76, 83)	87% (85, 89)	-8 pt. (-12, -3)	0.9 (0.9, 1.0)
easy to find good health information	F: 80% (75, 84)	F: 88% (86, 91)	F: -9 pt. (-14, -3)	F: 0.9 (0.8, 1.0)
Source: National Health Survey, 2017-18 (Health Literacy Survey 2018)	M: 80% (76, 84)	M: 86% (83, 89)	M: -6 pt. (-11, -1)	M: 0.9 (0.9, 1.0)
	Severe disability			
	72% (61, 83)	87% (85, 89)	<mark>-15 pt</mark> . (-26, -4)	0.8 (0.7, 0.9)
% people who said it was always or usually	All disability			
easy to find the right health care	75% (71, 79)	84% (82, 86)	-9 pt. (-13, -4)	0.9 (0.8, 0.9)
Source: National Health Survey, 2017-18 (Health Literacy Survey 2018)	F: 74% (69, 78)	F: 83% (80, 86)	F: -9 pt. (-15, -3)	F: 0.9 (0.8, 1.0)
	M: 77% (71, 83)	M:85% (82, 88)	M: -8 pt. (-15, -1)	M: 0.9 (0.8, 1.0)
	Severe disability			
	64% (52, 75)	85% (82, 87)	<mark>-21 pt</mark> . (-34, -9)	0.7 (0.6, 0.9)

Page 29

Table D10: Income and material resources – baseline indicator data

Corrected data values for 'Household income' highlighted.

Topics and <i>Indicators</i>	Disability (95% CI)	No disability (95% CI)	Difference (95% CI)	Ratio (95% CI)
Household income	All disability			
% people living in low-income households (in the	23% (21, 26)	10% (9, 11)	13 pt. (11, 16)	2.3 (2, 2.6)
bottom 20% of equivalised household disposable	F: 24% (21, 26)	F: 11% (10, 12)	F: 13 pt. (10, 15)	F: 2.2 (1.9, 2.4)
weekly income ³)	M: 23% (20, 26)	M: 9% (8, 10)	M: 14 pt. (10, 17)	M: 2.5 (2.1, 2.9)
(A lower value is better for this indicator)	Severe disability			
Source: Survey of Income and Housing 2017	32% (26, 38)	10% (9, 11)	22 pt. (15, 28)	3.1 (2.5, 3.7)

Page 30

Table D10: Income and material resources – baseline indicator data

Corrected data values for 'Household income' and 'Access to emergency funds' highlighted.

Topics and <i>Indicators</i>	Disability (95% CI)	No disability (95% CI)	Difference (95% CI)	Ratio (95% CI)
Household finances	All disability			
% people living in a household that reported	70% (67, 73)	<mark>82% (80, 84)</mark>	-12 pt. (-16, -8)	0.9 (0.8, 0.9)
no cash-flow problems in the last 12 months	F: 69% (64, 73)	F: <mark>81% (78, 83)</mark>	F: -12 pt. (-17, -7)	F: 0.9 (0.8, 0.9)
Source: General Social Survey 2014	M: 71% (67, 75)	M: <mark>83% (81, 86)</mark>	M: -12 pt. (-17, -7)	M: 0.9 (0.8, 0.9)
	Severe disability			
	56% (48, 64)	82% (81, 84)	-27 pt. (-35, -19)	0.7 (0.6, 0.8)
Access to emergency funds	All disability			
% people living in a household that could raise	77% (74, 79)	90% (89, 91)	-13 pt. (-16, -10)	0.9 (0.8, 0.9)
\$2000 within a week for an emergency	F: 74% (70, 77)	F: 89% (88, 90)	F: -15 pt. (-19, -11)	F: 0.8 (0.8, 0.9)
Source: General Social Survey 2014	M: 80% (76, 83)	M: 91% (89, 93)	M: -11 pt. (-15, -7)	M: 0.9 (0.8, 0.9)
	Severe disability			
	62% (55, 70)	90% (89, 92)	-28 pt. (-36, -20)	0.7 (0.6, 0.8)

Page 40

Table D14: Family and relationships – baseline indicator data
Corrected data values for 'Parenting role' highlighted.

Topics and <i>Indicators</i>	Disability (95% CI)	No disability (95% CI)	Difference (95% CI)	Ratio (95% CI)
Parenting role	All disability			
% people with parenting responsibilities for	<mark>29%</mark> (26, 31)	36% (34, 37)	-7 pt. (-10, -4)	0.8 (0.7, 0.9)
child/ren aged 17 years or less	F: 30% (27, 33)	F: 35% (33, 37)	F: -5 pt. (-8, -2)	F: 0.9 (0.8, 1.0)
Source: Household, Income and Labour Dynamics in Australia (HILDA) Survey, Wave 2018	M: 27% (24, 30)	M: 36% (35, 38)	M: -10 pt. (-13, -6)	M: 0.7 (0.6, 0.8)

Page 50

Table D17: Health services – baseline indicator data

Corrected data values for 'Breast cancer screening' highlighted.

Topics and <i>Indicators</i>	Disability (95% CI)	No disability (95% CI)	Difference (95% CI)	Ratio (95% CI)
Breast cancer screening (women aged over 50)	All disability			
% women aged 50-64 years who had been	53% (48, 59)	57% (53, 61)	-4 pt. (-10, 3)	0.9 (0.8, 1.0)
screened for breast cancer in the last 2 years ³ Source: National Health Survey 2014-15	Severe disability			
	46% (35, 57)	57% (53, 61)	-11 pt. (-24, 2)	0.8 (0.6, 1.0)

Page 51

Table D17: Health services – baseline indicator data

^{&#}x27;Met need for hospital services' indicator description text corrected to read '% people who reported no unmet need for hospital admission in the last 12 months'