

References

- Abramowitz JS, Whiteside SP and Deacon BJ (2006) The effectiveness of treatment for pediatric obsessive-compulsive disorder: A meta-analysis. *Behavior Therapy* 36(1): 55-63.
- Abrams R (2002) *Electroconvulsive therapy*. Oxford University Press.
- Abrams RC and Horowitz SV (1999) Personality disorders after age 50: meta-analytic review of the literature. In: Rosowsky E, Abrams RC, Zweig RA, et al. (eds) *Personality disorders in older adults: emerging issues in diagnosis and treatment*. : Lawrence Earlbaum Associates, 55-68.
- Accinni T, Papadogiannis G and Orso L (2021) De-escalation techniques in various settings. *Empathy, Normalization and De-escalation: Management of the Agitated Patient in Emergency and Critical Situations*. 65-91.
- Adams GC, Wrath AJ and Meng X (2018) The relationship between adult attachment and mental health care utilization: A systematic review. *The Canadian Journal of Psychiatry* 63(10): 651-660.
- Adams KA and McGuire EK (2022) *Research methods, statistics, and applications*. Sage Publications.
- Adams Y, Drew NM and Walker R (2014) Principles of practice in mental health assessment with Aboriginal Australians. In: Dudgeon P, Milroy H, & Walker R (eds). *Working together: Aboriginal and Torres Strait Islander mental health and wellbeing principles and practice*. Telethon Kids Institute, Kulunga Aboriginal Research Development Unit, Department of the Prime Minister and Cabinet (Australia).
- Addis ME and Jacobson NS (2000) A closer look at the treatment rationale and homework compliance in cognitive-behavioral therapy for depression. *Cognitive Therapy and Research* 24: 313-326.
- Agar MR, Quinn SJ, Crawford GB, et al. (2016) Predictors of mortality for delirium in palliative care. *Journal of Palliative Medicine* 19(11): 1205-1209.
- Agarkar S, Hurt SW and Young RC (2018) Speed of antidepressant response to electroconvulsive therapy in bipolar disorder vs. major depressive disorder. *Psychiatry Research* 265: 355-359.
- Ainsworth MD (1964) Patterns of attachment behavior shown by the infant in interaction with his mother. *Merrill-Palmer Quarterly of Behavior and Development* 10(1): 51-58.
- Ainsworth MD (1972) Attachment and dependency: A comparison.
- Ainsworth MDS, Blehar M, Waters E, et al. (1978) Patterns of attachment: Observations in the strange situation and at home. *Hillsdale, N: Erlbaum*.
- Ainsworth MDS, Blehar MC, Waters E, et al. (2015) *Patterns of attachment: A psychological study of the strange situation*. Psychology Press.

- Aizenstein HJ, Baskys A, Boldrini M, et al. (2016) Vascular depression consensus report—a critical update. *BMC Medicine* 14: 1-16.
- Akobeng AK (2005) Understanding randomised controlled trials. *Archives of Disease in Childhood* 90(8): 840-844.
- Alda M (2015) Lithium in the treatment of bipolar disorder: pharmacology and pharmacogenetics. *Molecular Psychiatry* 20(6): 661-670.
- Alexopoulos GS, Abrams RC, Young RC, et al. (1988) Cornell scale for depression in dementia. *Biological Psychiatry* 23(3): 271-284.
- Alexopoulos GS, Meyers BS, Young RC, et al. (1997) 'Vascular depression'hypothesis. *Archives of General Psychiatry* 54(10): 915-922.
- Alexopoulos GS, Streim JE, Carpenter D, et al. (2004) Expert consensus guidelines for using antipsychotic agents in older patients. *The Journal of Clinical Psychiatry* 65(Suppl 2): 1-105.
- Altar CA, Laeng P, Jurata LW, et al. (2004) Electroconvulsive seizures regulate gene expression of distinct neurotrophic signaling pathways. *Journal of Neuroscience* 24(11): 2667-2677.
- Altman N and Krzywinski M (2017) Points of significance: interpreting P values. *Nature Methods* 14(3): 213-215.
- American Psychiatric Association (1980) *Diagnostic and statistical manual of mental disorders*. Washington, D.C: American Psychiatric Association.
- American Psychiatric Association (1994) *Diagnostic and Statistical Manual of Mental Disorders Fourth Edition (DSM-IV)*. Washington DC: American Psychiatric Press.
- American Psychiatric Association (2008) *The practice of electroconvulsive therapy: recommendations for treatment, training, and privileging (A task force report of the American Psychiatric Association)*. American Psychiatric Pub.
- American Psychiatric Association (2013) *The Diagnostic and Statistical Manual for Mental Disorders DSM 5*. Arlington, VA: American Psychiatric Publishing.
- American Psychiatric Association (2022) *Diagnostic and statistical manual of mental disorders : DSM-5-TR*. Washington, DC: American Psychiatric Association Publishing.
- Amrhein V, Greenland S and McShane B (2019) Scientists rise up against statistical significance. *Nature* 567(7748): 305-307.
- Andreasen NC (2007) DSM and the Death of Phenomenology in America: An Example of Unintended Consequences. *Schizophrenia Bulletin* 33(1): 108-112.
- Andrews G, Bell C, Boyce P, et al. (2018) Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for the treatment of panic disorder, social anxiety disorder and generalised anxiety disorder. *Australian & New Zealand Journal of Psychiatry* 52(12): 1109-1172.

- Angst J, Gamma A, Rössler W, et al. (2009) Long-term depression versus episodic major depression: Results from the prospective Zurich study of a community sample. *Journal of Affective Disorders* 115(1-2): 112-121.
- Angst J, Rössler W, Ajdacic-Gross V, et al. (2019) Differences between unipolar mania and bipolar-I disorder: Evidence from nine epidemiological studies. *Bipolar Disorders* 21(5): 437-448.
- Anker E, Haavik J and Heir T (2020) Alcohol and drug use disorders in adult attention-deficit/hyperactivity disorder: prevalence and associations with attention-deficit/hyperactivity disorder symptom severity and emotional dysregulation. *World Journal of Psychiatry* 10(9): 202.
- Arevalo-Rodriguez I, Smailagic N, i Figuls MR, et al. (2015) Mini-Mental State Examination (MMSE) for the detection of Alzheimer's disease and other dementias in people with mild cognitive impairment (MCI). *Cochrane Database of Systematic Reviews*.(3).
- Argyelan M, Deng Z-D, Ousdal OT, et al. (2023) Electroconvulsive therapy-induced volumetric brain changes converge on a common causal circuit in depression. *Molecular Psychiatry* 29(2), 229-237.
- Asher R (1951) Munchausen's Syndrome. *The Lancet*.(Feb 10): 339-341.
- Asmundson GJ, Coons MJ, Taylor S, et al. (2002) PTSD and the experience of pain: research and clinical implications of shared vulnerability and mutual maintenance models. *The Canadian Journal of Psychiatry* 47(10): 930-937.
- Atkinson J (2002) *Trauma trails, recreating song lines: The transgenerational effects of trauma in Indigenous Australia*. Spinifex Press.
- Atkinson J (2017) The Value of Deep Listening - The Aboriginal Gift to the Nation. TEDxSydney.
- Atkinson J, Nelson J, Brooks R, et al. (2014) Addressing individual and community transgenerational trauma. *Working together: Aboriginal and Torres Strait Islander mental health and wellbeing principles and practice* 2: 289-307.
- Austin MP and Marce Society Position Statement Advisory C (2014) Marce International Society position statement on psychosocial assessment and depression screening in perinatal women. *Best Pract Res Clin Obstet Gynaecol* 28(1): 179-187.
- Australian Bureau of Statistics (2015) *Australian Demographic Statistics*. Available at: abs.gov.au (accessed 30th March).
- Australian Bureau of Statistics (2019) *National Aboriginal and Torres Strait Islander Health Survey*. Available at: <https://www.abs.gov.au/statistics/people/aboriginal-and-torres-strait-islander-peoples/national-aboriginal-and-torres-strait-islander-health-survey/latest-release>.

- Australian Bureau of Statistics (2022) *Causes of Death, Australia*. Available at: <https://www.abs.gov.au/statistics/health/causes-death/causes-death-australia/latest-release>.
- Australian Bureau of Statistics (2023) *Prisoners in Australia*. Available at: <https://www.abs.gov.au/statistics/people/crime-and-justice/prisoners-australia/latest-release>.
- Australian Health Ministers' Advisory Council (2013) A national framework for recovery-oriented mental health services: Guide for practitioners and providers.
- Australian Health Practitioner Regulation Agency (AHPRA) (2020) AHPRA and National Boards Guidelines: Mandatory notifications about registered students.
- Australian Indigenous HealthInfoNet (2024) *Social and Cultural Determinants*. Available at: <https://healthinfolnet.ecu.edu.au/learn/determinants-of-health/social-cultural-determinants/>.
- Australian Institute of Health and Welfare (2011) Substance use among Aboriginal and Torres Strait Islander people. Canberra: Australian Institute of Health and Welfare.
- Australian Institute of Health and Welfare (2016) Australia's health 2016. Australia's health series no. 15. Cat. no. AUS 199. Canberra: Australian Institute of Health and Welfare.
- Australian Institute of Health and Welfare (2022a) *Admitted Patients*. Available at: <https://www.aihw.gov.au/reports-data/myhospitals/sectors/admitted-patients>.
- Australian Institute of Health and Welfare (2022b) Australian Burden of Disease Study: impact and causes of illness and death in Aboriginal and Torres Strait Islander people 2018. Canberra: Australian Government
- Australian Institute of Health and Welfare (2024a) *Involuntary Treatment in Mental Health Care*. Available at: <https://www.aihw.gov.au/mental-health/topic-areas/involuntary-treatment> (accessed 20th September 2024).
- Australian Institute of Health and Welfare (2024b) *Mental health-related prescriptions*. Available at: <https://www.aihw.gov.au/mental-health/topic-areas/mental-health-prescriptions> (accessed 7th October 2024).
- Australian Institute of Health and Welfare A (2022c) Suicide and intentional self-harm.
- Australian Institute of Health and Welfare A (2023) Prevalence and impact of mental illness. <https://www.aihw.gov.au/mental-health/overview/mental-illness>.

- Ayano G (2019) Co-occurring medical and substance use disorders in patients with schizophrenia: a systematic review. *International Journal of Mental Health* 48(1): 62-76.
- Aydemir O and Malhi GS (2007) Aretaeus of Cappadocia. *Acta Neuropsychiatrica* 19(1): 62-63.
- Badura-Brack AS, Naim R, Ryan TJ, et al. (2015) Effect of attention training on attention bias variability and PTSD symptoms: Randomized controlled trials in Israeli and US combat veterans. *American Journal of Psychiatry* 172(12): 1233-1241.
- Bagaric M, Touyz S, Heriseanu A, et al. (2020) Are bulimia nervosa and binge eating disorder increasing? Results of a population-based study of lifetime prevalence and lifetime prevalence by age in South Australia. *European Eating Disorders Review* 28(3): 260-268.
- Bagot RC and Meaney MJ (2010) Epigenetics and the biological basis of gene x environment interactions. *Journal of the American Academy of Child & Adolescent Psychiatry* 49(8): 752-771.
- Bahji A, Hawken ER, Sepehry AA, et al. (2019a) ECT beyond unipolar major depression: systematic review and meta-analysis of electroconvulsive therapy in bipolar depression. *Acta Psychiatrica Scandinavica* 139(3): 214-226.
- Bahji A, Mazhar MN, Hudson CC, et al. (2019b) Prevalence of substance use disorder comorbidity among individuals with eating disorders: A systematic review and meta-analysis. *Psychiatry Research* 273: 58-66.
- Bailey T, Alvarez-Jimenez M, Garcia-Sanchez AM, et al. (2018) Childhood Trauma Is Associated With Severity of Hallucinations and Delusions in Psychotic Disorders: A Systematic Review and Meta-Analysis. *Schizophrenia Bulletin* 44(5): 1111-1122.
- Baker EF (2022) *Psychiatric Emergencies*. Oxford University Press.
- Bandelow B, Sher L, Bunevicius R, et al. (2012) Guidelines for the pharmacological treatment of anxiety disorders, obsessive-compulsive disorder and posttraumatic stress disorder in primary care. *International journal of psychiatry in clinical practice* 16(2): 77-84.
- Bar-Haim Y, Holoshitz Y, Eldar S, et al. (2010) Life-threatening danger and suppression of attention bias to threat. *American Journal of Psychiatry* 167(6): 694-698.
- Bares M, Kopecek M, Novak T, et al. (2009) Low frequency (1-Hz), right prefrontal repetitive transcranial magnetic stimulation (rTMS) compared with venlafaxine ER in the treatment of resistant depression: a double-blind, single-centre, randomized study. *Journal of Affective Disorders* 118(1-3): 94-100.

- Barnett K, Mercer SW, Norbury M, et al. (2012) Epidemiology of multimorbidity and implications for health care, research, and medical education: a cross-sectional study. *Lancet* 380: 37-43.
- Bass C and Halligan P (2014) Factitious disorders and malingering: challenges for clinical assessment and management. *Lancet* 383(9926): 1422-1432.
- Bateman A and Fonagy P (1999) Effectiveness of partial hospitalization in the treatment of borderline personality disorder: a randomised controlled trial. *The American Journal of Psychiatry* 158: 36-42.
- Bateman A and Fonagy P (2016) *Mentalization based treatment for personality disorders: A practical guide*. Oxford University Press.
- Bauchner H, Fontanarosa PB, Flanagin A, et al. (2018) Scientific misconduct and medical journals. *JAMA* 320(19): 1985-1987.
- Beaglehole R, Bonita R and Kjellström T (1993) *Basic epidemiology*. World Health Organization Geneva.
- Beekman AT, De Beurs E, Van Balkom AJ, et al. (2000) Anxiety and depression in later life: co-occurrence and communality of risk factors. *American Journal of Psychiatry* 157(1): 89-95.
- Bell AC and D'Zurilla TJ (2009) Problem-solving therapy for depression: a meta-analysis. *Clinical Psychology Review* 29(4): 348-353.
- Bell E, Boyce P, Porter RJ, et al. (2021a) Irritability in Mood Disorders: Neurobiological Underpinnings and Implications for Pharmacological Intervention. *CNS Drugs* 35(6): 619-641.
- Bell E, Bryant RA, Boyce P, et al. (2021b) Irritability through Research Domain Criteria: an opportunity for transdiagnostic conceptualisation. *BJPsych Open* 7(1): e36.
- Benjamin CL, Harrison JP, Settapani CA, et al. (2013) Anxiety and related outcomes in young adults 7 to 19 years after receiving treatment for child anxiety. *Journal of Consulting and Clinical Psychology* 81(5): 865.
- Bennett-Levy J, Butler G, Fennell M, et al. (2004) *Cognitive behaviour therapy: Science and practice series*. Oxford guide to behavioural experiments in cognitive therapy.
- Bennett HA, Einarson A, Taddio A, et al. (2004) Prevalence of depression during pregnancy: systematic review. *Obstetrics and Gynecology* 103(4): 698-709.
- Bergink V, Boyce P and Munk-Olsen T (2015a) Postpartum psychosis: a valuable misnomer. *Australian & New Zealand Journal of Psychiatry* 49(2): 102-103.
- Bergink V, Burgerhout KM, Koorengel KM, et al. (2015b) Treatment of psychosis and mania in the postpartum period. *American Journal of Psychiatry* 172(2): 115-123.
- Bermudez MB, Costanzi M, Macedo MJA, et al. (2019) Improved quality of life and reduced depressive symptoms in medical students after a single-session intervention. *Brazilian Journal of Psychiatry* 42: 145-152.

- Bernstein GA and Shaw K (1997) Practice parameters for the assessment and treatment of children and adolescents with anxiety disorders. *American Academy of Child and Adolescent Psychiatry. Journal of the American Academy of Child & Adolescent Psychiatry* 36(10 Suppl): 69s-84s.
- Beunders AJ, Orhan M and Dols A (2023) Older age bipolar disorder. *Curr Opin Psychiatry* 36(5): 397-404.
- Bighelli I, Rodolico A, García-Mieres H, et al. (2021) Psychosocial and psychological interventions for relapse prevention in schizophrenia: a systematic review and network meta-analysis. *The Lancet Psychiatry* 8(11): 969-980.
- Binder EB, Bradley RG, Liu W, et al. (2008) Association of FKBP5 polymorphisms and childhood abuse with risk of posttraumatic stress disorder symptoms in adults. *JAMA* 299(11): 1291-1305.
- Bird S (2011) Capacity to consent to treatment. *Australian Family Physician* 40(4): 249-250.
- Bisson JI, Wright LA, Jones KA, et al. (2021) Preventing the onset of post traumatic stress disorder. *Clinical Psychology Review* 86: 102004.
- Black DW, Blum N, McCormick B, et al. (2013) Systems Training for Emotional Predictability and Problem Solving (STEPPS) group treatment for offenders with borderline personality disorder. *Journal of Nervous & Mental Disease* 201(2): 124-129.
- Blanchard EB, Hickling EJ, Forneris CA, et al. (1997) Prediction of remission of acute posttraumatic stress disorder in motor vehicle accident victims. *Journal of Traumatic Stress* 10: 215-234.
- Blanchflower DG and Oswald AJ (2008) Is well-being U-shaped over the life cycle? *Social Science & Medicine* 66(8): 1733-1749.
- Blazer DG (2003) Depression in late life: review and commentary. *The journals of gerontology series A: Biological sciences and medical sciences* 58(3): M249-M265.
- Bohus M, Stoffers-Winterling J, Sharp C, et al. (2021) Borderline personality disorder. *The Lancet* 398(10310): 1528-1540.
- Bonanno GA, Ho SM, Chan JC, et al. (2008) Psychological resilience and dysfunction among hospitalized survivors of the SARS epidemic in Hong Kong: a latent class approach. *Health Psychology* 27(5): 659.
- Bonanno GA, Romero SA and Klein SI (2015) The temporal elements of psychological resilience: An integrative framework for the study of individuals, families, and communities. *Psychological Inquiry* 26(2): 139-169.
- Borkovec T, Ray WJ and Stober J (1998) Worry: A cognitive phenomenon intimately linked to affective, physiological, and interpersonal behavioral processes. *Cognitive Therapy and Research* 22(6): 561-576.

- Boschloo L, Schoevers RA, Beekman ATF, et al. (2014) The four-year course of major depressive disorder: The role of staging and risk factor determination. *Psychotherapy and Psychosomatics* 83(5): 279-288.
- Bottomley JM, LeReun C, Diamantopoulos A, et al. (2020) Vagus nerve stimulation (VNS) therapy in patients with treatment resistant depression: A systematic review and meta-analysis. *Comprehensive Psychiatry* 98: 152156.
- Bowlby J (1951) Maternal care and mental health. *Bulletin of the World Health Organisation*, 3: 355-533.
- Bowlby J (1969) Attachment and loss New York: Basic.
- Bowlby J (1982) Attachment and loss: retrospect and prospect. *American journal of Orthopsychiatry* 52(4): 664.
- Bowlby J and Bowlby R (2012) *The making and breaking of affectional bonds*. Routledge.
- Bowtell M, McGorry P and O'Donoghue B (2018) Is a higher dose of antipsychotic medication required to treat a relapse following discontinuation in first episode psychosis? *Schizophrenia Research* 204, 407-408.
- Boyce P and Barriball E (2010) Puerperal psychosis. *Arch Womens Ment Health* 13(1): 45-47.
- Boyce P, Galbally M and Gregoire A (2018) Pregnancy: The earliest opportunity for prevention and early intervention for mental disorders. In: Bhugra D, Bhui K, Wong S, et al. (eds) *Oxford Textbook of Public Mental Health*. Oxford: Oxford University Press, pp.383-387.
- Boyce P and Hadzi-Pavlovic D (2011) Risks risky and not so risky. *Acta Neuropsychiatrica* 23(1): 43-45.
- Boyce P and Hickey A (2005) Psychosocial risk factors to major depression after childbirth. *Social Psychiatry & Psychiatric Epidemiology* 40(8): 605-612.
- Boyce P, Hickie I and Parker G (1991) Parents, partners or personality? Risk factors for post-natal depression. *Journal of Affective Disorders* 21(4): 245-255.
- Bradley R, Greene J, Russ E, et al. (2005) A multidimensional meta-analysis of psychotherapy for PTSD. *American Journal of Psychiatry* 162(2): 214-227.
- Brennstuhl MJ, Tarquinio C and Montel S (2015) Chronic pain and PTSD: Evolving views on their comorbidity. *Perspectives in Psychiatric Care* 51(4).
- Breslau N, Davis GC, Andreski P, et al. (1991) Traumatic events and posttraumatic stress disorder in an urban population of young adults. *Archives of General Psychiatry* 48(3): 216-222.
- Breslau N, Davis GC, Peterson EL, et al. (1997) Psychiatric sequelae of posttraumatic stress disorder in women. *Archives of General Psychiatry* 54(1): 81-87.
- Brewerton TD (2007) Eating disorders, trauma, and comorbidity: Focus on PTSD. *Eating Disorders* 15(4): 285-304.

- Brewin CR, Andrews B and Valentine JD (2000) Meta-analysis of risk factors for posttraumatic stress disorder in trauma-exposed adults. *Journal of Consulting and Clinical Psychology* 68(5): 748.
- Brodaty H, Draper B, Saab D, et al. (2001) Psychosis, depression and behavioural disturbances in Sydney nursing home residents: prevalence and predictors. *International Journal of Geriatric Psychiatry* 16(5): 504-512.
- Brodaty H, Luscombe G, Parker G, et al. (1997) Increased rate of psychosis and psychomotor change in depression with age. *Psychological Medicine* 27(5): 1205-1213.
- Brooks III JO and Hoblyn JC (2005) Secondary mania in older adults. *American Journal of Psychiatry* 162(11): 2033-2038.
- Broome MR, Harland R, Owen GS, et al. (2013) *The Maudsley Reader in Phenomenological Psychiatry*. Cambridge University Press.
- Brophy L, Edan V, Kisely S, et al. (2021) The Urgent Need to Review the use of CTOs and Compliance with the UNCRPD Across Australian Jurisdictions. *International Journal of Mental Health and Capacity Law* 28: 1-75.
- Brown TA and Barlow DH (1995) Long-term outcome in cognitive-behavioral treatment of panic disorder: clinical predictors and alternative strategies for assessment. *Journal of consulting and clinical psychology* 63(5): 754.
- Bruce AN, Battista A, Plankey MW, et al. (2015) Perceptions of gender-based discrimination during surgical training and practice. *Medical Education Online* 20(1): 25923.
- Bruch H (2001) *The golden cage: The enigma of anorexia nervosa*. Harvard University Press.
- Brugger SP and Howes OD (2017) Heterogeneity and Homogeneity of Regional Brain Structure in Schizophrenia: A Meta-analysis. *JAMA Psychiatry* 74(11): 1104-1111.
- Bruijnen CJ, Dijkstra BA, Walvoort SJ, et al. (2019) Prevalence of cognitive impairment in patients with substance use disorder. *Drug and Alcohol Review* 38(4): 435-442.
- Bryant RA (2003) Early predictors of posttraumatic stress disorder. *Biological Psychiatry* 53(9): 789-795.
- Bryant RA (2010) Acute stress disorder as a predictor of posttraumatic stress disorder: a systematic review. *The Journal of Clinical Psychiatry* 71(2): 381.
- Bryant RA, Friedman MJ, Spiegel D, et al. (2011) A review of acute stress disorder in DSM-5. *FOCUS* 9(3): 335-350.
- Bryant RA and Guthrie RM (2007) Maladaptive self-appraisals before trauma exposure predict posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology* 75(5): 812.
- Bryant RA and Harvey AG (1997) Attentional bias in posttraumatic stress disorder. *Journal of Traumatic Stress* 10: 635-644.

- Bryant RA, Harvey AG, Dang ST, et al. (1998) Treatment of acute stress disorder: a comparison of cognitive-behavioral therapy and supportive counseling. *Journal of Consulting and Clinical Psychology* 66(5): 862.
- Bryant RA, Harvey AG, Guthrie RM, et al. (2000) A prospective study of psychophysiological arousal, acute stress disorder, and posttraumatic stress disorder. *Journal of Abnormal Psychology* 109(2): 341.
- Bryant RA, Moulds ML, Guthrie RM, et al. (2008) A randomized controlled trial of exposure therapy and cognitive restructuring for posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology* 76(4): 695.
- Bryant RA, Moulds ML, Guthrie RM, et al. (2005) The additive benefit of hypnosis and cognitive-behavioral therapy in treating acute stress disorder. *Journal of Consulting and Clinical Psychology* 73(2): 334.
- Bryant RA, Nickerson A, Creamer M, et al. (2015) Trajectory of post-traumatic stress following traumatic injury: 6-year follow-up. *The British Journal of Psychiatry* 206(5): 417-423.
- Bryant RA, O'Donnell ML, Creamer M, et al. (2013) A multisite analysis of the fluctuating course of posttraumatic stress disorder. *JAMA Psychiatry* 70(8): 839-846.
- Buckley PF, Miller BJ, Lehrer DS, et al. (2009) Psychiatric comorbidities and schizophrenia. *Schizophrenia Bulletin* 35: 383-402.
- Buckley TC, Blanchard EB and Neill WT (2000) Information processing and PTSD: A review of the empirical literature. *Clinical Psychology Review* 20(8): 1041-1065.
- Buhlmann U, Glaesmer H, Mewes R, et al. (2010) Updates on the prevalence of body dysmorphic disorder: a population-based survey. *Psychiatry Research* 178(1): 171-175.
- Buist AE, Barnett BEW, Milgrom J, et al. (2002) To screen or not to screen--that is the question in perinatal depression. *Medical Journal of Australia* 177 Suppl: S101-105.
- Bullowa M (1979) *Before speech: The beginning of interpersonal communication*. Cambridge University Press.
- Burnet PW, Sharp T, LeCorre SM, et al. (1999) Expression of 5-HT receptors and the 5-HT transporter in rat brain after electroconvulsive shock. *Neuroscience Letters* 277(2): 79-82.
- Burns A and Iliffe S (2009) Alzheimer's disease. *BMJ* 338(feb05 1): b158-b158.
- Burns K, Jayasinha R, Tsang R, et al. (2012) Behaviour management-a guide to good practice: managing behavioural and psychological symptoms of dementia. *Sydney: Dementia Collaborative Research Centre*.
- Burns T, Catty J, Dash M, et al. (2007) Use of intensive case management to reduce time in hospital in people with severe mental illness: systematic review and meta-regression. *BMJ* 335(7615): 336.

- Burry L, Mehta S, Perreault MM, et al. (2018) Antipsychotics for treatment of delirium in hospitalised non-ICU patients. *Cochrane Database of Systematic Reviews*.(6).
- Byrne M, Agerbo E, Ewald H, et al. (2003) Parental age and risk of schizophrenia: a case-control study. *Archives of General Psychiatry* 60(7): 673-678.
- Cahalan S (2020) *The Great Pretender: The Undercover Mission that Changed our Understanding of Madness*. Canongate Books.
- Callaghan S and Ryan CJ (2016) An evolving revolution: evaluating Australia's compliance with the Convention on the Rights of Persons with Disabilities in mental health law. *University of New South Wales Law Journal* 39(2): 596-624.
- Cantu-Weinstein A, Branning R, Alamir M, et al. (2024) Diagnosis and treatment of Wernicke's encephalopathy: A systematic literature review. *General Hospital Psychiatry*.
- Cardno AG and Gottesman II (2000) Twin studies of schizophrenia: From bow-and-arrow concordances to Star Wars Mx and functional genomics. *American Journal of Medical Genetics* 97(1): 12-17.
- Carmody J (2015) Mindfulness as a general ingredient of successful psychotherapy. *Handbook of mindfulness and self-regulation*. 235-248.
- Casey P and Kelly B (2007) *Fish's Clinical Psychopathology: Signs and Symptoms in Psychiatry*. London: The Royal College of Psychiatrists.
- Caspi A, Moffit TE, Cannon M, et al. (2005) Moderation of the effect of adolescent-onset cannabis use on adult psychosis by a functional polymorphism in the catechol-O-methyltransferase gene: Longitudinal evidence of a gene x environment interaction. *Biological Psychiatry* 57: 1117-1127.
- Cassidy J and Shaver PR (1999) *Handbook of attachment: Theory, research, and clinical applications*. Rough Guides.
- Catts SV, O'Toole BI, Carr VJ, et al. (2010) Appraising evidence for intervention effectiveness in early psychosis: conceptual framework and review of evaluation approaches. *Australian & New Zealand Journal of Psychiatry* 44(3): 195-219.
- Catts V, Catts S, O'Toole B, et al. (2008) Cancer incidence in patients with schizophrenia and their first-degree relatives—a meta-analysis. *Acta Psychiatrica Scandinavica* 117(5): 323-336.
- Centers for Disease Control and Prevention (2012) *Principles of Epidemiology in Public Health Practice*. Atlanta, GA: United States Department of Health and Human Services.
- Cerletti U (1950) Old and new information about electroshock. *American Journal of Psychiatry* 107(2): 87-94.

- Chakrabarty T, Torres IJ, Su WW, et al. (2021) Cognitive subgroups in first episode bipolar I disorder: Relation to clinical and brain volumetric variables. *Acta Psychiatrica Scandinavica* 143(2): 151-161.
- Chan JKN, Correll CU, Wong CSM, et al. (2023) Life expectancy and years of potential life lost in people with mental disorders: a systematic review and meta-analysis. *EClinicalMedicine* 65: 102294.
- Chaudron LH (2013) Complex challenges in treating depression during pregnancy. *The American Journal of Psychiatry* 170(1): 12-20.
- Chen M, Fitzgerald HM, Madera JJ, et al. (2019) Functional outcome assessment in bipolar disorder: A systematic literature review. *Bipolar Disorders* 21(3): 194-214.
- Chenoweth L, King MT, Jeon Y-H, et al. (2009) Caring for Aged Dementia Care Resident Study (CADRES) of person-centred care, dementia-care mapping, and usual care in dementia: a cluster-randomised trial. *The Lancet Neurology* 8(4): 317-325.
- Chisolm MS and Payne JL (2016) Management of psychotropic drugs during pregnancy. *BMJ* 352: h5918.
- Chu DA, Bryant RA, Gatt JM, et al. (2019) Cumulative childhood interpersonal trauma is associated with reduced cortical differentiation between threat and non-threat faces in posttraumatic stress disorder adults. *Australian & New Zealand Journal of Psychiatry* 53(1): 48-58.
- Cicchetti D and Rogosch FA (1996) Equifinality and multifinality in developmental psychopathology. *Development and Psychopathology* 8(04): 597-600.
- Cioffi I, Ponzio V, Pellegrini M, et al. (2021) The incidence of the refeeding syndrome. A systematic review and meta-analyses of literature. *Clinical Nutrition* 40(6): 3688-3701.
- Clark C (1985) Report of the electro-convulsive therapy review committee. Toronto: Ontario Ministry of Health.
- Clark DM (1986) A cognitive approach to panic. *Behaviour Research and Therapy* 24(4): 461-470.
- Clarkin J, Yeomans F and Kernberg O (2006) *Psychotherapy of Borderline Personality Disorder, Focusing on Object Relations*. Washington, DC.: American Psychiatric Publishing.
- Clarkin JF, Levy KN, Lenzenweger MF, et al. (2007) Evaluating three treatments for borderline personality disorder: A multiwave study. *American Journal of Psychiatry* 164(6): 922-928.
- Coen RF, Robertson DA, Kenny RA, et al. (2016) Strengths and limitations of the MoCA for assessing cognitive functioning: findings from a large representative sample of Irish older adults. *Journal of Geriatric Psychiatry and Neurology* 29(1): 18-24.

- Coleman K, Norris S and Weston A (2009) National Health and Medical Research Council. *NHMRC Additional Levels of Evidence and Grades for Recommendations for Developers of Guidelines: Stage 2 Consultation; Early 2008–End Jun 2009*.
- Colijn MA, Nitta BH and Grossberg GT (2015) Psychosis in later life: a review and update. *Harvard Review of Psychiatry* 23(5): 354-367.
- Corderoy A, Large MM, Ryan C, et al. (2024) Factors associated with involuntary mental healthcare in New South Wales, Australia. *BJPsych Open* 10(2): e59.
- Correll CU, Galling B, Pawar A, et al. (2018) Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis: A Systematic Review, Meta-analysis, and Meta-regression. *JAMA Psychiatry* 75(6): 555-565.
- Cox JL, Holden JM and Sagovsky R (1987) Detection of postnatal depression: development of the 10-item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry* 150: 782-786.
- Creavin ST, Wisniewski S, Noel-Storr AH, et al. (2016) Mini-Mental State Examination (MMSE) for the detection of dementia in clinically unevaluated people aged 65 and over in community and primary care populations. *Cochrane Database of Systematic Reviews*.(1).
- Crerand CE, Menard W and Phillips KA (2010) Surgical and minimally invasive cosmetic procedures among persons with body dysmorphic disorder. *Annals of Plastic Surgery* 65(1): 11-16.
- Cross SP, Scott JL, Hermens DF, et al. (2018) Variability in clinical outcomes for youths treated for subthreshold severe mental disorders at an early intervention service. *Psychiatric Services* 69(5): 555-561.
- Cummings J (2023) Anti-amyloid monoclonal antibodies are transformative treatments that redefine Alzheimer's disease therapeutics. *Drugs* 83(7): 569-576.
- Cummings JL (1992) Depression and Parkinson's disease: a review. *The American Journal of Psychiatry*.
- Cuthbert BN (2020) The role of RDoC in future classification of mental disorders. *Dialogues in Clinical Neuroscience* 22(1): 81-85.
- D'Zurilla T (1988) Problem-Solving Therapies. In: Dobson KS (ed) *Handbook of Cognitive-Behavioral Therapies*. New York: The Guilford Press, pp.85-135.
- Dadds MR, El Masry Y, Wimalaweera S, et al. (2008) Reduced eye gaze explains "fear blindness" in childhood psychopathic traits. *Journal of the American Academy of Child & Adolescent Psychiatry* 47(4): 455-463.
- Dahlin M, Joneborg N and Runeson B (2005) Stress and depression among medical students: A cross-sectional study. *Medical Education* 39(6): 594-604.
- Dalton SO, Mellekjær L, Thomassen L, et al. (2005) Risk for cancer in a cohort of patients hospitalized for schizophrenia in Denmark, 1969–1993. *Schizophrenia Research* 75(2-3): 315-324.

- Damian AM, Jacobson SA, Hentz JG, et al. (2011) The Montreal Cognitive Assessment and the mini-mental state examination as screening instruments for cognitive impairment: item analyses and threshold scores. *Dementia and Geriatric Cognitive Disorders* 31(2): 126-131.
- Dardas LA, Xu H, Franklin MS, et al. (2023) Cognitive behavioural therapy and medication for treatment of adolescent depression: a network meta-analysis. *Behavioural and Cognitive Psychotherapy* 51(3): 230-245.
- Davies J (2003) *A manual of mental health care in general practice*. Commonwealth Department of Health and Ageing, Mental Health and Suicide, Commonwealth of Australia.
- Davis A, McMaster P, Christie DC, et al. (2023) Psychiatric comorbidities of substance use disorders: does dual diagnosis predict inpatient detoxification treatment outcomes? *International Journal of Mental Health and Addiction* 21(6): 3785-3799.
- Davis DR, Kurti AN, Skelly JM, et al. (2016) A review of the literature on contingency management in the treatment of substance use disorders, 2009–2014. *Preventive Medicine* 92: 36-46.
- De Gucht V and Heiser W (2003) Alexithymia and somatisation. A quantitative review of the literature. *Journal of Psychosomatic Research* 54: 425-434.
- De J and Wand AP (2015) Delirium screening: a systematic review of delirium screening tools in hospitalized patients. *The Gerontologist* 55(6): 1079-1099.
- De Leo D, Draper BM, Snowden J, et al. (2013) Contacts with health professionals before suicide: missed opportunities for prevention? *Comprehensive Psychiatry* 54(7): 1117-1123.
- De Leo D, Scocco P and Meneghel G (1999) Pharmacological and psychotherapeutic treatment of personality disorders in the elderly. *International Psychogeriatrics* 11(2): 191-206.
- de Monticelli R (2019) Edmund Husserl. Oxford University Press.
- Delahanty DL, Raimonde AJ and Spoonster E (2000) Initial posttraumatic urinary cortisol levels predict subsequent PTSD symptoms in motor vehicle accident victims. *Biological Psychiatry* 48(9): 940-947.
- Deloitte Access Economics (2011) Re-awakening Australia. The economic cost of sleep disorders in Australia, 2010. (accessed 27 June 2016).
- Dennis C and Hodnett ED (2009) Psychosocial and psychological interventions for treating postpartum depression [Systematic Review]. *Cochrane Database of Systematic Reviews*. 4.
- Dennis CL, Falah-Hassani K and Shiri R (2017) Prevalence of antenatal and postnatal anxiety: systematic review and meta-analysis. *Br J Psychiatry* 210(5): 315-323.
- Department of Health and Aged Care. (2013) National practice standards for the mental health workforce 2013.

- Department of the Prime Minister and Cabinet (2017) National Strategic Framework for Aboriginal and Torres Strait Islander peoples' mental health and social and emotional wellbeing 2017–2023. Australian Government.
- deRoos-Cassini TA, Mancini AD, Rusch MD, et al. (2010) Psychopathology and resilience following traumatic injury: a latent growth mixture model analysis. *Rehabilitation Psychology* 55(1): 1.
- Di Forti M, Iyegbe C, Sallis H, et al. (2012) Confirmation that the AKT1 (rs2494732) Genotype Influences the Risk of Psychosis in Cannabis Users. *Biological Psychiatry* 72: 811-816.
- DiClemente CC, Corno CM, Graydon MM, et al. (2017) Motivational interviewing, enhancement, and brief interventions over the last decade: A review of reviews of efficacy and effectiveness. *Psychology of Addictive Behaviors* 31(8): 862.
- Didden R, VanDerNagel J, Delforterie M, et al. (2020) Substance use disorders in people with intellectual disability. *Current Opinion Psychiatry* 33(2): 124-129.
- Diefenbach GJ and Goethe J (2006) Clinical interventions for late-life anxious depression. *Clinical Interventions in Aging* 1(1): 41-50.
- Diesfeld K (2003) Insight: unpacking the concept in mental health law. *Psychiatry, Psychology and Law* 10(1): 63-70.
- Dillard-Wright D (2007) Sympathy and the Non-human: Max Scheler's Phenomenology of Interrelation. *Indo-Pacific Journal of Phenomenology* 7(2): 1-9.
- Dimidjian S, Hollon SD, Dobson KS, et al. (2006) Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the acute treatment of adults with major depression. *Journal of Consulting and Clinical Psychology* 74(4): 658.
- Dobson KS, Hollon SD, Dimidjian S, et al. (2008) Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the prevention of relapse and recurrence in major depression. *Journal of Consulting and Clinical Psychology* 76(3): 468.
- Dombrowski AY and Mulsant BH (2007) ECT: the preferred treatment for severe depression in late life. *International Psychogeriatrics* 19(1): 10-14.
- Dörr O (2013) Hermeneutical and Dialectical Thinking in Psychiatry and the Contribution of Karl Jaspers. New York, NY: Springer New York, pp.19-32.
- Draaisma D (2000) *Metaphors of Memory: A history of ideas about the mind*. Cambridge: Cambridge University Press.
- Drayer RA, Mulsant BH, Lenze EJ, et al. (2005) Somatic symptoms of depression in elderly patients with medical comorbidities. *International Journal of*

Geriatric Psychiatry: A journal of the psychiatry of late life and allied sciences 20(10): 973-982.

- Dubois B, Slachevsky A, Litvan I, et al. (2000) The FAB: a frontal assessment battery at bedside. *Neurology* 55(11): 1621-1626.
- Dudgeon P, Cox A, Walker R, et al. (2014) Voices of the peoples: The national empowerment project research report 2015. Perth: National Empowerment Project, University of Western Australia.
- Duffy M, Gillespie K and Clark DM (2007) Post-traumatic stress disorder in the context of terrorism and other civil conflict in Northern Ireland: randomised controlled trial. *BMJ* 334(7604): 1147.
- Duncan LE, Ratanatharathorn A, Aiello AE, et al. (2018) Largest GWAS of PTSD (N= 20 070) yields genetic overlap with schizophrenia and sex differences in heritability. *Molecular Psychiatry* 23(3): 666-673.
- Dunmore E, Clark DM and Ehlers A (1999) Cognitive factors involved in the onset and maintenance of posttraumatic stress disorder (PTSD) after physical or sexual assault. *Behaviour Research and Therapy* 37(9): 809-829.
- Dunmore E, Clark DM and Ehlers A (2001) A prospective investigation of the role of cognitive factors in persistent posttraumatic stress disorder (PTSD) after physical or sexual assault. *Behaviour Research and Therapy* 39(9): 1063-1084.
- Dyrbye LN, Massie FS, Eacker A, et al. (2010) Relationship between burnout and professional conduct and attitudes among US medical students. *JAMA* 304(11): 1173-1180.
- Early Psychosis Guidelines Writing Group and EPPIC National Support Program (2016) Australian Clinical Guidelines for Early Psychosis. 2nd ed. Melbourne: Orygen, The National Centre of Excellence in Youth Mental Health.
- Editor (2023) Top 10 drugs 2022-23. *Australian Prescriber* 46(4): 93.
- Eisenberg L (1986) Mindlessness and brainlessness in psychiatry. *British Journal of Psychiatry* 148 497-508.
- Elias A, Thomas N and Sackeim HA (2021) Electroconvulsive Therapy in Mania: A Review of 80 Years of Clinical Experience. *American Journal of Psychiatry* 178(3): 229-239.
- Engel GL (1977) The need for a new medical model: a challenge for biomedicine. *Science* 196(4286): 129-136.
- Engels GI, Duijsens IJ, Haringsma R, et al. (2003) Personality disorders in the elderly compared to four younger age groups: a cross-sectional study of community residents and mental health patients. *Journal of Personality Disorders* 17(5): 447-459.
- Enoch D and Ball H (2001) *Uncommon Psychiatric Syndromes*. Oxford University Press.
- Erikson EH (1993) *Childhood and society*. WW Norton & Company.

- Fagiolini A, Chengappa KN, Soreca I, et al. (2008) Bipolar disorder and the metabolic syndrome: causal factors, psychiatric outcomes and economic burden. *CNS Drugs* 22(8): 655-669.
- Fairburn CG, Bailey-Straebler S, Basden S, et al. (2015) A transdiagnostic comparison of enhanced cognitive behaviour therapy (CBT-E) and interpersonal psychotherapy in the treatment of eating disorders. *Behaviour Research and Therapy* 70: 64-71.
- Fanelli D (2009) How many scientists fabricate and falsify research? A systematic review and meta-analysis of survey data. *PLoS one* 4(5): e5738.
- Fang A, Matheny NL and Wilhelm S (2014) Body Dysmorphic Disorder. *Psychiatric Clinics of North America* 37(3): 287-300.
- Fässberg MM, Cheung G, Canetto SS, et al. (2016) A systematic review of physical illness, functional disability, and suicidal behaviour among older adults. *Aging & Mental Health* 20(2): 166-194.
- Feinstein A (2011) Conversion disorder: advances in our understanding. *Canadian Medical Association Journal* 183(8): 915-920.
- Felitti VJ, Anda RF, Nordenberg D, et al. (2019) Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults: The adverse childhood experiences (ACE) study. *American Journal of Preventive Medicine*.
- Fertleman C and Carroll W (2013) Protecting students and promoting resilience. British Medical Journal Publishing Group.
- Fink M (1993) Who should get ECT? The Clinical Science of Electroconvulsive Therapy. Washington DC: American Psychiatric Press.
- Firth J, Siddiqi N, Koyanagi A, et al. (2019) The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. *The Lancet Psychiatry* 6(8): 675-712.
- Fitzgerald PB and Daskalakis ZJ (2013) *Repetitive transcranial magnetic stimulation treatment for depressive disorders: a practical guide*. Springer Science & Business Media.
- Foa EB, Ehlers A, Clark DM, et al. (1999) The posttraumatic cognitions inventory (PTCI): Development and validation. *Psychological Assessment* 11(3): 303.
- Foa EB, Liebowitz MR, Kozak MJ, et al. (2007) Randomized, Placebo-Controlled Trial of Exposure and Ritual Prevention, Clomipramine, and Their Combination in the Treatment of Obsessive-Compulsive Disorder. *FOCUS* 5(3): 368-380.
- Foa EB, Rothbaum BO, Riggs DS, et al. (1991) Treatment of posttraumatic stress disorder in rape victims: a comparison between cognitive-behavioral procedures and counseling. *Journal of Consulting and Clinical Psychology* 59(5): 715.

- Foa EB, Steketee G and Rothbaum BO (1989) Behavioral/cognitive conceptualizations of post-traumatic stress disorder. *Behavior Therapy* 20(2): 155-176.
- Folstein M, Folstein S and McHugh P (1975a) Mini-Mental State Examination (MMS, MMSE)[Database record]. *PsycTESTS Dataset* 10.
- Folstein MF, Folstein SE and McHugh PR (1975b) "Mini-mental state": a practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research* 12(3): 189-198.
- Fong TG, Tulebaev SR and Inouye SK (2009) Delirium in elderly adults: diagnosis, prevention and treatment. *Nature Reviews Neurology* 5(4): 210-220.
- Forbes D, Fletcher S, Parslow R, et al. (2011) Trauma at the hands of another: Longitudinal study of differences in the posttraumatic stress disorder symptom profile following interpersonal compared with noninterpersonal trauma. *The Journal of Clinical Psychiatry* 72(3): 21208.
- Forbes D, Lockwood E, Phelps A, et al. (2013) Trauma at the hands of another: Distinguishing PTSD patterns following intimate and nonintimate interpersonal and noninterpersonal trauma in a nationally representative sample. *The Journal of Clinical Psychiatry* 74(2): 21205.
- Fornaro M, Solmi M, Perna G, et al. (2016) Lisdexamfetamine in the treatment of moderate-to-severe binge eating disorder in adults: systematic review and exploratory meta-analysis of publicly available placebo-controlled, randomized clinical trials. *Neuropsychiatric Disease and Treatment*. 1827-1836.
- Foulds G and Bedford A (1975) Hierarchy of classes of personal illness. *Psychological Medicine* 5(2): 181-192.
- Frank JD and Frank JB (1993) *Persuasion and healing: A comparative study of psychotherapy*. JHU Press.
- Freeston MH, Rhéaume J, Letarte H, et al. (1994) Why do people worry? *Personality and Individual Differences* 17(6): 791-802.
- Freud S (1958) The disposition to obsessional neurosis, a contribution to the problem of the choice of neurosis. *The Standard Edition of the Complete Psychological Works of Sigmund Freud, Volume XII (1911-1913): The Case of Schreber, Papers on Technique and Other Works*. pp.311-326.
- Freud S (1997) *Dora: An analysis of a case of hysteria*. Simon and Schuster.
- Friedhoff AJ and Winkle EV (1962) Isolation and characterization of a compound from the urine of schizophrenics. *Nature* 194(4831): 897-898.
- Frings MS (1974) *Max Scheler (1874-1928) : centennial essays*. The Hague: Springer.
- Frings MS and Scheler M (2012) *Person and Self-Value: Three Essays*. Springer.
- Fritz K, Russell AMT, Allwang C, et al. (2017) Is a delay in the diagnosis of bipolar disorder inevitable? *Bipolar Disorders* 19(5): 396-400.
- Frommberger UH, Stieglitz R-D, Nyberg E, et al. (1998) Prediction of posttraumatic stress disorder by immediate reactions to trauma: a

- prospective study in road traffic accident victims. *European Archives of Psychiatry and Clinical Neuroscience* 248: 316-321.
- Galatzer-Levy IR, Andero R, Sawamura T, et al. (2017) A cross species study of heterogeneity in fear extinction learning in relation to FKBP5 variation and expression: Implications for the acute treatment of posttraumatic stress disorder. *Neuropharmacology* 116: 188-195.
- Galatzer-Levy IR, Huang SH and Bonanno GA (2018) Trajectories of resilience and dysfunction following potential trauma: A review and statistical evaluation. *Clinical Psychology Review* 63: 41-55.
- Galbally M, Snellen M, Walker S, et al. (2010) Management of antipsychotic and mood stabilizer medication in pregnancy: recommendations for antenatal care. *Australian & New Zealand Journal of Psychiatry* 44(2): 99-108.
- Galletly C, Castle D, Dark F, et al. (2016) Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for the management of schizophrenia and related disorders. *Australian & New Zealand Journal of Psychiatry* 50(5): 410-472.
- Gaughran F, Dineen S, Dineen M, et al. (1997) Stress in medical students. *Irish Medical Journal* 90(5): 184-185.
- GBD 2019 Mental Disorders Collaborators (2022) Global, regional, and national burden of 12 mental disorders in 204 countries and territories, 1990-2013;2019: a systematic analysis for the Global Burden of Disease Study 2019. *The Lancet Psychiatry* 9(2): 137-150.
- Gee G, Dudgeon P, Schultz C, et al. (2014) Social and emotional wellbeing and mental health: an Aboriginal perspective. *Working together: Aboriginal and Torres Strait Islander mental health and wellbeing principles and practice*. 55-68.
- Geiger-Brown JM, Rogers VE, Liu W, et al. (2015) Cognitive behavioral therapy in persons with comorbid insomnia: A meta-analysis. *Sleep Medicine Reviews* 23: 54-67.
- Gelpin E, Bonne O, Peri T, et al. (1996) Treatment of recent trauma survivors with benzodiazepines: a prospective study. *The Journal of Clinical Psychiatry* 57(9): 390-394.
- Gerrits RG, Jansen T, Mulyanto J, et al. (2019) Occurrence and nature of questionable research practices in the reporting of messages and conclusions in international scientific Health Services Research publications: a structured assessment of publications authored by researchers in the Netherlands. *BMJ Open* 9(5): e027903.
- Ghaemi SN, Sachs GS, M. Chiou A, et al. (1999) Is bipolar disorder still underdiagnosed? Are antidepressants overutilized? *Journal of Affective Disorders* 52(1): 135-144.
- Gielen N, Havermans R, Tekelenburg M, et al. (2012) Prevalence of post-traumatic stress disorder among patients with substance use disorder: it is

- higher than clinicians think it is. *European Journal of Psychotraumatology* 3(1): 17734.
- GINLEY MK, PFUND RA, RASH CJ, et al. (2021) Long-term efficacy of contingency management treatment based on objective indicators of abstinence from illicit substance use up to 1 year following treatment: A meta-analysis. *Journal of Consulting and Clinical Psychology* 89(1): 58.
- GLOVER-WRIGHT C, COUPE K, CAMPBELL AC, et al. (2023) Health outcomes and service use patterns associated with co-located outpatient mental health care and alcohol and other drug specialist treatment: A systematic review. *Drug and Alcohol Review* 42(5): 1195-1219.
- GOODMAN WK, PRICE LH, RASMUSSEN SA, et al. (1989) The Yale-Brown Obsessive Compulsive Scale. I. Development, use, and reliability. *Archives of General Psychiatry* 46(11): 1006-1011.
- GORCZYNSKI P, FIRTH J, STUBBS B, et al. (2017) Are people with schizophrenia adherent to diabetes medication? A comparative meta-analysis. *Psychiatry Research* 250: 17-24.
- GORDOVEZ FJA and McMahan FJ (2020) The genetics of bipolar disorder. *Molecular Psychiatry* 25(3): 544-559.
- GORTNER ET, GOLLAN JK, DOBSON KS, et al. (1998) Cognitive-behavioral treatment for depression: Relapse prevention. *Journal of consulting and clinical psychology* 66: 377-384.
- GRAHAM HL (2004) *Cognitive-behavioural integrated treatment (C-BIT): a treatment manual for substance misuse in people with severe mental health problems*. John Wiley & Sons.
- GRANHOLM E, HOLDEN J, LINK PC, et al. (2013) Randomized controlled trial of cognitive behavioral social skills training for older consumers with schizophrenia: defeatist performance attitudes and functional outcome. *The American Journal of Geriatric Psychiatry* 21(3): 251-262.
- GRAY R, BRESSINGTON D, IVANECKA A, et al. (2016) Is adherence therapy an effective adjunct treatment for patients with schizophrenia spectrum disorders? A systematic review and meta-analysis. *BMC Psychiatry* 16(1): 90.
- GRIGORIADIS S, VONDERPORTEN EH, MAMISASHVILI L, et al. (2013) Antidepressant exposure during pregnancy and congenital malformations: is there an association? a systematic review and meta-analysis of the best evidence. *Journal of Clinical Psychiatry* 74(4): e293-308.
- GRILLO CM, STOUT RL, MARKOWITZ JC, et al. (2010) Personality disorders predict relapse after remission from an episode of major depressive disorder: a 6-year prospective study. *Journal of Clinical Psychiatry* 71(12): 1629-1635.
- GRINSHPOON A, BARCHANA M, PONIZOVSKY A, et al. (2005) Cancer in schizophrenia: is the risk higher or lower? *Schizophrenia Research* 73(2-3): 333-341.
- GUNDERSON J, MASLAND S and CHOI-KAIN L (2018) Good psychiatric management: a review. *Current Opinion Psychology* 21: 127-131.

- Gupta A, Harris S and Naina H (2015) To sit or stand during the medical interview: a poll of caucasian patients. *Medical Practice Management* 31(3): 110-112.
- Gurrera RJ, Simpson JC and Tsuang MT (2007) Meta-analytic evidence of systematic bias in estimates of neuroleptic malignant syndrome incidence. *Comprehensive Psychiatry* 48(2): 205-211.
- Guthrie E, Moorey J, Margison F, et al. (1999) Cost-effectiveness of brief psychodynamic-interpersonal therapy in high utilizers of psychiatric services. *Archives of General Psychiatry* 56: 519-526.
- Haber PS and Riordan BC (2021) *Guidelines for the Treatment of Alcohol Problems (4th ed.)*. Specialty of Addiction Medicine, Faculty of Medicine and Health, The University of Sydney.
<https://alcoholtreatmentguidelines.com.au/pdf/guidelines-for-the-treatment-of-alcohol-problems.pdf>
- Hall J, Caleo S, Stevenson J, et al. (1999) *Economic analysis of psychotherapy for borderline personality disorder patients*. Citeseer.
- Halliday MAK (1975) Learning how to mean. *Foundations of Language Development*. Elsevier, pp.239-265.
- Hamilton BA (2008) Assessment of at-risk mental states for psychosis in young aboriginal and non-aboriginal people using the CAARMS. Unpublished Ph.D. Thesis: University of Sydney.
- Hammarberg K, Kirkman M and De Lacey S (2016) Qualitative research methods: when to use them and how to judge them. *Human Reproduction* 31(3): 498-501.
- Hans-Christoph S (2002) The outcome of anorexia nervosa in the 20th century. *American Journal of Psychiatry* 159(8): 1284-1293.
- Hare DL, Toukhsati SR, Johansson P, et al. (2014) Depression and cardiovascular disease: a clinical review. *European heart journal* 35(21): 1365-1372.
- Harkness LL (1993) Transgenerational transmission of war-related trauma. *International Handbook of Traumatic Stress Syndromes*. Springer, pp.635-643.
- Harrison BJ, Soriano-Mas C, Pujol J, et al. (2009) Altered corticostriatal functional connectivity in obsessive-compulsive disorder. *Archives of General Psychiatry* 66(11): 1189-1200.
- Harrison P (1999) The neuropathology of schizophrenia. A critical review of the data and their interpretation. *Brain* 122: 593-624.
- Hartz SM, Horton AC, Oehlert M, et al. (2017) Association between substance use disorder and polygenic liability to schizophrenia. *Biological Psychiatry* 82(10): 709-715.
- Hawkins N, Richards PS, Granley HM, et al. (2004) The impact of exposure to the thin-ideal media image on women. *Eating Disorders* 12(1): 35-50.
- Hay P, Chinn D, Forbes D, et al. (2014) Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for the treatment of

- eating disorders. *Australian & New Zealand Journal of Psychiatry* 48(11): 977-1008.
- Hay PJ and Claudino AM (2012) Clinical psychopharmacology of eating disorders: a research update. *International Journal of Neuropsychopharmacology* 15(2): 209-222.
- Hazell P (2011) Depression in children and adolescents. *BMJ Clinical Evidence* 2011.
- Hazell P (2015) Depression in children and adolescents: complementary therapies. *BMJ Clin Evid* 2015.
- Hazell P and Jairam R (2012) Acute treatment of mania in children and adolescents. *Current Opinion Psychiatry* 25(4): 264-270.
- Hazell PL and Stuart JE (2003) A randomized controlled trial of clonidine added to psychostimulant medication for hyperactive and aggressive children. *Journal of the American Academy of Child & Adolescent Psychiatry* 42(8): 886-894.
- Heald A (2010) Physical health in schizophrenia: a challenge for antipsychotic therapy. *European Psychiatry: the Journal of the Association of European Psychiatrists* 25 Suppl 2: S6-11.
- Health NCCfM (2005) Post-traumatic stress disorder: The management of PTSD in adults and children in primary and secondary care.
- Health NCCfM (2009) The NICE Guideline on Diagnosis and Management of ADHD in Children, Young People and Adults. London: The British Psychological Society and The Royal College of Psychiatrists.
- Heckers S and Walther S (2023) Catatonia. *New England Journal of Medicine* 389(19): 1797-1802.
- Heinrichs RW and Zakzanis KK (1998) Neurocognitive deficit in schizophrenia: a quantitative review of the evidence. *Neuropsychology* 12: 426-445.
- Helfand BK, D'Aquila ML, Tabloski P, et al. (2021) Detecting delirium: a systematic review of identification instruments for non-ICU settings. *Journal of the American Geriatrics Society* 69(2): 547-555.
- Henderson M, Brooks SK, Del Busso L, et al. (2012) Shame! Self-stigmatisation as an obstacle to sick doctors returning to work: a qualitative study. *BMJ Open* 2(5): e001776.
- Hendrickson RC and Raskind MA (2016) Noradrenergic dysregulation in the pathophysiology of PTSD. *Experimental Neurology* 284: 181-195.
- Hendriks SM, Spijker J, Licht CM, et al. (2016) Long-term disability in anxiety disorders. *BMC Psychiatry* 16: 1-8.
- Hengartner MP (2020) Is there a genuine placebo effect in acute depression treatments? A reassessment of regression to the mean and spontaneous remission. *BMJ Evidence - Based Medicine* 25(2): 46.
- Herman JL (2015) *Trauma and recovery: The aftermath of violence--from domestic abuse to political terror*. Hachette uK.

- Hertsgaard L, Gunnar M, Erickson MF, et al. (1995) Adrenocortical responses to the strange situation in infants with disorganized/disoriented attachment relationships. *Child Development* 66(4): 1100-1106.
- Hesse E and Main M (2000) Disorganized infant, child, and adult attachment: Collapse in behavioral and attentional strategies. *Journal of the American Psychoanalytic Association* 48(4): 1097-1127.
- Hillman DR and Lack LC (2013) Public health implications of sleep loss: the community burden. *Medical Journal of Australia* 199(8, Supplement): S7-S10.
- Hirschfeld RM (2000) History and evolution of the monoamine hypothesis of depression. *Journal of Clinical Psychiatry* 61(6): 4-6.
- Hjorthøj CD, Stürup AEMD, McGrath JJP, et al. (2017) Years of potential life lost and life expectancy in schizophrenia: a systematic review and meta-analysis. *The Lancet Psychiatry* 4(4): 295-301.
- Hobson R (1985) *Forms of Feeling.*, London. Tavistock Publications.
- Hoffmann TC, Légaré F, Simmons MB, et al. (2014) Shared decision making: what do clinicians need to know and why should they bother? *Medical Journal of Australia* 201(1): 35-39.
- Hollander E (1993) *Obsessive-compulsive-related disorders.* Amer Psychiatric Pub Inc.
- Howard LM, Molyneaux E, Dennis CL, et al. (2014) Non-psychotic mental disorders in the perinatal period. *The Lancet* 384(9956): 1775-1788.
- Howes OD, McCutcheon R, Owen MJ, et al. (2017) The Role of Genes, Stress, and Dopamine in the Development of Schizophrenia. *Biological Psychiatry* 81(1): 9-20.
- Hsieh S, Schubert S, Hoon C, et al. (2013) Validation of the Addenbrooke's Cognitive Examination III in frontotemporal dementia and Alzheimer's disease. *Dementia and Geriatric Cognitive Disorders* 36(3-4): 242-250.
- Hudson JI, Javaras KN and Pope Jr HG (2020) The challenges of metabolic syndrome in eating disorders. *Psychiatric Annals* 50(8): 346-350.
- Huhn D and Nikendei C (2018) International students—support and integration initiatives at Medical Faculties in Germany. *GMS Journal for Medical Education* 35(5).
- Huhn M, Nikolakopoulou A, Schneider-Thoma J, et al. (2019) Comparative efficacy and tolerability of 32 oral antipsychotics for the acute treatment of adults with multi-episode schizophrenia: a systematic review and network meta-analysis. *The Lancet*, 394(10202), 939-951.
- Huhn M, Tardy M, Spineli LM, et al. (2014) Efficacy of Pharmacotherapy and Psychotherapy for Adult Psychiatric Disorders: A Systematic Overview of Meta-analyses. *JAMA Psychiatry* 71(6): 706-715.
- Hunot V, Moore TH, Caldwell DM, et al. (2013) 'Third wave' cognitive and behavioural therapies versus other psychological therapies for depression. *Cochrane Database of Systematic Reviews*.(10): Cd008704.

- Hunt GE, Malhi GS, Lai HMX, et al. (2020) Prevalence of comorbid substance use in major depressive disorder in community and clinical settings, 1990–2019: Systematic review and meta-analysis. *Journal of Affective Disorders* 266: 288-304.
- Hunter E (1998) Ways of seeing: changing directions in the health of Indigenous populations. *Clinical Child Psychology and Psychiatry* 3(4): 519-530.
- Husain MM, Rush AJ, Sackeim HA, et al. (2005) Age-related characteristics of depression: a preliminary STAR* D report. *The American Journal of Geriatric Psychiatry* 13(10): 852-860.
- Husebo BS, Ballard C, Sandvik R, et al. (2011) Efficacy of treating pain to reduce behavioural disturbances in residents of nursing homes with dementia: cluster randomised clinical trial. *BMJ* 343.
- Ilchef R (1997) Neuroleptic-induced laryngeal dystonia can mimic anaphylaxis. *Australian & New Zealand Journal of Psychiatry* 31(6): 877-879.
- Inouye SK (2006) Delirium in older persons. *New England Journal of Medicine* 354(11): 1157-1165.
- Inouye SK and Charpentier PA (1996) Precipitating factors for delirium in hospitalized elderly persons: predictive model and interrelationship with baseline vulnerability. *JAMA* 275(11): 852-857.
- Insel T, Cuthbert B, Garvey M, et al. (2010) Research domain criteria (RDoC): toward a new classification framework for research on mental disorders. *American Journal of Psychiatry* 167(7): 748-751.
- Insel TR and Quirion R (2005) Psychiatry as a clinical neuroscience discipline. *JAMA* 294(17): 2221-2224.
- Inskip HM, Harris EC and Barraclough B (1998) Lifetime risk of suicide for affective disorder, alcoholism and schizophrenia. *British Journal of Psychiatry* 172: 35-37.
- IsHak W, Nikraves R, Lederer S, et al. (2013) Burnout in medical students: a systematic review. *The clinical teacher* 10(4): 242-245.
- Jääskeläinen E, Juola P, Hirvonen N, et al. (2012) A Systematic Review and Meta-Analysis of Recovery in Schizophrenia. *Schizophrenia Bulletin*. 39(6), 1296-130.
- Jablensky A (2015) Schneider, Kurt (1887–1967).
- Jablensky A and Lawrence D (2001) Schizophrenia and cancer: is there a need to invoke a protective gene? *Archives of General Psychiatry* 58(6): 579-580.
- Jacka FN, Mykletun A and Berk M (2012) Moving towards a population health approach to the primary prevention of common mental disorders. *BMC Medicine* 10: 149.
- Jacka FN, Ystrom E, Brantsaeter AL, et al. (2013) Maternal and early postnatal nutrition and mental health of offspring by age 5 years: a prospective cohort study. *Journal of the American Academy of Child & Adolescent Psychiatry* 52(10): 1038-1047.

- Jacobi F, Höfler M, Siegert J, et al. (2014) Twelve-month prevalence, comorbidity and correlates of mental disorders in Germany: the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). *International Journal of Methods in Psychiatric Research* 23(3): 304-319.
- Jacobson NS, Dobson KS, Truax PA, et al. (1996) A component analysis of cognitive-behavioral treatment for depression. *Journal of Consulting and Clinical Psychology* 64: 295-304.
- James AC, Reardon T, Soler A, et al. (2020) Cognitive behavioural therapy for anxiety disorders in children and adolescents. *Cochrane Database of Systematic Reviews*.(11).
- Jannati A, Oberman LM, Rotenberg A, et al. (2023) Assessing the mechanisms of brain plasticity by transcranial magnetic stimulation. *Neuropsychopharmacology* 48(1): 191-208.
- Jansson L (2019) *First-Rank Symptoms of Schizophrenia*. Oxford University Press.
- Jaspers K (1963) *General psychopathology*. Manchester: Manchester University Press.
- Jaspers K (1968) The Phenomenological Approach in Psychopathology. *British Journal of Psychiatry* 114(516): 1313-1323.
- Jehel L, Paterniti S, Brunet A, et al. (2003) Prediction of the occurrence and intensity of post-traumatic stress disorder in victims 32 months after bomb attack. *European Psychiatry* 18(4): 172-176.
- Jerónimo J, Queirós T, Cheniaux E, et al. (2018) Formal thought disorders—historical roots. *Frontiers in Psychiatry* 9: 572.
- John WS and Wu L-T (2020) Chronic non-cancer pain among adults with substance use disorders: prevalence, characteristics, and association with opioid overdose and healthcare utilization. *Drug and Alcohol Dependence* 209: 107902.
- Jones E (2019) *The life and work of Sigmund Freud*. Plunkett Lake Press.
- Jones I, Chandra PS, Dazzan P, et al. (2014) Bipolar disorder, affective psychosis, and schizophrenia in pregnancy and the post-partum period. *The Lancet* 384(9956): 1789-1799.
- Jones I and Craddock N (2001) Familiality of the puerperal trigger in bipolar disorder: results of a family study. *American Journal of Psychiatry* 158(6): 913-917.
- Josephson AM (2007) Practice parameter for the assessment of the family. *Journal of the American Academy of Child & Adolescent Psychiatry* 46(7): 922-937.
- Judd F, Ahmed R, Blashki G, et al. (2021) *eTherapeutic Guidelines: Psychotropic*. Melbourne, Australia: Therapeutic Guidelines.
- Judd LL and Akiskal HS (2003) Depressive episodes and symptoms dominate the longitudinal course of bipolar disorder. *Current Psychiatry Reports* 5(6): 417-418.

- Kagan J, Reznick JS, Clarke C, et al. (1984) Behavioral inhibition to the unfamiliar. *Child Development*. 2212-2225.
- Kalish VB, Gillham JE and Unwin BK (2014) Delirium in older persons: evaluation and management. *American Family Physician* 90(3): 150-158.
- Kang B, Xu H and McConnell ES (2019) Neurocognitive and psychiatric comorbidities of posttraumatic stress disorder among older veterans: a systematic review. *International Journal of Geriatric Psychiatry* 34(4): 522-538.
- Karno M, Golding JM, Sorenson SB, et al. (1988) The epidemiology of obsessive-compulsive disorder in 5 United-States communities. *Archives of General Psychiatry* 45(12): 1094-1099.
- Karstoft K-I, Galatzer-Levy IR, Statnikov A, et al. (2015) Bridging a translational gap: using machine learning to improve the prediction of PTSD. *BMC Psychiatry* 15: 1-7.
- Katzman MA, Bleau P, Blier P, et al. (2014) Canadian clinical practice guidelines for the management of anxiety, posttraumatic stress and obsessive-compulsive disorders. *BMC Psychiatry* 14(1): 1-83.
- Kelly BD (2019) Variations in involuntary hospitalisation across countries. *The Lancet Psychiatry* 6(5): 361-362.
- Kelly JF, Humphreys K and Ferri M (2020) Alcoholics Anonymous and other 12-step programs for alcohol use disorder. *Cochrane Database of Systematic Reviews* 3(3): Cd012880.
- Kendall J (2003) Designing a research project: randomised controlled trials and their principles. *Emergency Medicine Journal* 20(2): 164-168.
- Kendell RE (1975) Psychiatric diagnosis in Britain and the United States. *British Journal of Psychiatry Spec No 9*: 453-461.
- Kendell RE, Wainwright S, Hailey A, et al. (1976) The influence of childbirth on psychiatric morbidity. *Psychological Medicine* 6(2): 297-302.
- Kendler KS, Gardner CO, Annas P, et al. (2008) A longitudinal twin study of fears from middle childhood to early adulthood: evidence for a developmentally dynamic genome. *Archives of General Psychiatry* 65(4): 421-429.
- Kendler KS, McGuire M, Gruenberg AM, et al. (1993) The Roscommon Family Study. III. Schizophrenia-related personality disorders in relatives. *Archives of General Psychiatry* 50(10): 781-788.
- Kendler KS, Neale MC, Kessler RC, et al. (1992) Major depression and generalized anxiety disorder: same genes, (partly) different environments? *Archives of General Psychiatry* 49(9): 716-722.
- Kendrick T, Simons L, Mynors-Wallis L, et al. (2005) A trial of problem-solving by community mental health nurses for anxiety, depression and life difficulties among general practice patients. The CPN-GP study. *Health Technology Assessment* 9(37): 1-+.

- Kennedy H (1969) Young Children in Brief Separation. By James and Joyce Robertson. *British Journal of Medical Psychology* 42(2): 191-193.
- Keramatian K, Chakrabarty T, Saraf G, et al. (2021) Grey matter abnormalities in first-episode mania: A systematic review and meta-analysis of voxel-based morphometry studies. *Bipolar Disorders* 23(3): 228-240.
- Keramatian K, Pinto JV, Schaffer A, et al. (2022) Clinical and demographic factors associated with delayed diagnosis of bipolar disorder: Data from Health Outcomes and Patient Evaluations in Bipolar Disorder (HOPE-BD) study. *Journal of Affective Disorders* 296: 506-513.
- Kessler RC, Berglund P, Demler O, et al. (2005) Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry* 62(6): 593-602.
- Kessler RC, Sonnega A, Bromet E, et al. (2013) Posttraumatic stress disorder in the National Comorbidity Survey. *Fear and Anxiety*. Routledge, pp.22-34.
- Kim-Cohen J, Caspi A, Moffitt TE, et al. (2003) Prior juvenile diagnoses in adults with mental disorder: developmental follow-back of a prospective-longitudinal cohort. *Archives of General Psychiatry* 60(7): 709-717.
- Kim JJ, Gharpure A, Teng J, et al. (2020) Shared structural mechanisms of general anaesthetics and benzodiazepines. *Nature* 585(7824): 303-308.
- Kini V and Ho PM (2018) Interventions to Improve Medication Adherence: A Review. *JAMA* 320(23): 2461-2473.
- Kirmayer LJ, Robbins JM, Dworkind M, et al. (1993) Somatization and the recognition of depression and anxiety in primary care. *American Journal of Psychiatry* 150: 734-741.
- Kisely S, McMahon L and Siskind D (2023) Benefits following community treatment orders have an inverse relationship with rates of use: meta-analysis and meta-regression. *BJPsych Open* 9(3): e68.
- Kisely S, Yu D, Maehashi S, et al. (2021) A systematic review and meta-analysis of predictors and outcomes of community treatment orders in Australia and New Zealand. *Australian & New Zealand Journal of Psychiatry* 55(7): 650-665.
- Kitayama N, Quinn S and Bremner JD (2006) Smaller volume of anterior cingulate cortex in abuse-related posttraumatic stress disorder. *Journal of Affective Disorders* 90(2-3): 171-174.
- Kleim B, Ehlers A and Glucksman E (2007) Early predictors of chronic post-traumatic stress disorder in assault survivors. *Psychological Medicine* 37(10): 1457-1467.
- Kleim B, Grey N, Wild J, et al. (2013) Cognitive change predicts symptom reduction with cognitive therapy for posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology* 81(3): 383.
- Klein DA, Goldenring JM and Adelman WP (2014) HEEADSSS 3.0: the psychosocial interview for adolescents updated for a new century fueled

by media. *Contemporary Paediatrics*. Retrieved 15th October 2024, from <https://www.contemporarypediatrics.com/view/heedsss-30-psychosocial-interview-adolescents-updated-new-century-fueled-media>

- Klein M (1946) Notes on some schizoid mechanisms. *The International Journal of Psycho-analysis* 27: 99.
- Knox J (2010) *Self-Agency in Psychotherapy: Attachment, Autonomy, and Intimacy (Norton Series on Interpersonal Neurobiology)*. WW Norton & Company.
- Koblenzer CS (2000) Dermatitis artifacta. Clinical features and approaches to treatment. *American Journal of Clinical Dermatology* 1(1): 47-55.
- Köck P and Walter M (2018) Personality disorder and substance use disorder—An update. *Mental Health & Prevention* 12: 82-89.
- Koenen KC, Fu QJ, Ertel K, et al. (2008) Common genetic liability to major depression and posttraumatic stress disorder in men. *Journal of Affective Disorders* 105(1-3): 109-115.
- Koenen KC, Moffitt TE, Poulton R, et al. (2007) Early childhood factors associated with the development of post-traumatic stress disorder: results from a longitudinal birth cohort. *Psychological Medicine* 37(2): 181-192.
- Koh W, Kwak H, Cheong E, et al. (2023) GABA tone regulation and its cognitive functions in the brain. *Nature Reviews Neuroscience* 24(9): 523-539.
- Korner A (2020) *Communicative exchange, psychotherapy and the resonant self: Roads to realization*. Routledge.
- Korner A, Bendit N, Ptok U, et al. (2010) Formulation, conversation and therapeutic engagement. *Australasian Psychiatry* 18(3): 214-220.
- Kornør H, Winje D, Ekeberg Ø, et al. (2008) Early trauma-focused cognitive-behavioural therapy to prevent chronic post-traumatic stress disorder and related symptoms: a systematic review and meta-analysis. *BMC Psychiatry* 8: 1-8.
- Kozłowska K, Palmer DM, Brown KJ, et al. (2015a) Reduction of autonomic regulation in children and adolescents with conversion disorders. *Psychosomatic Medicine* 77(4): 356-370.
- Kozłowska K, Walker P, McLean L, et al. (2015b) Fear and the defense cascade: clinical implications and management. *Harvard Review of Psychiatry*. 23(4), 263-287.
- Kozłowska K, Walker P, McLean L, et al. (2015c) Fear and the defense cascade: clinical implications and management. *Harvard Review of Psychiatry* 23(4): 263-287.
- Krahn LE, Li H and O'Connor MK (2003) Patients who strive to be ill: Factitious disorder with physical symptoms. *American Journal of Psychiatry* 160: 1163-1168.

- Krishnan KRR, Delong M, Kraemer H, et al. (2002) Comorbidity of depression with other medical diseases in the elderly. *Biological Psychiatry* 52(6): 559-588.
- Krystal AD, Zaidman C, Greenside HS, et al. (1997) The largest Lyapunov exponent of the EEG during ECT seizures as a measure of ECT seizure adequacy. *Electroencephalography and Clinical Neurophysiology* 103(6): 599-606.
- Kuehner C (2017) Why is depression more common among women than among men? *The Lancet Psychiatry* 4(2): 146-158.
- Kurrle S, Brodaty H and Hogarth R (2012) *Physical comorbidities of dementia*. Cambridge University Press.
- Ladouceur R, Talbot F and Dugas MJ (1997) Behavioral expressions of intolerance of uncertainty in worry: Experimental findings. *Behavior Modification* 21(3): 355-371.
- Laidlaw K, Davidson K, Toner H, et al. (2008) A randomised controlled trial of cognitive behaviour therapy vs treatment as usual in the treatment of mild to moderate late life depression. *International Journal of Geriatric Psychiatry* 23(8): 843-850.
- Lally J, Ajnakina O, Stubbs B, et al. (2017) Remission and recovery from first-episode psychosis in adults: systematic review and meta-analysis of long-term outcome studies. *British Journal of Psychiatry* 211(6): 350-358.
- Lally J, Tully J, Robertson D, et al. (2016) Augmentation of clozapine with electroconvulsive therapy in treatment resistant schizophrenia: A systematic review and meta-analysis. *Schizophrenia Research* 171: 215-224.
- Lampe L and Malhi GS (2018) Avoidant personality disorder: current insights. *Psychology Research and Behavior Management*. 55-66.
- Large MM and Ryan CJ (2014) Suicide risk categorisation of psychiatric inpatients: what it might mean and why it is of no use. *Australasian Psychiatry* 22(4): 390-392.
- Laursen TM, Plana-Ripoll O, Andersen PK, et al. (2019) Cause-specific life years lost among persons diagnosed with schizophrenia: Is it getting better or worse? *Schizophrenia Research* 206: 284-290.
- Laursen TM, Wahlbeck K, Hällgren J, et al. (2013) Life expectancy and death by diseases of the circulatory system in patients with bipolar disorder or schizophrenia in the Nordic countries. *PLoS One* 8(6): e67133.
- Laver K, Cumming R, Dyer S, et al. (2016) Clinical practice guidelines for dementia in Australia.
- Lawrence D, Hancock KJ and Kisely S (2013) The gap in life expectancy from preventable physical illness in psychiatric patients in Western Australia: retrospective analysis of population based registers. *BMJ* 346: f2539.

- Lee PH, Anttila V, Won H, et al. (2019) Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. *Cell* 179(7): 1469-1482.e1411.
- Lee SY, Fisher J, Wand AP, et al. (2020) Developing delirium best practice: a systematic review of education interventions for healthcare professionals working in inpatient settings. *European Geriatric Medicine* 11: 1-32.
- Lehmann S, Havik OE, Havik T, et al. (2013) Mental disorders in foster children: a study of prevalence, comorbidity and risk factors. *Child and Adolescent Psychiatry and Mental Health* 7: 1-12.
- Lejuez CW, Hopko DR and Hopko SD (2001) A brief behavioral activation treatment for depression. *Behavior Modification* 25(2): 255-286.
- Lele K, Leung KC and Peisah C (2023) A reflective practice group tutorial series for medical students. *Australasian Psychiatry* 31(4).
- Lepping P and Freudenmann RW (2008) Delusional parasitosis: a new pathway for diagnosis and treatment. *Clinical and Experimental Dermatology* 33(2): 113-117.
- Lesch K-P, Bengel D, Heils A, et al. (1996) Association of anxiety-related traits with a polymorphism in the serotonin transporter gene regulatory region. *Science* 274(5292): 1527-1531.
- Letemendia F, Delva N, Rodenburg M, et al. (1993) Therapeutic advantage of bifrontal electrode placement in ECT. *Psychological Medicine* 23(2): 349-360.
- Leucht S, Hierl S, Kissling W, et al. (2012) Putting the efficacy of psychiatric and general medicine medication into perspective: review of meta-analyses. *British Journal of Psychiatry* 200(2): 97-106.
- Lewinsohn PM and Graf M (1973) Pleasant activities and depression. *Journal of Consulting and Clinical Psychology* 41(2): 261.
- Lewis G and Pelosi AJ (1990) The case-control study in psychiatry. *British Journal of Psychiatry* 157(2): 197-207.
- Lichtermann D, Ekelund J, Pukkala E, et al. (2001) Incidence of cancer among persons with schizophrenia and their relatives. *Archives of General Psychiatry* 58(6): 573-578.
- Light E (2019) Rates of use of community treatment orders in Australia. *International Journal of Law and Psychiatry* 64: 83-87.
- Lim GY, Tam WW, Lu Y, et al. (2018) Prevalence of Depression in the Community from 30 Countries between 1994 and 2014. *Scientific Reports* 8(1): 2861.
- Linehan M (2014) *DBT? Skills training manual*. Guilford Publications.
- Linehan MM, Armstrong HE, Suarez A, et al. (1991) Cognitive-behavioral treatment of chronically parasuicidal borderline patients. *Archives of General Psychiatry* 48(12): 1060-1064.

- Linehan MM, Tutek DA, Heard HL, et al. (1994) Interpersonal outcome of cognitive behavioral treatment for chronically suicidal borderline patients. *American Journal of Psychiatry* 151(12): 1771-1775.
- Lisanby SH, Maddox JH, Prudic J, et al. (2000) The effects of electroconvulsive therapy on memory of autobiographical and public events. *Archives of General Psychiatry* 57(6): 581-590.
- Liu H, Petukhova MV, Sampson NA, et al. (2017) Association of DSM-IV posttraumatic stress disorder with traumatic experience type and history in the World Health Organization World Mental Health Surveys. *JAMA Psychiatry* 74(3): 270-281.
- Lonergan E, Luxenberg J and Sastre AA (2009) Benzodiazepines for delirium. *Cochrane Database of Systematic Reviews*.(4).
- Lorentzen R, Nguyen TD, McGirr A, et al. (2022) The efficacy of transcranial magnetic stimulation (TMS) for negative symptoms in schizophrenia: a systematic review and meta-analysis. *Schizophrenia* 8(1): 35.
- Lorenz CP and Williams AJ (2017) Sleep apps: what role do they play in clinical medicine? *Current Opinion in Pulmonary Medicine* 23(6): 512-516.
- Lothgren M. (2004). Economic evidence in psychotic disorders: a review. *European Journal of Health Economics*, 5(Suppl 1), S67-74.
- Lovibond, S.H., & Lovibond, P.F. (1995). *Manual for the Depression Anxiety Stress Scales [Kit]*. Sydney, NSW: Psychology Foundation of Australia.
- Lynch DL, Stern AE, Kim Oates R, et al. (1993) Who participates in child sexual abuse research? *Journal of Child Psychology and Psychiatry* 34(6): 935-944.
- Madden S, Miskovic-Wheatley J, Clarke S, et al. (2015) Outcomes of a rapid refeeding protocol in adolescent anorexia nervosa. *Journal of Eating Disorders* 3(1): 1-8.
- Maenner MJ (2021) Prevalence and characteristics of autism spectrum disorder among children aged 8 years—autism and developmental disabilities monitoring network, 11 sites, United States, 2018. *MMWR. Surveillance Summaries* 70.
- Maglione JE, Thomas SE and Jeste DV (2014) Late-onset schizophrenia: do recent studies support categorizing LOS as a subtype of schizophrenia? *Current Opinion Psychiatry* 27(3): 173.
- Mai F (2004) Somatisation Disorder: a practical review. *Canadian Journal of Psychiatry* 49: 652-662.
- Main M (2000) The organized categories of infant, child, and adult attachment: Flexible vs. inflexible attention under attachment-related stress. *Journal of the American Psychoanalytic Association* 48(4): 1055-1096.
- Main M, Kaplan N and Cassidy J (1985) Security in infancy, childhood, and adulthood: A move to the level of representation. *Monographs of the Society for Research in Child Development*. 66-104.

- Malhi GS (2010) History of the Introduction of Lithium into Medicine and Psychiatry. *Acta Neuropsychiatrica* 22(3): 161.
- Malhi GS, Bassett D, Boyce P, et al. (2015) Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for mood disorders. *Australian & New Zealand Journal of Psychiatry* 49(12): 1087-1206.
- Malhi GS and Bell E (2019) Fake views: Schizoaffective disorder is not 'SAD', just bad. *Australian & New Zealand Journal of Psychiatry* 53(5): 481-484.
- Malhi GS and Bell E (2023) Mood Disorders. In: Tyrer P (ed) *Making Sense of the ICD-11: For Mental Health Professionals*. Cambridge: Cambridge University Press, pp.39-58.
- Malhi GS, Bell E, Bassett D, et al. (2021a) The 2020 Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for mood disorders. *Australian & New Zealand Journal of Psychiatry* 55(1): 7-117.
- Malhi GS, Bell E, Bassett D, et al. (2021b) The 2020 Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for mood disorders. *Australian & New Zealand Journal of Psychiatry* 55(1): 7-117.
- Malhi GS, Bell E, Bassett D, et al. (2023) Positioning of psychodynamic psychotherapy in the treatment of depression: A comparison of the RANZCP 2020 and NICE 2022 guidelines. *Australasian Psychiatry*. 31(3), 322-325.
- Malhi GS, Bell E, Boyce P, et al. (2020a) The 2020 Royal Australian and New Zealand College of psychiatrists clinical practice guidelines for mood disorders: Bipolar disorder summary. *Bipolar Disorders* 22(8): 805-821.
- Malhi GS, Bell E, Boyce P, et al. (2022) NICE guideline for depression ranks short-term psychodynamic psychotherapy (STTP). *Bipolar Disorders* 24(5): 467-471.
- Malhi GS, Bell E, Singh AB, et al. (2020b) The 2020 Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for mood disorders: Major depression summary. *Bipolar Disorders* 22(8): 788-804.
- Malhi GS, Byrow Y, Boyce P, et al. (2016a) Why the hype about subtype? Bipolar I, bipolar II-it's simply bipolar, through and through! *Australian & New Zealand Journal of Psychiatry* 50(4): 303-306.
- Malhi GS, Das P, Bell E, et al. (2019) Modelling resilience in adolescence and adversity: a novel framework to inform research and practice. *Translational Psychiatry* 9(1): 316.
- Malhi GS, Das P, Outhred T, et al. (2018a) Understanding suicide: Focusing on its mechanisms through a lithium lens. *Journal of Affective Disorders* 241: 338-347.
- Malhi GS, Davey C and Bell E (2024) John Cade's lithium: A granular look at his achievement. *Australian & New Zealand Journal of Psychiatry* 58(9): 733-737.
- Malhi GS, Gershon S and Outhred T (2016b) Lithiummeter: Version 2.0. *Bipolar Disorders* 18(8): 631-641.

- Malhi GS, Green M, Fagiolini A, et al. (2008) Schizoaffective disorder: diagnostic issues and future recommendations. *Bipolar Disorders* 10(1p2): 215-230.
- Malhi GS, Irwin L, Hamilton A, et al. (2018b) Modelling mood disorders: An ACE solution? *Bipolar Disorders* 20: 4-16.
- Malhi GS and Mann JJ (2018) Depression. *The Lancet* 392(10161): 2299-2312.
- Malhi GS, Outhred T, Hamilton A, et al. (2018c) Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for mood disorders: major depression summary. *Medical Journal of Australia* 208(4): 175-180.
- Malloch S and Trevarthen C (2009) Musicality: Communicating the vitality and interests of life. In: *Communicative musicality: Exploring the basis of human companionship* 1: 1-10.
- Malouff JM, Thorsteinsson EB and Schutte NS (2007) The efficacy of problem solving therapy in reducing mental and physical health problems: a meta-analysis. *Clinical Psychology Review* 27(1): 46-57.
- Marel C, Siedlecka E, Fisher A, et al. (2022) Guidelines on the management of co-occurring alcohol and other drug and mental health conditions in alcohol and other drug treatment settings (3rd edition). Sydney, Australia: Matilda Centre for Research in Mental Health and Substance Use, The University of Sydney.
- Marel C, Sunderland M, Mills KL, et al. (2019) Conditional probabilities of substance use disorders and associated risk factors: Progression from first use to use disorder on alcohol, cannabis, stimulants, sedatives and opioids. *Drug and Alcohol Dependence* 194: 136-142.
- Marmot M (2015) The health gap: the challenge of an unequal world. *The Lancet* 386(10011): 2442-2444.
- Martin PM and Martin-Granel E (2006) 2,500-year evolution of the term epidemic. *Emerging Infectious Diseases* 12(6): 976.
- Marx W, Penninx BWJH, Solmi M, et al. (2023) Major depressive disorder. *Nature Reviews Disease Primers* 9(1): 44.
- Marzouk T, Winkelbeiner S, Azizi H, et al. (2019) Transcranial Magnetic Stimulation for Positive Symptoms in Schizophrenia: A Systematic Review. *Neuropsychobiology* 79(6): 384-396.
- Matias-Guiu JA, Valles-Salgado M, Rognoni T, et al. (2017) Comparative diagnostic accuracy of the ACE-III, MIS, MMSE, MoCA, and RUDAS for screening of Alzheimer disease. *Dementia and Geriatric Cognitive Disorders* 43(5-6): 237-246.
- Matsunaga H, Kiriike N, Matsui T, et al. (2001) Taijin kyofusho: a form of social anxiety disorder that responds to serotonin reuptake inhibitors? *The International Journal of Neuropsychopharmacology* 4(03): 231-237.
- Maunder R and Hunter J (2021) *Damaged: childhood trauma, adult illness, and the need for a health care revolution*. University of Toronto Press.

- Maunder RG and Hunter JJ (2001) Attachment and psychosomatic medicine: developmental contributions to stress and disease. *Psychosomatic Medicine* 63(4): 556-567.
- Maunder RG and Hunter JJ (2009) Assessing patterns of adult attachment in medical patients. *General Hospital Psychiatry* 31(2): 123-130.
- Maust DT, Kim HM, Seyfried LS, et al. (2015) Antipsychotics, other psychotropics, and the risk of death in patients with dementia: number needed to harm. *JAMA Psychiatry* 72(5): 438-445.
- Mazzucchelli T, Kane R and Rees C (2009) Behavioral activation treatments for depression in adults: a meta-analysis and review. *Clinical Psychology: Science and Practice* 16(4): 383-411.
- McDonagh A, Friedman M, McHugo G, et al. (2005) Randomized trial of cognitive-behavioral therapy for chronic posttraumatic stress disorder in adult female survivors of childhood sexual abuse. *Journal of Consulting and Clinical Psychology* 73(3): 515.
- McGaugh JL (2000) Memory--a century of consolidation. *Science* 287(5451): 248-251.
- McGrath JJ, Al-Hamzawi A, Alonso J, et al. (2023) Age of onset and cumulative risk of mental disorders: a cross-national analysis of population surveys from 29 countries. *The Lancet Psychiatry* 10(9): 668-681.
- McIntyre RS, Berk M, Brietzke E, et al. (2020) Bipolar disorders. *The Lancet* 396(10265): 1841-1856.
- McIntyre RS, Cha DS, Soczynska JK, et al. (2013) Cognitive deficits and functional outcomes in major depressive disorder: Determinants, substrates, and treatment interventions. *Depression and Anxiety* 30(6): 515-527.
- McKeith IG, Dickson DW, Lowe J, et al. (2005) Diagnosis and management of dementia with Lewy bodies: third report of the DLB Consortium. *Neurology* 65(12): 1863-1872.
- McLean L (2012) The pilgrim road goes on: Psychotherapy and spirituality continue to journey together towards healing and human flourishing. *Spirituality: Theory, Praxis and Pedagogy*. Brill, pp.181-190.
- McLean L and Korner A (2014) Dreaming the (Lost) Self in Psychotherapy: Beings in Bodyspacetime in Collision, Confusion and Connection. *Exploring Bodies in Time and Space*. 251.
- McMain S and Ellery M (2008) Screening and assessment of personality disorders in addiction treatment settings. *International Journal of Mental Health and Addiction* 6: 20-31.
- McNally GP and Westbrook RF (2003) Anterograde amnesia for Pavlovian fear conditioning and the role of one trial overshadowing: Effects of preconditioning exposures to morphine in rat. *Journal of Experimental Psychology: Animal Behavior Processes* 29(3): 222.

- McWhirter L, Stone J, Sandercock P, et al. (2011) Hoover's sign for the diagnosis of functional weakness: a prospective unblinded cohort study in patients with suspected stroke. *Journal of Psychosomatic Research* 71(6): 384-386.
- Meador KJM, Baker GAP, Browning NP, et al. (2012) Effects of fetal antiepileptic drug exposure: Outcomes at age 4.5 years. *Neurology* 78(16): 1207-1214.
- Meadow R (1977) Munchausen syndrome by proxy. The hinterland of child abuse. *The Lancet* 310(8033): 343-345.
- Meagher DJ, McLoughlin L, Leonard M, et al. (2013) What do we really know about the treatment of delirium with antipsychotics? Ten key issues for delirium pharmacotherapy. *The American Journal of Geriatric Psychiatry* 21(12): 1223-1238.
- Meares R (2004a) The conversational model: an outline. *American Journal of Psychotherapy* 58(1): 51-66.
- Meares R (2004b) From Neurosis to Trauma. *Meanjin* 63(4): 16-25.
- Meares R (2005) *The metaphor of play: Origin and breakdown of personal being*. Routledge.
- Meares R (2012) *Borderline Personality Disorder and the Conversational Model: A Clinician's Manual (Norton Series on Interpersonal Neurobiology)*. WW Norton & Company.
- Meares R (2016) *The poet's voice in the making of mind*. Routledge.
- Mechanic D (1961) The concept of illness behaviour. *Journal of Chronic Diseases* 15: 189-194.
- Medda P, Toni C, Mariani MG, et al. (2015) Electroconvulsive therapy in 197 patients with a severe, drug-resistant bipolar mixed state: treatment outcome and predictors of response. *The Journal of clinical psychiatry* 76(9): 1168-1173.
- Medhus S, Roggli EB, Gossop M, et al. (2015) Amphetamine-induced psychosis: Transition to schizophrenia and mortality in a small prospective sample. *The American Journal on Addictions* 24(7): 586-589.
- Medical Deans Australia and New Zealand. (2020). Medical Deans: 2020 Student Statistics Snapshot. Medical Deans of Australia and New Zealand Inc. Retrieved 15th October 2024 from <https://medicaldeans.org.au/md/2021/11/MDANZ-Student-Statistics-Report-2020.pdf>
- Mehler PS and Brown C (2015) Anorexia nervosa—medical complications. *Journal of Eating Disorders* 3: 1-8.
- Melchior M, Prokofyeva E, Younès N, et al. (2014) Treatment for illegal drug use disorders: the role of comorbid mood and anxiety disorders. *BMC Psychiatry* 14: 1-9.
- Mellman TA, Bustamante V and Fins AI (2002) Hypnotic medication in the aftermath of trauma. *The Journal of Clinical Psychiatry* 63(12): 8400.

- Menzies K (2019) Understanding the Australian Aboriginal experience of collective, historical and intergenerational trauma. *International Social Work* 62(6): 1522-1534.
- Menzies RG and Clarke JC (1995) The etiology of phobias: A nonassociative account. *Clinical Psychology Review* 15(1): 23-48.
- Menzies School of Health Research (2008) Stay Strong Plan.
- Mersky JP, Topitzes J and Reynolds A (2013) Impacts of adverse childhood experiences on health, mental health, and substance use in early adulthood: A cohort study of an urban, minority sample in the US. *Child Abuse & Neglect* 37(11): 917-925.
- Messer T, Lammers G, Müller-Siecheneder F, et al. (2017) Substance abuse in patients with bipolar disorder: A systematic review and meta-analysis. *Psychiatry Research* 253: 338-350.
- Meuret AE, Tunnell N, & Roque A (2020). Anxiety disorders and medical comorbidity: Treatment implications. In *Anxiety Disorders: Rethinking and Understanding Recent Discoveries*. pp. 237–261.
- Miettinen OS (2007) Theoretical developments. *The development of modern epidemiology: Personal reports from those who were there*. 231-340.
- Miller WR and Rollnick S (2002) *Motivational Interviewing: Preparing People to Change Addictive Behaviour*. New York, US: Guildford Press.
- Mitchell AJ, Lord O and Malone D (2012) Differences in the prescribing of medication for physical disorders in individuals with v. without mental illness: meta-analysis. *British Journal of Psychiatry* 201(6): 435-443.
- Mitchell AJ, Vancampfort D, Sweers K, et al. (2013) Prevalence of metabolic syndrome and metabolic abnormalities in schizophrenia and related disorders—a systematic review and meta-analysis. *Schizophrenia Bulletin* 39(2): 306-318.
- Mitchell PB, Slade T and Andrews G (2004) Twelve-month prevalence and disability of DSM-IV bipolar disorder in an Australian general population survey. *Psychological Medicine* 34(5): 777-785.
- Moafmashhadi P and Koski L (2013) Limitations for interpreting failure on individual subtests of the Montreal Cognitive Assessment. *Journal of Geriatric Psychiatry and Neurology* 26(1): 19-28.
- Modini M, Tan L, Brinchmann B, et al. (2016) Supported employment for people with severe mental illness: Systematic review and meta-analysis of the international evidence. *British Journal of Psychiatry* 209(1): 14-22.
- Moher D, Shamseer L, Clarke M, et al. (2015) Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. *Systematic Reviews* 4: 1-9.
- Moncrieff J and Cohen D (2009) How do psychiatric drugs work? *Bmj* 338: b1963.

- Moncrieff J, Cooper RE, Stockmann T, et al. (2022) The serotonin theory of depression: a systematic umbrella review of the evidence. *Molecular Psychiatry*. 28(8), 3243-3256.
- Monds L, Ridley N, Rivas C, et al. (2017) Cognition and adaptive functioning in older people attending drug and alcohol services. *International Psychogeriatrics* 29(5): 815-823.
- Montes JM, Alegria A, Garcia-Lopez A, et al. (2013) Understanding bipolar disorder in late life: clinical and treatment correlates of a sample of elderly outpatients. *The Journal of Nervous and Mental Disease* 201(8): 674-679.
- Montroux L and Rees C (2017) *Healthcare Professionalism*. West Sussex: John Wiley and Sons.
- Morgan C, Dazzan P, Lappin J, et al. (2021) Rethinking the course of psychotic disorders: modelling long-term symptom trajectories. *Psychological Medicine*. 52(13), 2641-2650.
- Morgan VA, Waterreus A, Jablensky A, et al. (2012a) People living with psychotic illness in 2010: The second Australian national survey of psychosis. *Australian & New Zealand Journal of Psychiatry* 46(8), 735-752.
- Morgan VA, Waterreus A, Jablensky A, et al. (2011) People living with psychotic illness 2010. In: Department of Health and Ageing (ed). Canberra ACT 2601: Commonwealth of Australia,.
- Morgan VA, Waterreus A, Jablensky A, et al. (2012b) People living with psychotic illness in 2010: The second Australian national survey of psychosis. *Australian & New Zealand Journal of Psychiatry* 46(8): 735-752.
- Morris J, Belfer M, Daniels A, et al. (2011) Treated prevalence of and mental health services received by children and adolescents in 42 low-and-middle-income countries. *Journal of Child Psychology & Psychiatry & Allied Disciplines* 52(12): 1239-1246.
- Morselli E and Jerome L (2001) Dymorphophobia and taphephobia: two hitherto undescribed forms of insanity with fixed ideas. *History of Psychiatry* xii: 103-114.
- Moulds ML and Kandris E (2007) The nature and role of avoidance in depression. In: Einstein DA (ed) *Innovations and Advances in Cognitive Behaviour Therapy*. Bowen Hills, QLD.: Australian Academic Press, pp.215-223.
- Moulds ML, Kandris E, Starr S, et al. (2007) The relationship between rumination, avoidance and depression in a non-clinical sample. *Behaviour Research and Therapy* 45(2): 251-261.
- Munk-Olsen T, Laursen TM, Meltzer-Brody S, et al. (2012) Psychiatric disorders with postpartum onset: possible early manifestations of bipolar affective disorders. *Arch Gen Psychiatry* 69(4): 428-434.

- Murphy E, Kapur N, Webb R, et al. (2012) Risk factors for repetition and suicide following self-harm in older adults: multicentre cohort study. *The British Journal of Psychiatry* 200(5): 399-404.
- Murray C and Lopez AD (1996) Summary: The global burden of disease: A comprehensive assessment of mortality and disability from diseases, injuries, and risk factors in 1990 and projected to 2020. *Geneva and Boston: World Health Organization and Harvard School of Public Health*.
- Murray G (2018) Adjunctive psychosocial interventions for bipolar disorder: Some psychotherapeutic context for the Canadian Network for Mood and Anxiety Treatments (CANMAT) & International Society for Bipolar Disorders (ISBD) guidelines. *Bipolar Disorders* 20(5): 494-495.
- Murray J, Ehlers A and Mayou RA (2002) Dissociation and post-traumatic stress disorder: Two prospective studies of road traffic accident survivors. *The British Journal of Psychiatry* 180(4): 363-368.
- Myers MF and Gabbard GO (2008) *The physician as patient: a clinical handbook for mental health professionals*. American Psychiatric Pub. Washington, DC, USA.
- Nagendra J and Snowdon J (2020) An Australian study of delusional disorder in late life. *International Psychogeriatrics* 32(4): 453-462.
- Naim R, Abend R, Wald I, et al. (2015) Threat-related attention bias variability and posttraumatic stress. *American Journal of Psychiatry* 172(12): 1242-1250.
- Nasir BF, Toombs MR, Kondalsamy-Chennakesavan S, et al. (2018) Common mental disorders among Indigenous people living in regional, remote and metropolitan Australia: a cross-sectional study. *BMJ Open* 8(6): e020196.
- Nasreddine ZS, Phillips NA, Bédirian V, et al. (2005) The Montreal Cognitive Assessment, MoCA: a brief screening tool for mild cognitive impairment. *Journal of the American Geriatrics Society* 53(4): 695-699.
- National Institute for Health and Clinical Excellence (2013) National Institute for Health and Care Excellence: Clinical Guidelines. *Antisocial Behaviour and Conduct Disorders in Children and Young People: Recognition, Intervention and Management*. The British Psychological Society & The Royal College of Psychiatrists, 2013: National Institute for Health and Clinical Excellence.
- National Mental Health Survey of Doctors and Students (2019) National mental health survey of doctors and students, October 2013, Updated 2019. Beyond Blue Australia.
- Nestadt G, Di C, Samuels JF, et al. (2010) The stability of DSM personality disorders over twelve to eighteen years. *Journal of Psychiatric Research* 44(1): 1-7.
- Neufeld KJ, Yue J, Robinson TN, et al. (2016) Antipsychotic medication for prevention and treatment of delirium in hospitalized adults: a systematic

- review and meta-analysis. *Journal of the American Geriatrics Society* 64(4): 705-714.
- Neuner F, Schauer M, Klaschik C, et al. (2004) A comparison of narrative exposure therapy, supportive counseling, and psychoeducation for treating posttraumatic stress disorder in an african refugee settlement. *Journal of Consulting and Clinical Psychology* 72(4): 579.
- New South Wales Ministry of Health (2020) *NSW Aboriginal Mental Health and Wellbeing Strategy 2020-2025*. Available at: **<https://www.health.nsw.gov.au/mentalhealth/resources/Publications/aborig-mh-wellbeing-2020-2025.pdf>**.
- Nezu AM (1986) Efficacy of a social problem-solving therapy approach for unipolar depression. *Journal of Consulting and Clinical Psychology* 54(2): 196-202.
- NICE (2022) *Depression in adults: treatment and management*. London, UK: National Institute for Health Care Excellence, .
- Nobler MS, Oquendo MA, Kegeles LS, et al. (2001) Decreased regional brain metabolism after ECT. *American Journal of Psychiatry* 158(2): 305-308.
- Nordsletten AE, Reichenberg A, Hatch SL, et al. (2013) Epidemiology of hoarding disorder. *The British Journal of Psychiatry*. bjp. bp. 113.130195.
- Nordstrom K, Vilke GM and Wilson MP (2016) Psychiatric emergencies for clinicians: emergency department management of serotonin syndrome. *Journal of Emergency Medicine* 50(1): 89-91.
- NSW Department of Health (2008) *Drug and Alcohol Psychosocial Interventions Professional Practice Guidelines*. North Sydney, Australia.
- NSW Health (2022) *Assessment and Management of Behaviours and Psychological Symptoms associated with Dementia (BPSD): Summary Handbook*.
- NSW Ministry of Health (2014) *Wellbeing later life your guide to programs and activities*.
- NSW Ministry of Health (2015) *Effective Models of Care for Comorbid Mental Illness and Illicit Substance Use: Evidence Check Review*. North Sydney, Australia.
- NSW Ministry of Health (2018) *NSW Clinical Guidelines: Treatment of Opioid Dependence – 2018*. NSW Government.
- NSW Ministry of Health (2019) *Clinical guidelines for use of depot buprenorphine (Buvidal and Sublocade) in the treatment of opioid dependence*. NSW Government.
- NSW Ministry of Health (2022) *Management of Withdrawal from Alcohol and Other Drugs Handbook*. NSW Government.
- NSW Ministry of Health (2023) *Alcohol and Other Drugs Psychosocial Interventions: Practice Guide*. NSW Government

- O'Connor DW, Ames D, Gardner B, et al. (2009) Psychosocial treatments of psychological symptoms in dementia: a systematic review of reports meeting quality standards. *International Psychogeriatrics* 21(2): 241-251.
- O'Hara MW and McCabe JE (2013) Postpartum depression: current status and future directions. *Annual Review of Clinical Psychology* 9: 379-407.
- O'Toole BI (2000) Screening for low prevalence disorders. *Australian & New Zealand Journal of Psychiatry* 34(1_suppl): A39-A46.
- O'Toole BI, Catts SV, Outram S, et al. (2009) The physical and mental health of Australian Vietnam veterans 3 decades after the war and its relation to military service, combat, and post-traumatic stress disorder. *American journal of epidemiology* 170(3): 318-330.
- O'Toole BI, Marshall RP, Grayson DA, et al. (1996) The Australian Vietnam veterans health study: I. Study design and response bias. *International Journal of Epidemiology* 25(2): 307-318.
- O'Brien BC, Harris IB, Beckman TJ, et al. (2014) Standards for reporting qualitative research: a synthesis of recommendations. *Academic Medicine* 89(9): 1245-1251.
- O'Bryant SE, Humphreys JD, Smith GE, et al. (2008) Detecting dementia with the mini-mental state examination in highly educated individuals. *Archives of Neurology* 65(7): 963-967.
- O'Neill N and Peisah C (2021) Capacity and the Law. 4 ed.: Australasian Legal Information Institute (AustLII) Communities.
- Okajima I, Komada Y and Inoue Y (2011) A meta-analysis on the treatment effectiveness of cognitive behavioral therapy for primary insomnia. *Sleep and Biological Rhythms* 9(1): 24-34.
- Olthuis JV, Watt MC, Bailey K, et al. (2016) Therapist-supported Internet cognitive behavioural therapy for anxiety disorders in adults. *Cochrane Database of Systematic Reviews*.(3).
- Orr SP, Pitman RK, Lasko NB, et al. (1993) Psychophysiological assessment of posttraumatic stress disorder imagery in World War II and Korean combat veterans. *Journal of Abnormal Psychology* 102(1): 152.
- Ostafin BD, Robinson MD and Meier BP (2015) *Handbook of mindfulness and self-regulation*. Springer.
- Ottosson J-O (1996) Experimental studies of the mode of action of electroconvulsive therapy. *The Journal of ECT* 12(3): 172-194.
- Owen-Smith A, Stewart C, Green C, et al. (2016) Adherence to common cardiovascular medications in patients with schizophrenia vs. patients without psychiatric illness. *General Hospital Psychiatry* 38: 9-14.
- Oyeboode F (2023) *Sims' symptoms in the mind : textbook of descriptive psychopathology*. Philadelphia: Elsevier.

- Ozer EJ, Best SR, Lipsey TL, et al. (2003) Predictors of posttraumatic stress disorder and symptoms in adults: a meta-analysis. *Psychological Bulletin* 129(1): 52.
- Palmer BA, Pankratz VS and Bostwick JM (2005) The Lifetime Risk of Suicide in Schizophrenia: A Reexamination. *Archives of General Psychiatry* 62(3): 247-253.
- Paolucci S, Gandolfo C, Provinciali L, et al. (2006) The Italian multicenter observational study on post-stroke depression (DESTRO). *Journal of Neurology* 253: 556-562.
- Parker G, Eyers K and Boyce P (2014) *Overcoming Baby Blues: A comprehensive guide to perinatal depression*. Sydney: Allen & Unwin.
- Parnas J and Bovet P (2014) *Psychiatry made easy: operation(al)ism and some of its consequences*. Oxford University Press.
- Parnas J, Sass LA and Zahavi D (2013) Rediscovering psychopathology: the epistemology and phenomenology of the psychiatric object. *Schizophrenia Bulletin* 39(2): 270-277.
- Parnas J and Zahavi D (2002) *The Role of Phenomenology in Psychiatric Diagnosis and Classification*. Chichester, UK: John Wiley & Sons, Ltd, pp.137-162.
- Parsons T (1951) *The Social System*. London: Routledge & K. Paul.
- Parsons T (1975) The sick role and the role of the physician reconsidered. *The Milbank Memorial Fund Quarterly. Health and Society* 53(5): 257-278.
- Paton MB, Large MM and Ryan CJ (2014) Debate: Clinical risk categorisation is valuable in the prevention of suicide and severe violence – No. *Australasian Psychiatry* 22(1): 10-12.
- Peacock J and Peacock P (2011) *Oxford handbook of medical statistics*. Oxford university press.
- Peisah C (2006) Practical application of family and systems theory in old age psychiatry: three case reports. *International Psychogeriatrics* 18(2): 345-353.
- Peisah C (2017) Student Support. Sydney: Sydney University Medical Society Mental Health Seminar.
- Peisah C (2020) Medical Welfare & Culture: Time for Change. Sydney: Nepean Hospital Grand Rounds.
- Peisah C, Forlenza O and Chiu E (2009) Ethics, capacity, and decision-making in the practice of old age psychiatry: an emerging dialogue. *Current Opinion Psychiatry* 22(6): 519-521.
- Peisah C, & Haysom G (2021). Professional Capacity. In: N. O'Neill & C. Peisah (Eds.), *Capacity and the Law (14 ed.)*. Australasian Legal Information Institute.
- Peisah C and Skladzien E (2014) *The use of restraints and psychotropic medications in people with dementia*. Alzheimer's Australia.

- Penders KA, Peeters IG, Metsemakers JF, et al. (2020) Personality disorders in older adults: A review of epidemiology, assessment, and treatment. *Current Psychiatry Reports* 22: 1-14.
- Peros OM, Webb L, Fox S, et al. (2021) Conducting exposure-based groups via telehealth for adolescents and young adults with social anxiety disorder. *Cognitive and Behavioral Practice* 28(4): 679-689.
- Perugi G, Medda P, Toni C, et al. (2017) The Role of Electroconvulsive Therapy (ECT) in Bipolar Disorder: Effectiveness in 522 Patients with Bipolar Depression, Mixed-state, Mania and Catatonic Features. *Current Neuropsychopharmacology* 15(3): 359-371.
- Phillips KA, Didie ER, Menard W, et al. (2006) Clinical features of body dysmorphic disorder in adolescents and adults. *Psychiatry Research* 141(3): 305-314.
- Phillips KA, Menard W, Quinn E, et al. (2013) A 4-year prospective observational follow-up study of course and predictors of course in body dysmorphic disorder. *Psychological Medicine* 43(5): 1109-1117.
- Piaget J (2013) *Play, dreams and imitation in childhood*. Routledge.
- Pietrzak RH, Goldstein RB, Southwick SM, et al. (2011) Prevalence and Axis I comorbidity of full and partial posttraumatic stress disorder in the United States: Results from Wave 2 of the National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Anxiety Disorders* 25(3): 456-465.
- Pilowsky I (1969) Abnormal illness behaviour. *British Journal of Medical Psychology* 42: 347-351.
- Pitman RK, Sanders KM, Zusman RM, et al. (2002) Pilot study of secondary prevention of posttraumatic stress disorder with propranolol. *Biological Psychiatry* 51(2): 189-192.
- Platz C and Kendell RE (1988) A matched-control follow-up and family study of 'puerperal psychoses'. *British Journal of Psychiatry* 153: 90-94.
- Pollak TA, Lennox BR, Müller S, et al. (2020) Autoimmune psychosis: an international consensus on an approach to the diagnosis and management of psychosis of suspected autoimmune origin. *The Lancet Psychiatry* 7(1): 93-108.
- Porges SW (2011) *The polyvagal theory: Neurophysiological foundations of emotions, attachment, communication, and self-regulation (Norton series on interpersonal neurobiology)*. WW Norton & Company.
- Porta M (2014) *A dictionary of epidemiology*. Oxford university press.
- Porter R (1997) *The Greatest Benefit to Mankind*. London: Harper Collins.
- Post RM, Altshuler LL, Kupka R, et al. (2016) Age of onset of bipolar disorder: Combined effect of childhood adversity and familial loading of psychiatric disorders. *Journal of Psychiatric Research* 81: 63-70.

- Pourhamzeh M, Moravej FG, Arabi M, et al. (2022) The Roles of Serotonin in Neuropsychiatric Disorders. *Cellular and Molecular Neurobiology* 42(6): 1671-1692.
- Preskorn SH (2012) Clinically important differences in the pharmacokinetics of ten newer “atypical” antipsychotics: Part 1. *Journal of Psychiatric Practice* 18: 199-204.
- Prince M, Stewart R, Ford T, et al. (2003) *Practical Psychiatric Epidemiology*. Oxford University Press Oxford.
- Provencher MD and Ladouceur R (2004) Efficacy of problem-solving training and cognitive exposure in the treatment of generalized anxiety disorder: A case replication series. *Cognitive and Behavioral Practice* 11(4): 404-414.
- Rapee RM and Heimberg RG (1997) A cognitive-behavioral model of anxiety in social phobia. *Behaviour Research and Therapy* 35(8): 741-756.
- Rauch SL and Drevets WC (2009) neuroimaging and neuroanatomy of stress-induced and fear circuitry disorders. In: Andrews G, Charney DS, Sirovatka PJ, et al. (eds) *Stress-induced and fear circuitry disorders: Refining the research agenda for DSM-V*. Arlington, VA: American Psychiatric Association, pp.215-254.
- Rees E, O’Donovan MC and Owen MJ (2015) Genetics of schizophrenia. *Current Opinion in Behavioral Sciences* 2: 8-14.
- Reichborn-Kjennerud T (2010) Genetics of personality disorders. *Clinics in Laboratory Medicine* 30(4): 893-910.
- Reinhardt MM and Cohen CI (2015) Late-life psychosis: diagnosis and treatment. *Current Psychiatry Reports* 17: 1-13.
- Resources for Research Ethics Education (1999-2016) *What is Research Ethics?* Available at: <http://research-ethics.org/introduction/what/>.
- Ressler KJ, Berretta S, Bolshakov VY, et al. (2022) Post-traumatic stress disorder: clinical and translational neuroscience from cells to circuits. *Nature Reviews Neurology* 18(5): 273-288.
- Rhee TG, Olfson M, Nierenberg AA, et al. (2020) 20-Year Trends in the Pharmacologic Treatment of Bipolar Disorder by Psychiatrists in Outpatient Care Settings. *American Journal of Psychiatry* 177(8): 706-715.
- Richards DA, Ekers D, McMillan D, et al. (2016) Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. *The Lancet* 388(10047): 871-880.
- Richman JA and Flaherty JA (1990) Gender differences in medical student distress: contributions of prior socialization and current role-related stress. *Social Science & Medicine* 30(7): 777-787.
- Riffenburgh RH (2012) *Statistics in Medicine*. Academic press.

- Roberts D Clin Psy NP, Kitchiner NJ, Kenardy J, et al. (2009) Systematic review and meta-analysis of multiple-session early interventions following traumatic events. *American Journal of Psychiatry* 166(3): 293-301.
- Robertson J and Bowlby J (1952) Responses of young children to separation from their mothers. *Courrier du Centre International de l'Enfance* 2: 131-142.
- Robins LN (1981) National Institute of Mental Health Diagnostic Interview Schedule. *Archives of General Psychiatry* 38: 381-389.
- Robinson KH, Bansel P, Denson N, et al. (2014) *Growing up queer: Issues facing young Australians who are gender variant and sexuality diverse*.
- Rocca E and Anjum RL (2020) Complexity, Reductionism and the Biomedical Model. In: Anjum RL, Copeland S and Rocca E (eds) *Rethinking Causality, Complexity and Evidence for the Unique Patient: A CauseHealth Resource for Healthcare Professionals and the Clinical Encounter*. Cham: Springer International Publishing, pp.75-94.
- Rogers CR (1995) *On becoming a person: A therapist's view of psychotherapy*. Houghton Mifflin Harcourt.
- Rosenhan DL (1973) On Being Sane in Insane Places. *Science (American Association for the Advancement of Science)* 179(4070): 250-258.
- Rosfort R (2019) *Phenomenology and Hermeneutics*. Oxford University Press.
- Rossell SL, Harrison BJ and Castle D (2015) Can understanding the neurobiology of body dysmorphic disorder (BDD) inform treatment? *Australasian Psychiatry* 23(4): 361-364.
- Roth JD, White WL and Kelly JF (2014) *Broadening the base of addiction mutual support groups*. Routledge.
- Rothbaum BO, Kearns MC, Reiser E, et al. (2014) Early intervention following trauma may mitigate genetic risk for PTSD in civilians: a pilot prospective emergency department study. *The Journal of Clinical Psychiatry* 75(12): 5292.
- Rowland JT, Basic D, Storey JE, et al. (2006) The Rowland Universal Dementia Assessment Scale (RUDAS) and the Folstein MMSE in a multicultural cohort of elderly persons. *International Psychogeriatrics* 18(1): 111-120.
- Royal Australian and New Zealand College of Psychiatrists (2017) *Involuntary commitment and treatment - mental health legislation*. Available at: <https://www.ranzcp.org/clinical-guidelines-publications/in-focus-topics/mental-health-legislation/involuntary-commitment-and-treatment> (accessed 20th September 2024).
- Royal Australian New Zealand College of Psychiatrists (2014) Ethical Guideline 11: Principles and Guidelines for Aboriginal and Torres Strait Islander Mental Health.
- Rush AJ, Trivedi MH, Wisniewski SR, et al. (2006) Acute and Longer-Term Outcomes in Depressed Outpatients Requiring One or Several Treatment

- Steps: A STAR*D Report. *American Journal of Psychiatry* 163(11): 1905-1917.
- Ryan C, Callaghan S and Peisah C (2015a) The capacity to refuse psychiatric treatment: A guide to the law for clinicians and tribunal members. *Australian & New Zealand Journal of Psychiatry* 49(4): 324-333.
- Ryan C, Nielssen O, Paton M, et al. (2010) Clinical decisions in psychiatry should not be based on risk assessment. *Australasian Psychiatry* 18(5): 398-403.
- Ryan CJ and Callaghan S (2016) The impact on clinical practice of the 2015 reforms to the NSW Mental Health Act. *Australasian Psychiatry*. (in press).
- Ryan CJ, Callaghan S and Peisah C (2015b) The capacity to refuse psychiatric treatment – a guide to the law for clinicians and tribunal members. *Australian & New Zealand Journal of Psychiatry* 49(4): 324-333.
- Ryan CJ, Large M, Gribble R, et al. (2015c) Assessing and managing suicidal patients in the emergency department. *Australasian Psychiatry* 23(5): 513-515.
- Rytwinski NK, Scur MD, Feeny NC, et al. (2013) The co-occurrence of major depressive disorder among individuals with posttraumatic stress disorder: A meta-analysis. *Journal of Traumatic Stress* 26(3): 299-309.
- Sackeim HA, Prudic J, Devanand D, et al. (2000) A prospective, randomized, double-blind comparison of bilateral and right unilateral electroconvulsive therapy at different stimulus intensities. *Archives of General Psychiatry* 57(5): 425-434.
- Saha S, Chant D, Welham J, et al. (2005) A systematic review of the prevalence of schizophrenia. *PLoS Medicine* 2(5): e141.
- Said D, Kypri K and Bowman J (2013) Risk factors for mental disorder among university students in Australia: findings from a web-based cross-sectional survey. *Social Psychiatry and Psychiatric Epidemiology* 48: 935-944.
- Sajatovic M, Calabrese JR and Mullen J (2008) Quetiapine for the treatment of bipolar mania in older adults. *Bipolar Disorders* 10(6): 662-671.
- Sajatovic M, Gyulai L, Calabrese JR, et al. (2005) Maintenance treatment outcomes in older patients with bipolar I disorder. *The American Journal of Geriatric Psychiatry* 13(4): 305-311.
- Salkovskis PM (1999) Understanding and treating obsessive-compulsive disorder. *Behaviour Research & Therapy* 37 Suppl 1: S29-52.
- Sansone RA and Sansone LA (2012) Antidepressant adherence: are patients taking their medications? *Innovations in clinical neuroscience* 9(5-6): 41.
- Sartor CE, McCutcheon V, Pommer N, et al. (2011) Common genetic and environmental contributions to post-traumatic stress disorder and alcohol dependence in young women. *Psychological Medicine* 41(7): 1497-1505.
- Savla GN, Vella L, Armstrong CC, et al. (2013) Deficits in domains of social cognition in schizophrenia: a meta-analysis of the empirical evidence. *Schizophrenia Bulletin* 39(5): 979-992.

- Sawyer M, Arney FM, Baghurst PA, et al. (2000) *Child and Adolescent Component of the National Survey of Mental Health and Wellbeing*. Available at: <http://www.health.gov.au/internet/main/publishing.nsf/content/mental-pubs-m-young> (accessed 28.3.2016).
- Schioldann J (2009) Introduction pages. *History of the Introduction of Lithium into Medicine and Psychiatry: Birth of Modern Psychopharmacology 1949*. Adelaide: Adelaide Academic Press and Brascoe Publishing, pp.xix-xxv.
- Schioldann J (2013) From guinea pigs to manic patients: Cade's 'story of lithium'. *Australian & New Zealand Journal of Psychiatry* 47(5): 484-486.
- Schmidt NB, Lerew DR and Jackson RJ (1997) The role of anxiety sensitivity in the pathogenesis of panic: prospective evaluation of spontaneous panic attacks during acute stress. *Journal of Abnormal Psychology* 106(3): 355.
- Schnurr PP, Friedman MJ, Foy DW, et al. (2003) Randomized trial of trauma-focused group therapy for posttraumatic stress disorder: Results from a Department of Veterans Affairs cooperative study. *Archives of General Psychiatry* 60(5): 481-489.
- Schönfeldt-Lecuona C, Kuhlwilm L, Cronmeyer M, et al. (2020) Treatment of the neuroleptic malignant syndrome in international therapy guidelines: a comparative analysis. *Pharmacopsychiatry* 53(02): 51-59.
- Schuckit MA (2014) Recognition and management of withdrawal delirium (delirium tremens). *New England Journal of Medicine* 371(22): 2109-2113.
- Schulte MT and Hser Y-I (2013) Substance use and associated health conditions throughout the lifespan. *Public health reviews* 35: 1-27.
- Schulz KF, Altman DG and Moher D (2010) CONSORT 2010 statement: updated guidelines for reporting parallel group randomised trials. *Journal of Pharmacology and Pharmacotherapeutics* 1(2): 100-107.
- Schünemann H (2013) Bro ek J, Guyatt G, Oxman A, editors. GRADE Working Group. GRADE handbook for grading quality of evidence and strength of recommendations.
- Schünemann H, Vist G, Higgins J, et al. (2022) Chapter 15: Interpreting results and drawing conclusions. In: Higgins J, Thomas J, Chandler J, et al. (eds) *Cochrane Handbook for Systematic Reviews of Interventions*. Cochrane.
- Scogin F, Rohen N and Bailey E (2000) Geriatric Depression Scale. In: Maruish ME (ed) *Handbook of psychological assessment in primary care settings*. Lawrence Erlbaum Associates Publishers.
- Scotton WJ, Hill LJ, Williams AC, et al. (2019) Serotonin syndrome: pathophysiology, clinical features, management, and potential future directions. *International Journal of Tryptophan Research* 12: 1178646919873925.
- Seeman MV (2021) History of the dopamine hypothesis of antipsychotic action. *World Journal of Psychiatry* 11(7): 355-364.

- Selvaraj S and John V (2020) Taking care of medical students: the pillars of future healthcare. *SciELO Brasil*, 4-5.
- Semahegn A, Torpey K, Manu A, et al. (2020) Psychotropic medication non-adherence and its associated factors among patients with major psychiatric disorders: a systematic review and meta-analysis. *Systematic Reviews* 9(1): 17.
- Semkovska M and McLoughlin DM (2010) Objective cognitive performance associated with electroconvulsive therapy for depression: a systematic review and meta-analysis. *Biological Psychiatry* 68(6): 568-577.
- Serfaty MA, Haworth D, Blanchard M, et al. (2009) Clinical effectiveness of individual cognitive behavioral therapy for depressed older people in primary care: a randomized controlled trial. *Archives of General Psychiatry* 66(12): 1332-1340.
- Setkowski K, Palantza C, van Ballegooijen W, et al. (2023) Which psychotherapy is most effective and acceptable in the treatment of adults with a (sub)clinical borderline personality disorder? A systematic review and network meta-analysis. *Psychological Medicine* 53(8): 3261-3280.
- Sevy S, Nathanson K, Visweswarajah H, et al. (2004) The relationship between insight and symptoms in schizophrenia. *Comprehensive Psychiatry* 45(1): 16-19.
- Shalev A, Liberzon I and Marmar C (2017) Post-traumatic stress disorder. *New England Journal of Medicine* 376(25): 2459-2469.
- Shalev AY, Ankri Y, Israeli-Shalev Y, et al. (2012) Prevention of posttraumatic stress disorder by early treatment: results from the Jerusalem Trauma Outreach And Prevention study. *Archives of General Psychiatry* 69(2): 166-176.
- Shalev AY and Freedman S (2005) PTSD following terrorist attacks: a prospective evaluation. *American Journal of Psychiatry* 162(6): 1188-1191.
- Shalev AY, Freedman S, Peri T, et al. (1998) Prospective study of posttraumatic stress disorder and depression following trauma. *American Journal of Psychiatry* 155(5): 630-637.
- Sharp TJ and Harvey AG (2001) Chronic pain and posttraumatic stress disorder: mutual maintenance? *Clinical Psychology Review* 21(6): 857-877.
- Shedler J (2010) The efficacy of psychodynamic psychotherapy. *American Psychologist* 65(2): 98.
- Sheerin CM, Lind MJ, Bountress KE, et al. (2017) The genetics and epigenetics of PTSD: overview, recent advances, and future directions. *Current Opinion in Psychology* 14: 5-11.
- Sheridan Rains L, Zenina T, Dias MC, et al. (2019) Variations in patterns of involuntary hospitalisation and in legal frameworks: an international comparative study. *The Lancet Psychiatry* 6(5): 403-417.

- Shine JM, Müller EJ, Munn B, et al. (2021) Computational models link cellular mechanisms of neuromodulation to large-scale neural dynamics. *Nature Neuroscience* 24(6): 765-776.
- Shneidman E (1999) Perturbation and lethality: A psychological approach to assessment and intervention.
- Shorter E (2009) The history of lithium therapy. *Bipolar Disorders* 11(s2): 4-9.
- Shulman KI, Rochon P, Sykora K, et al. (2003) Changing prescription patterns for lithium and valproic acid in old age: shifting practice without evidence. *BMJ* 326(7396): 960-961.
- Siebern AT and Manber R (2010) Insomnia and its effective non-pharmacologic treatment. *Medical Clinics of North America* 94: 581-591.
- Silove D, Alonso J, Bromet E, et al. (2015) Pediatric-onset and adult-onset separation anxiety disorder across countries in the World Mental Health Survey. *American Journal of Psychiatry* 172(7): 647-656.
- Singh B, Hughes AJ, Mehta G, et al. (2016) Efficacy of prazosin in posttraumatic stress disorder: a systematic review and meta-analysis. *The Primary Care Companion for CNS Disorders* 18(4): 26306.
- Singh B, Olds T, Curtis R, et al. (2023) Effectiveness of physical activity interventions for improving depression, anxiety and distress: an overview of systematic reviews. *British Journal of Sports Medicine*. 57(18), 1203-1209.
- Siskind D, Orr S, Sinha S, et al. (2022) Rates of treatment-resistant schizophrenia from first-episode cohorts: systematic review and meta-analysis. *The British Journal of Psychiatry* 220(3): 115-120.
- Skinner BF and Vargas J (1957) Verbal Behavior. Acton, MA. Copley Publishing Group. *Journal of Behavioral Education* 12: 185-206.
- Slade A, Holland ML, Ordway MR, et al. (2020) Minding the Baby®: Enhancing parental reflective functioning and infant attachment in an attachment-based, interdisciplinary home visiting program. *Development and Psychopathology* 32(1): 123-137.
- Slater E (1965) Diagnosis of "Hysteria". *British Medical Journal*.(1): 1395-1399.
- Smith GC and Pell JP (2003) Parachute use to prevent death and major trauma related to gravitational challenge: systematic review of randomised controlled trials. *BMJ* 327(7429): 1459-1461.
- Smith GW, Ruiz-Sancho A and Gunderson JG (2001) An intensive outpatient program for patients with borderline personality disorder. *Psychiatric Services* 52(4): 532-533.
- Smoller JW (2016) The genetics of stress-related disorders: PTSD, depression, and anxiety disorders. *Neuropsychopharmacology* 41(1): 297-319.
- Snowdon J, Draper B, Brodaty H, et al. (2010) Prevalence and treatment of late life depression. *Australian & New Zealand Journal of Psychiatry* 44(11): 1054-1054.

- Snowdon J, Galanos D and Vaswani D (2011a) A 2009 survey of psychotropic medication use in Sydney nursing homes. *The Medical Journal of Australia* 194(5): 270-271.
- Snowdon J, Phillips J, Zhong B, et al. (2017) Changes in age patterns of suicide in Australia, the United States, Japan and Hong Kong. *Journal of Affective Disorders* 211: 12-19.
- Snowdon J, Rosengren D, Daniel F, et al. (2011b) Australia's use of the Cornell scale to screen for depression in nursing homes. *Australasian Journal on Ageing* 30(1): 33-36.
- Soares-Weiser K, Maayan N, Bergman H, et al. (2015) First rank symptoms for schizophrenia. *Cochrane Database Systematic Reviews* 1(1): Cd010653.
- Solmi M, Fiedorowicz J, Poddighe L, et al. (2021) Disparities in Screening and Treatment of Cardiovascular Diseases in Patients With Mental Disorders Across the World: Systematic Review and Meta-Analysis of 47 Observational Studies. *American Journal of Psychiatry* 178(9): 793-803.
- Solmi M, Radua J, Olivola M, et al. (2022) Age at onset of mental disorders worldwide: large-scale meta-analysis of 192 epidemiological studies. *Molecular Psychiatry* 27(1): 281-295.
- Solmi M, Seitidis G, Mavridis D, et al. (2023) Incidence, prevalence, and global burden of schizophrenia-data, with critical appraisal, from the Global Burden of Disease (GBD) 2019. *Molecular Psychiatry* 28(12): 5319-5327.
- Somers JM, Goldner EM, Waraich P, et al. (2006) Prevalence and incidence studies of anxiety disorders: a systematic review of the literature. *The Canadian Journal of Psychiatry* 51(2): 100-113.
- Southwick SM, Bremner JD, Rasmusson A, et al. (1999) Role of norepinephrine in the pathophysiology and treatment of posttraumatic stress disorder. *Biological Psychiatry* 46(9): 1192-1204.
- Southwick SM, Krystal JH, Bremner JD, et al. (1997) Noradrenergic and serotonergic function in posttraumatic stress disorder. *Archives of General Psychiatry* 54(8): 749-758.
- Spadaro A, Scott KR, Koyfman A, et al. (2022) High risk and low prevalence diseases: Serotonin syndrome. *The American Journal of Emergency Medicine* 61: 90-97.
- Speranza AM, Nicolais G, Maggiora Vergano C, et al. (2017) Emerging criteria for the low-coherence cannot classify category. *Attachment & Human Development* 19(6): 613-634.
- Spiegelberg H (1975) Phenomenology through Vicarious Experience. *Doing Phenomenology: Essays on and in Phenomenology*. Dordrecht: Springer Netherlands, pp.35-53.
- Spitzer RL, First MB and Wakefield JC (2007) Saving PTSD from itself in DSM-V. *Journal of anxiety disorders* 21(2): 233-241.

- Squire LR (1977) ECT and memory loss. *The American Journal of Psychiatry* 134(9): 997-1001.
- Staab R, Campagna J, Ma J, et al. (2022) Rapid refeeding in anorexia nervosa: A dialectic balance. *International Journal of Eating Disorders* 55(5): 653-663.
- Stabenau JR, Creveling CR and Daly J (1970) The "pink spot," 3, 4-dimethoxyphenylethylamine, common tea, and schizophrenia. *American Journal of Psychiatry* 127(5): 611-616.
- Stanghellini G and Aragona M (2016) Phenomenological Psychopathology: Toward a Person-Centered Hermeneutic Approach in the Clinical Encounter. In: Stanghellini G and Aragona M (eds) *An Experiential Approach to Psychopathology: What is it like to Suffer from Mental Disorders?* Cham: Springer International Publishing, pp.1-43.
- Starcevic V (2015) Hypochondriasis: treatment options for a diagnostic quagmire. *Australasian Psychiatry* 23(4): 369-373.
- Stein A, Pearson RM, Goodman SH, et al. (2014) Effects of perinatal mental disorders on the fetus and child. *The Lancet* 384(9956): 1800-1819.
- Stein DJ, Hollander E and Josephson SC (1994) Serotonin reuptake blockers for the treatment of obsessional jealousy. *Journal of Clinical Psychiatry*.
- Steinhausen H-C and Weber S (2009) The outcome of bulimia nervosa: findings from one-quarter century of research. *American Journal of Psychiatry* 166(12): 1331-1341.
- Stephoe A, Deaton A and Stone AA (2015) Subjective wellbeing, health, and ageing. *The Lancet* 385(9968): 640-648.
- Steven T (2011) Early versus late onset obsessive-compulsive disorder: Evidence for distinct subtypes. *Clinical Psychology Review* 31(7): 1083-1100.
- Stevenson J, Brodaty H, Boyce P, et al. (2011a) Personality disorder comorbidity and outcome: Comparison of three age groups. *Australian & New Zealand Journal of Psychiatry* 45(9): 771-779.
- Stevenson J, Brodaty H, Boyce P, et al. (2012) Does age moderate the effect of personality disorder on coping style in psychiatric inpatients? *Journal of Psychiatric Practice* 18(3): 187-198.
- Stevenson J, Datyner A, Boyce P, et al. (2011b) The effect of age on prevalence, type and diagnosis of personality disorder in psychiatric inpatients. *International Journal of Geriatric Psychiatry* 26(9): 981-987.
- Stevenson J and Meares R (1992) An outcome study of psychotherapy for patients with borderline personality disorder. *American Journal of Psychiatry* 149(3): 358-362.
- Stoffers-Winterling JM, Storebø OJ, Kongerslev MT, et al. (2022) Psychotherapies for borderline personality disorder: a focused systematic review and meta-analysis. *The British Journal of Psychiatry* 221(3): 538-552.

- Storey JE, Rowland JT, Conforti DA, et al. (2004) The Rowland universal dementia assessment scale (RUDAS): a multicultural cognitive assessment scale. *International Psychogeriatrics* 16(1): 13-31.
- Stovall-McClough KC and Dozier M (2016) Attachment states of mind and psychopathology in adulthood. *Handbook of attachment: Theory, research, and clinical applications*. 715-738.
- Stunkard AJ (1959) Eating patterns and obesity. *Psychiatric Quarterly* 33(2): 284-295.
- Stunkard AJ, Grace WJ and Wolff HG (1955) The night-eating syndrome. A pattern of food intake among certain obese patients. *American Journal of Medicine* 19: 78-86.
- Suppes T, Webb A, Carmody T, et al. (1996) Is postictal electrical silence a predictor of response to electroconvulsive therapy? *Journal of Affective Disorders* 41(1): 55-58.
- Swayden KJ, Anderson KK, Connelly LM, et al. (2012) Effect of sitting vs. standing on perception of provider time at bedside: a pilot study. *Patient Education and Counseling* 86(2): 166-171.
- Taipale H, Tanskanen A, Mehtälä J, et al. (2020) 20-year follow-up study of physical morbidity and mortality in relationship to antipsychotic treatment in a nationwide cohort of 62,250 patients with schizophrenia (FIN20). *World Psychiatry* 19(1): 61-68.
- Takano H, Motohashi N, Uema T, et al. (2007) Changes in regional cerebral blood flow during acute electroconvulsive therapy in patients with depression: positron emission tomographic study. *The British Journal of Psychiatry* 190(1): 63-68.
- Taylor DJ, Wilkerson AK, Pruiksma KE, et al. (2018) Reliability of the structured clinical interview for DSM-5 sleep disorders module. *Journal of Clinical Sleep Medicine* 14(3): 459-464.
- Taylor DM, Young AH and Barnes TRE (2021) *The Maudsley Prescribing Guidelines in Psychiatry*. Wiley-Blackwell.
- Taylor MA and Fink M (2003) Catatonia in Psychiatric Classification: A Home of Its Own. *American Journal of Psychiatry* 160(7): 1233-1241.
- Taylor S, Jang KL and Asmundson GJ (2010) Etiology of obsessions and compulsions: A behavioral-genetic analysis. *Journal of Abnormal Psychology* 119(4): 672-682.
- Teasdale SB, Ward PB, Rosenbaum S, et al. (2017) Solving a weighty problem: Systematic review and meta-analysis of nutrition interventions in severe mental illness. *British Journal of Psychiatry* 210(2): 110-118.
- Teesson M, Slade T and Mills K (2009) Comorbidity in Australia: findings of the 2007 national survey of mental health and wellbeing. *Australian & New Zealand Journal of Psychiatry* 43(7): 606-614.

- Teicher MH, Samson JA, Anderson CM, et al. (2016) The effects of childhood maltreatment on brain structure, function and connectivity. *Nature Reviews Neuroscience* 17(10): 652-666.
- Tennant CC (2002) A student mental health and welfare program in a medical faculty. *The Medical Journal of Australia* 177(1): S9.
- Testad I, Corbett A, Aarsland D, et al. (2014) The value of personalized psychosocial interventions to address behavioral and psychological symptoms in people with dementia living in care home settings: a systematic review. *International Psychogeriatrics* 26(7): 1083-1098.
- Tharyan P and Adams CE (2009) Electroconvulsive therapy for schizophrenia. *Cochrane Database of Systematic Reviews* 4.
- The Australian Research Council and Universities Australia (Updated 2018) National Statement on Ethical Conduct in Human Research 2007. Commonwealth of Australia, Canberra: The National Health and Medical Research Council.
- The National Eating Disorders Collaboration (2010a) Eating disorders prevention, treatment & management: An evidence review. Sydney: NEDC.
- The National Eating Disorders Collaboration (2010b) Eating disorders: The way forward: An Australian national framework. Sydney: NEDC.
- The National Eating Disorders Collaboration (2012) An integrated response to complexity – National eating disorders framework 2012. Sydney: NEDC.
- The National Institute of Mental Health (NIMH) (2013) *Research Domain Criteria (RDoC)*. Available at:
<https://www.nimh.nih.gov/research/research-funded-by-nimh/rdoc/index.shtml>.
- The UK ECT Review Group (2003) Efficacy and safety of electroconvulsive therapy in depressive disorders: a systematic review and meta-analysis. *Lancet* 361: 799-808.
- The World Medical Association (2013) World Medical Association Declaration of Helsinki: ethical principles for medical research involving human subjects. World Medical Association.
- Thomas E and Stein DJ (2017) Novel pharmacological treatment strategies for posttraumatic stress disorder. *Expert Review of Clinical Pharmacology* 10(2): 167-177.
- Tor P-C, Bautovich A, Wang M-J, et al. (2015) A systematic review and meta-analysis of brief versus ultrabrief right unilateral electroconvulsive therapy for depression. *The Journal of Clinical Psychiatry* 76(9): 20683.
- Torgersen S (2009) The nature (and nurture) of personality disorders. *Scandinavian Journal of Psychology* 50(6): 624-632.
- Trevarthen C (2018) Conversations with a two-month-old 1. *Parent-infant Psychodynamics*. Routledge, pp.25-34.

- Trevethan R (2017) Sensitivity, specificity, and predictive values: foundations, pliabilitys, and pitfalls in research and practice. *Frontiers in Public Health* 5: 308890.
- Trubetskoy V, Pardiñas AF, Qi T, et al. (2022) Mapping genomic loci implicates genes and synaptic biology in schizophrenia. *Nature* 604(7906): 502-508.
- True WR, Rice J, Eisen SA, et al. (1993) A twin study of genetic and environmental contributions to liability for posttraumatic stress symptoms. *Archives of General Psychiatry* 50(4): 257-264.
- Tyrer P and Tyrer H (2015) Nidotherapy: The expansion of environmental treatment. *Australian & New Zealand Journal of Psychiatry* 49(10): 934.
- United States Census Bureau (2016) Available at: <http://www.census.gov/popest/> (accessed 30th March).
- Uphoff E, Ekers D, Robertson L, et al. (2020) Behavioural activation therapy for depression in adults. *Cochrane Database of Systematic Reviews*.(7).
- Urfer-Parnas A (2019) Eugène Minkowski. Oxford University Press.
- Vaillant GE (2012) *Triumphs of experience*. Harvard University Press.
- Vaillant GE and Milofsky E (1980) Natural history of male psychological health: IX. Empirical evidence for Erikson's model of the life cycle. *The American Journal of Psychiatry* 137(11): 1348-1359.
- Vaillant GE and Vaillant CO (1990) Natural history of male psychological health, XII: a 45-year study of predictors of successful aging at age 65. *American Journal of Psychiatry* 147(1): 31-37.
- van Buitenen N, van den Berg CJ, Meijers J, et al. (2020) The prevalence of mental disorders and patterns of comorbidity within a large sample of mentally ill prisoners: A network analysis. *European Psychiatry* 63(1): e63.
- Van der Kolk B (2014) The body keeps the score: Brain, mind, and body in the healing of trauma. *New York*.
- van der Velden AM, Scholl J, Elmholdt E-M, et al. (2023) Mindfulness training changes brain dynamics during depressive rumination: A randomized controlled trial. *Biological Psychiatry* 93(3): 233-242.
- van Diermen L, van den Ameel S, Kamperman AM, et al. (2018) Prediction of electroconvulsive therapy response and remission in major depression: meta-analysis. *The British Journal of Psychiatry* 212(2): 71-80.
- Van Orden KA, Wiktorsson S, Duberstein P, et al. (2015) Reasons for attempted suicide in later life. *The American Journal of Geriatric Psychiatry* 23(5): 536-544.
- Vandenbroucke JP, Elm Ev, Altman DG, et al. (2007) Strengthening the Reporting of Observational Studies in Epidemiology (STROBE): explanation and elaboration. *Annals of Internal Medicine* 147(8): W-163-W-194.
- Vasileva M, Graf RK, Reinelt T, et al. (2021) Research review: A meta-analysis of the international prevalence and comorbidity of mental disorders in

- children between 1 and 7 years. *Journal of Child Psychology and Psychiatry* 62(4): 372-381.
- Veale D (2001) Cognitive-behavioural therapy for body dysmorphic disorder. *Advances in Psychiatric Treatment* 7: 125-132.
- Videler AC, van Alphen SP, van Royen RJ, et al. (2018) Schema therapy for personality disorders in older adults: a multiple-baseline study. *Aging & Mental Health* 22(6): 738-747.
- Vita A, Barlati S, Ceraso A, et al. (2021) Effectiveness, Core Elements, and Moderators of Response of Cognitive Remediation for Schizophrenia: A Systematic Review and Meta-analysis of Randomized Clinical Trials. *JAMA Psychiatry* 78(8): 848-858.
- Vöhringer PA and Perlis RH (2016) Discriminating Between Bipolar Disorder and Major Depressive Disorder. *Psychiatric Clinics* 39(1): 1-10.
- Volkert J, Gablonski T-C and Rabung S (2018) Prevalence of personality disorders in the general adult population in Western countries: systematic review and meta-analysis. *The British Journal of Psychiatry* 213(6): 709-715.
- Vos T, Lim SS, Abbafati C, et al. (2020) Global burden of 369 diseases and injuries in 204 countries and territories, 1990:2013;2019: a systematic analysis for the Global Burden of Disease Study 2019. *The Lancet* 396(10258): 1204-1222.
- Wade DT and Halligan PW (2004) Do biomedical models of illness make for good healthcare systems? *BMJ* 329(7479): 1398-1401.
- Wade TD, Bergin JL, Tiggemann M, et al. (2006) Prevalence and long-term course of lifetime eating disorders in an adult Australian twin cohort. *Australian & New Zealand Journal of Psychiatry* 40(2): 121-128.
- Wald I, Lubin G, Holoshitz Y, et al. (2011) Battlefield-like stress following simulated combat and suppression of attention bias to threat. *Psychological Medicine* 41(4): 699-707.
- Walton MM (2015) Sexual equality, discrimination and harassment in medicine: it's time to act. *Medical Journal of Australia* 203(4): 167-169.
- Wand AP, Peisah C, Draper B, et al. (2018) Why do the very old self-harm? A qualitative study. *The American Journal of Geriatric Psychiatry* 26(8): 862-871.
- Wand APF, Draper B, Brodaty H, et al. (2019) Self-harm in the very old one year later: has anything changed? *International Psychogeriatrics* 31(11): 1559-1568.
- Watson HJ, Yilmaz Z, Thornton LM, et al. (2019) Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. *Nature Genetics* 51(8): 1207-1214.
- Watson JB and Rayner R (1920) Conditioned emotional reactions. *Journal of Experimental Psychology* 3(1): 1.

- Weathers FW, Bovin MJ, Lee DJ, et al. (2018) The Clinician-Administered PTSD Scale for DSM-5 (CAPS-5): Development and initial psychometric evaluation in military veterans. *Psychological Assessment* 30(3): 383.
- Weinberger DR, Glick ID and Klein DF (2015) Whither Research Domain Criteria (RDoC)? The Good, the Bad, and the Ugly. *JAMA Psychiatry* 72(12): 1161-1162.
- Weissman MM, Bland RC, Canino GJ, et al. (1994) The cross-national epidemiology of obsessive-compulsive disorder. *Journal of Clinical Psychiatry* 55: 5-10.
- Wells A (2005) The metacognitive model of GAD: Assessment of meta-worry and relationship with DSM-IV generalized anxiety disorder. *Cognitive Therapy and Research* 29: 107-121.
- Wesseloo R, Kamperman AM, Munk-Olsen T, et al. (2016) Risk of Postpartum Relapse in Bipolar Disorder and Postpartum Psychosis: A Systematic Review and Meta-Analysis. *American Journal of Psychiatry* 173(2): 117-127.
- West M and Coia D (2019) Caring for doctors, caring for patients. *General Medical Council*.
- Westbury JL, Gee P, Ling T, et al. (2018) RedUSe: reducing antipsychotic and benzodiazepine prescribing in residential aged care facilities. *Medical Journal of Australia* 208(9): 398-403.
- Westerman T (2021) Culture-bound syndromes in Aboriginal Australian populations. *Clinical Psychologist* 25(1): 19-35.
- Wetherell JL, Petkus AJ, McChesney K, et al. (2009) Older adults are less accurate than younger adults at identifying symptoms of anxiety and depression. *The Journal of Nervous and Mental Disease* 197(8): 623-626.
- Whiteford HA, Degenhardt L, Rehm J, et al. (2013) Global burden of disease attributable to mental and substance use disorders: findings from the Global Burden of Disease Study 2010. *The Lancet* 382(9904): 1575-1586.
- Wijeratne C and Draper B (2011) Reformulation of current recommendations for target serum lithium concentration according to clinical indication, age and physical comorbidity. *Australian & New Zealand Journal of Psychiatry* 45(12): 1026-1032.
- Wikman A, Molloy GJ, Randall G, et al. (2011) Cognitive predictors of posttraumatic stress symptoms six months following acute coronary syndrome. *Psychology & Health* 26(8): 974-988.
- Wilkins G, Andrews G, Bell C, et al. (2019) Managing anxiety disorders in adults. *Medicine Today* 20(12): 12-22.
- Williams NR and Okun MS (2013) Deep brain stimulation (DBS) at the interface of neurology and psychiatry. *The Journal of Clinical Investigation* 123(11): 4546-4556.
- Wilson JE, Mart MF, Cunningham C, et al. (2020) Delirium. *Nature Reviews Disease Primers* 6(1): 90.

- Winnicott DW (1986) The theory of the parent-infant relationship. *Essential Papers on Object Relations*. 233-253.
- Winston AP (2020) Eating disorders and diabetes. *Current Diabetes Reports* 20: 1-6.
- World Health Organisation (2012) *Global burden of mental disorders and the need for a comprehensive, coordinated response from health and social sectors at the country level: report by the Secretariat*. Available at:
<https://iris.who.int/handle/10665/78898>.
- World Health Organisation and the United Nations (2023) *Mental health, human rights and legislation: guidance and practice*. Geneva: World Health Organisation and the United Nations (represented by Office of the High Commissioner for Human Rights).
- World Health Organization (2011) Global burden of mental disorders and the need for a comprehensive, coordinated response from health and social sectors at the country level: report by the Secretariat. Geneva: World Health Organization Retrieved from
<https://iris.who.int/handle/10665/78898>
- World Health Organization (2019) *International statistical classification of diseases and related health problems (11th Revision)*. Geneva: World Health Organisation.
- Wragg RE and Jeste DV (1989) Overview of depression and psychosis in Alzheimer's disease. *The American Journal of Psychiatry*.
- Wu H and Hilmer S (2015) How to treat: Delirium. *Australian Doctor*.
- Xia J, Merinder LB and Belgamwar MR (2011) Psychoeducation for Schizophrenia. *Cochrane Database of Systematic Reviews*. (6).
- Yehuda R, Southwick SM, Nussbaum G, et al. (1990) Low urinary cortisol excretion in patients with posttraumatic stress disorder. *The Journal of Nervous and Mental Disease* 178(6): 366-369.
- Yehuda RE and McFarlane AC (1997) *Psychobiology of posttraumatic stress disorder*. New York Academy of Sciences.
- Young-Southward G, Jackson A and Dunan J (2020) Group CBT for mild to moderate depression and anxiety: an evaluation of patient satisfaction within a primary care mental health team. *the Cognitive Behaviour Therapist* 13: e8.
- Young JT, Bellgrove MA and Arunogiri S (2021) Assessment of attention-deficit hyperactivity disorder in people with substance use disorder: Another case of what gets measured gets done. *Australian & New Zealand Journal of Psychiatry* 55(8): 744-746.
- Yule AM and Kelly JF (2019) Integrating treatment for co-occurring mental health conditions. *Alcohol Research: Current Reviews* 40(1).
- Yunxi Z, Yifan C, Xiaoying S, et al. (2024) Global, regional and national burdens of bipolar disorders in adolescents and young adults: a trend analysis from 1990 to 2019. *General Psychiatry* 37(1): e101255.

- Zhang K, Hu X, Ma L, et al. (2023) The efficacy of schema therapy for personality disorders: a systematic review and meta-analysis. *Nordic Journal of Psychiatry* 77(7): 641-650.
- Zhu Y, Li C, Huhn M, et al. (2017) How well do patients with a first episode of schizophrenia respond to antipsychotics: A systematic review and meta-analysis. *European Neuropsychopharmacology* 27(9): 835-844.
- Zimmerman M, Galione JN, Chelminski I, et al. (2012) Does the diagnosis of multiple Axis II disorders have clinical significance? *Annals of Clinical Psychiatry* 24(3): 195-201.
- Zipfel S, Giel KE, Bulik CM, et al. (2015) Anorexia nervosa: aetiology, assessment, and treatment. *The Lancet Psychiatry* 2(12): 1099-1111.
- Zipfel S, Wild B, Groß G, et al. (2014) Focal psychodynamic therapy, cognitive behaviour therapy, and optimised treatment as usual in outpatients with anorexia nervosa (ANTOP study): randomised controlled trial. *The Lancet* 383(9912): 127-137.
- Zohar J, Juven-Wetzler A, Sonnino R, et al. (2011a) New insights into secondary prevention in post-traumatic stress disorder. *Dialogues in Clinical Neuroscience* 13(3): 301-309.
- Zohar J, Yahalom H, Kozlovsky N, et al. (2011b) High dose hydrocortisone immediately after trauma may alter the trajectory of PTSD: interplay between clinical and animal studies. *European Neuropsychopharmacology* 21(11): 796-809.

Index

- ACE model, 27, 29, 227, 228
 Activity, Cognition and Emotion (ACE) model, 204
 acute stress disorder, 265
 adaptation, 10, 36, 299, 345, 380, 397, 513, 523, 526, 527
 ADHD, 335, 355, 357, 367, 370, 371, 372, 373, 374, 381, 440, 539, 540
 aetiology, 28, 87, 97, 126, 179, 181, 185, 192, 196, 201, 206, 223, 243, 246, 250, 258, 261, 348, 353, 377, 378, 379, 398, 431, 457
 affective instability, 230, 291
 agoraphobia, 240, 244, 245, 246, 248, 249, 253, 481
 alcohol use disorder, 440, 447
 Alzheimer's disease, 59, 60, 61, 62, 66, 67, 161, 162, 401, 402
 anorexia nervosa, 272, 273, 274, 276, 277, 278, 279, 280, 282, 283, 380, 415, 433, 452
 antidepressants, 27, 202, 210, 211, 212, 213, 214, 215, 235, 252, 253, 256, 260, 335, 344, 369, 381, 387, 388, 435, 457, 531, 535, 536, 537, 543, 551
 antipsychotic medications, 181, 185, 193, 370, 381, 403, 532, 533
 antipsychotics, 28, 46, 114, 194, 235, 330, 350, 387, 389, 393, 394, 399, 400, 403, 412, 418, 435, 452, 531, 532, 533, 535, 539, 542
 anxious ambivalent attachment, 171
 anxious avoidant attachment, 171
 apraxia, 68
 attachment theory, 8, 172, 174
 auditory hallucinations, 108, 187, 370, 393, 410, 551
 Australian Aboriginal and Torres Strait Islander, 15
 Australian Health Practitioner Regulation Agency, 11, 16
 avoidance behaviour, 472, 477, 503, 504, 505
 avoidant/restrictive food intake disorder, 272
 behavioural activation, 472, 474, 479, 485, 487, 489, 490, 491, 492, 493
 behavioural experiments, 502, 503, 505
 benzodiazepines, 193, 252, 253, 271, 300, 393, 398, 400, 410, 412, 417, 420, 531, 537
 binge eating disorder, 272, 273, 282, 283, 452, 539
 biomedical model, 25, 72, 179, 329
 biopsychosocial, 26, 71, 74, 168, 172, 192, 251, 342, 359, 383, 391, 508, 512, 540
 blood-injection-injury phobia, 248, 249
 Body dysmorphic disorder, 256, 261
 borderline personality disorder, 288, 289, 290, 291, 293, 295, 297, 298, 299, 300, 301, 302, 304, 396, 414, 415, 528, 529
 boundaries, 4, 22, 24, 27, 102, 137, 294, 297, 378, 516, 522
 bulimia nervosa, 272, 273, 274, 279, 280, 282, 283, 452
 burnout, 12, 13, 15, 20
 cardiovascular disease, 198, 243, 304, 312, 450, 452, 454
 case-cohort study, 144

- catatonia, 90, 114, 116, 189, 388, 413, 538
- catatonic, 46, 116, 119, 346, 347, 348, 545, 550
- Child and Adolescent Mental Health Service, 359
- chronic pain, 43, 413, 450, 452, 455, 456
- classical conditioning, 475, 476
- clinical epidemiology, 141, 144
- Cluster B personality disorders, 290
- Cluster C personality disorders, 289, 298
- cognitive behaviour therapy, 9, 252, 269, 298, 529
- cognitive behavioural therapy, 8, 209, 210, 260, 305, 358, 386, 397, 435
- cognitive challenging, 463
- cognitive impairment, 39, 56, 59, 61, 70, 229, 276, 293, 335, 386, 392, 395, 396, 397, 398, 439, 553
- cognitive processing, 171
- cognitive testing, 39, 47, 69, 111, 393
- cognitive therapy, 254, 298, 472, 492, 493, 494, 495, 496, 497, 501
- community treatment order, 83, 84, 541
- comorbidity, 8, 9, 77, 265, 292, 387, 396, 434, 440, 441, 444, 450, 451, 452, 453, 455, 457
- compensatory behaviours, 275, 276, 280, 281
- confidence interval, 163
- control group, 13, 144, 156
- conversion disorder, 52, 123, 427
- countertransference, 170, 174, 176, 297, 414, 523, 525, 526, 527
- cultural competence, 323, 331
- decision-making capacity, 46, 82, 83, 88
- delirium, 56, 69, 70, 90, 107, 112, 347, 358, 386, 387, 392, 394, 397, 398, 399, 400, 416, 417, 418, 550
- delusions, 24, 42, 45, 53, 54, 55, 79, 100, 104, 105, 106, 121, 122, 132, 179, 187, 188, 189, 196, 295, 346, 348, 389, 393, 398, 402, 413, 425, 435, 436
- dementia, 51, 56, 60, 61, 62, 66, 67, 112, 133, 150, 188, 222, 261, 304, 328, 386, 387, 392, 393, 394, 396, 397, 398, 400, 401, 402, 403, 404, 410, 416, 417, 484, 493
- dependence, 17, 168, 173, 217, 252, 253, 293, 300, 301, 336, 443, 447, 537
- depersonalisation, 111, 526
- derealisation, 111
- developmental milestones, 353
- diagnostic criteria, 8, 133, 136, 148, 272, 274, 275, 355, 370, 371, 395, 440, 441
- diagnostic test, 161
- dialectical behaviour therapy, 297, 305, 381, 397
- dopamine, 118, 181, 185, 348, 372, 447, 531, 532, 533, 535, 542, 548
- DSM-5-TR, 22, 27, 200, 224, 225, 226, 240, 264, 275, 313, 324, 326, 337, 341, 346, 353, 400, 428, 429, 430, 434, 436, 438, 460
- dysphoria, 95, 297, 304, 389, 396
- eating disorders, 8, 272, 276, 277, 281, 282, 291, 296, 366, 415, 433, 452, 454, 494
- effect size, 163, 185, 468, 546, 551

- electroconvulsive therapy, 42, 215, 413, 531
- Electroconvulsive therapy, 236, 344, 545
- emotional dysregulation, 273, 288, 294, 296
- emotional regulation, 278, 298
- epilepsy, 43, 244, 422, 429, 538, 539
- euthymia, 95, 221, 389
- Excoriation disorder, 256, 262
- executive functions, 58, 60, 64
- experimental studies, 145
- exposure and response prevention, 260, 435
- Externalising problems, 355
- extinction, 267, 268, 269, 270, 455, 479
- family therapy, 196, 360, 380
- fear conditioning, 266, 267, 268
- fight-flight response, 519
- formulation, 5, 7, 32, 71, 72, 73, 80, 85, 172, 215, 218, 374, 413, 414, 469, 512, 513, 514, 515, 540
- frontal lobe dysfunction, 64, 65
- functional impairment, 24, 115, 200, 201, 204, 226, 242, 245, 248, 249, 258, 259, 305, 353, 370, 393, 397, 398
- generalised anxiety disorder, 240, 259, 345, 443
- genetic factors, 201, 223, 338
- genetic predisposition, 71, 243, 246, 248, 250, 304, 348, 395
- genogram, 360, 361
- habituation, 481
- hallucinations, 24, 42, 45, 47, 55, 79, 104, 105, 107, 108, 110, 111, 121, 122, 179, 187, 196, 295, 326, 327, 348, 350, 364, 393, 394, 398, 402, 410, 417, 418
- hermeneutics, 134, 135
- Hoarding disorder, 256, 261
- holistic care, 444
- HPA axis, 202, 268, 271, 341
- hypnotics, 537, 538
- hypomanic, 205
- hypothesis testing, 163
- ICD-11, 27, 28, 29, 133, 224, 288, 294, 295, 324, 353
- illusions, 55, 107, 108, 417, 418
- impulse control, 261, 367
- informed consent, 164, 216, 399
- insight, 27, 33, 45, 46, 47, 57, 77, 82, 86, 88, 89, 112, 121, 189, 221, 239, 257, 259, 279, 348, 391, 453
- insomnia, 75, 205, 250, 264, 369, 460, 462, 463, 464, 465, 493, 537, 538
- intergenerational trauma, 319, 320
- Internalising problems, 355
- intrusive thoughts, 54, 104
- involuntary treatment, 7, 81, 82, 83, 216, 329, 414, 549
- John Bowlby, 167
- Karl Jaspers, 86, 87, 130
- Kurt Schneider, 133
- Lewy body dementia, 60, 67
- LGBTIQA+, 14
- lithium, 42, 215, 218, 222, 234, 235, 236, 237, 330, 347, 348, 349, 388, 392, 412, 457, 531, 532, 539
- longitudinal study, 144, 147, 156
- Ludwig Binswanger, 132
- major depressive disorder, 142, 143, 200, 201, 203, 204, 205, 209, 211, 250, 271, 337, 338, 340, 353, 384, 410, 440, 443, 538

- mania, 26, 90, 94, 95, 97, 136, 188, 221, 222, 223, 224, 225, 226, 227, 229, 230, 231, 232, 233, 234, 236, 370, 382, 388, 389, 392, 394, 398, 408, 410, 413, 548
- manic episode, 29, 205, 224, 545, 546
- manic-depressive illness, 222, 538
- medical students, 4, 5, 11, 12, 13, 14, 16, 19, 20, 32, 33, 36
- Mental Health Act, 7, 81, 82, 83, 216, 348, 541, 549
- Mental Health Review Tribunal, 83
- mental state examination, 7, 39, 49, 50, 56, 79, 85, 87, 88, 130, 190, 364, 393
- meta-analysis, 149, 159, 399, 440, 451, 468, 492, 542
- Mild Cognitive Impairment, 60, 61
- Mini-Mental State Examination, 59
- mixed mood states, 26, 27
- monoamine oxidase inhibitors, 202, 253, 535
- Montreal Cognitive Assessment, 56, 59, 60, 401
- mood stabilising agents, 235
- multidisciplinary team, 196, 199, 281
- multiple sclerosis, 60, 422, 432
- Mutual Maintenance Model, 455
- Narcissistic personality disorder, 288
- narcolepsy, 116, 460, 539
- negative symptoms, 51, 188, 189, 190, 551
- negative thoughts, 54, 264, 495, 501, 502, 503, 505
- neurodegenerative disease, 383
- neurodegenerative disorders, 58, 59, 63, 66, 67
- neurodevelopmental disorders, 22, 185, 358, 381, 539
- nosology, 126, 133, 138, 181, 222
- obesity, 149, 330, 452, 454, 456, 462, 468
- observational studies, 156, 160
- obsessional jealousy, 262
- obsessive-compulsive disorder, 240, 273, 283, 494
- Olfactory reference syndrome, 256, 263
- operant conditioning, 475, 477, 479, 484, 490
- orientation, 35, 56, 59, 61, 62, 63, 67, 111, 296, 365, 366, 401, 417, 468, 469, 515
- panic attack, 241, 242, 248, 494, 538
- panic disorder, 121, 240, 242, 243, 245, 253, 254, 268, 345, 452, 503
- Parkinson's disease, 67, 90, 116, 117, 118, 120, 393
- perceptual disturbances, 55, 56
- perinatal, 9, 176, 333, 334, 337, 339, 340, 341, 342, 343, 344, 345, 352
- perinatal period, 9, 333, 334, 337, 339, 343, 344, 345
- perpetuating factors, 76, 78, 383
- pharmacotherapy, 198, 207, 215, 233, 234, 252, 253, 270, 369, 370, 374, 387, 399, 432, 433, 474, 546
- phenomenology, 7, 85, 87, 88, 89, 100, 107, 127, 128, 131, 134, 136, 137, 140, 204, 364, 438
- Pica, 272, 283
- positive symptoms, 158, 186, 187, 190, 350, 393, 551
- precipitating factors, 75
- predisposing factors, 73, 74, 75, 79

- primary care, 7, 9, 202, 208, 242, 288, 384, 509
- professional identity, 11, 18
- protective factors, 72, 77, 78, 141, 379
- psychiatric assessment, 49, 135, 276, 323, 393, 414, 444
- psychodynamic, 8, 9, 209, 220, 252, 282, 297, 299, 475, 521, 522, 523, 526, 528, 529
- psychoeducation, 196, 207, 209, 217, 232, 233, 253, 299, 300, 342, 351, 359, 397, 462, 463, 465, 472, 515, 519
- psychomotor agitation, 50, 52, 116, 224
- psychomotor retardation, 90, 94
- psychosocial factors, 181, 204, 383, 453
- psychotropics, 383, 399, 403
- qualitative, 130, 144, 154, 159
- quantitative, 130, 154, 155, 159
- randomised controlled trial, 157, 299, 492
- refeeding syndrome, 279
- reinforcement, 298, 368, 376, 377, 472, 477, 478, 487, 488, 489, 490
- relapse, 79, 186, 193, 199, 252, 253, 270, 343, 346, 348, 349, 369, 370, 435, 440, 446, 448, 472, 493, 506, 548
- reliability, 27, 139, 155, 160, 401, 523
- rumination, 272, 472, 488, 492
- rumination disorder, 272
- schema therapy, 176, 397
- schemas, 298
- schizoaffective disorder, 27, 28, 184
- screening tools, 58, 59, 62, 67, 70, 340, 341, 385, 398
- sedation, 193, 212, 213, 387, 389, 394, 400, 411, 417, 454, 493
- sedatives, 120, 537, 538
- selective serotonin reuptake inhibitor, 260
- serotonin and noradrenaline reuptake inhibitors, 211, 253
- serotonin hypothesis, 202
- sick role, 173, 424, 425, 426, 431, 436
- sleep apnoea, 460, 462
- sleep diary, 462, 465
- sleep hygiene, 9, 75, 77, 78, 209, 231, 342, 461, 462, 463, 464, 465, 517
- sleep restriction, 463, 464
- sleep-wake disorder, 460
- social anxiety disorder, 189, 240, 246, 247, 248, 253, 254, 345, 434, 479
- specific phobia, 240, 245, 248, 253
- statistical significance, 149, 163, 164
- stepped care, 444, 530
- stimulants, 230, 372, 440, 539
- stimulus control, 463, 464
- stress diathesis model, 202, 295
- stress response, 139, 168, 174, 265, 267, 337, 519
- stress-diathesis model, 337
- Structured Problem Solving, 467, 468, 469
- substance use disorder, 43, 81, 247, 265, 353, 439, 440, 441, 443, 444
- suicidal ideation, 15, 40, 49, 53, 88, 205, 291, 367, 468, 518
- systematic review, 12, 155, 158, 159, 176, 451
- tardive dyskinesia, 50, 189, 193, 197
- therapeutic alliance, 172, 173, 176, 370

- therapeutic relationship, 5, 32, 78, 231, 281, 449, 511, 515, 521, 522, 524, 525, 526, 528
- thought monitoring, 496
- tolerance, 212, 298, 443, 522, 526
- Transcranial magnetic stimulation, 551
- transference, 170, 174, 176, 293, 297, 299, 414, 523, 524, 525, 526, 527
- treatment resistant, 385, 388, 521, 539, 546
- tremor, 91, 116, 119, 120, 197, 213, 250, 428, 538
- trichotillomania, 261, 262
- tricyclic antidepressants, 213
- validity, 27, 139, 142, 147, 151, 160, 181, 204, 288, 341, 353, 355, 395, 401, 499, 502, 505
- visual processing, 67, 434
- withdrawal, 55, 90, 102, 106, 120, 122, 134, 171, 184, 186, 187, 190, 252, 293, 295, 345, 358, 386, 393, 400, 408, 409, 418, 419, 443, 447, 472, 537, 538
- working memory, 58, 59, 61, 63