

REFERENCES

- Abdel-Malek, A. K., Ahmed, A. M., el-Sharkawi, S. A., & el-Hamid, N. A. (1990). Prediction of stature from hand measurements. *Forensic Science International*, 46, 181-7.
- Ackland, T. R., & Bloomfield, J. (1996). Stability of human proportions through adolescent growth. *Australian Journal of Science and Medicine in Sport*, 28, 57-60.
- Aghazadeh, F., Lee, K., & Waikar, A. (1993). Impact of anthropometric and personal variables on grip strength. *Journal of Human Ergology*, 22, 75-81.
- Ager, C. L., Olivett, B. L., & Johnson, C. L. (1984). Grasp and pinch strength in children 5 to 12 years old. *American Journal of Occupational Therapy*, 38, 107-113.
- Agnew, P. J., & Maas, F. (1982). Hand function related to age and sex. *Archives of Physical Medicine and Rehabilitation*, 63, 270-271.
- American Medical Association. (1993). *Guides to the Evaluation of Permanent Impairment* (4th ed.). Chicago: Author.
- American Society of Hand Therapists. (1992). *Clinical Assessment Recommendations* (2nd ed.). Chicago: Author.
- Amirshaybani, H., Crecelius, G. M., Timothy, N. H., Pfeiffer, M., Saggars, G. C., & Manders, E. K. (2001). The natural history of the growth of the hand: 1. Hand area as a percentage of body surface area. *Plastic & Reconstructive Surgery*, 107, 726-733.
- Amis, A. A. (1987). Variation of finger forces in maximal isometric grasp tests on a range of cylinder diameters. *Journal of Biomedical Engineering*, 9, 313-320.
- An, K-N., Chao, E. Y.S., & Askew, L.J. (1980). Hand strength measurement instruments. *Archives of Physical Rehabilitation*, Vol 61, 366-368.
- Angermann, P., & Lohmann, M. (1993). Injuries to the hand and wrist. A study of 50,272 injuries. *Journal of Hand Surgery*, 18B, 642-644.
- Annett, M. (1970a). A classification of hand preference by association analysis. *British Journal of Psychology*, 61, 303-321.
- Annett, M. (1970b). The growth of manual preference and speed. *British Journal of Psychology*, 61, 545-558.
- Annett, M. (1985). *Left, Right, Hand & Brain: The Right Shift Theory*. London: Lawrence Erlbaum Associates.

- Armitage, P., & Berry, G. (1994). *Statistical Methods in Medical Research* (3rd ed.). Boston, Mass: Blackwell Scientific Publications.
- Armstrong, C. A., & Oldham, J. A. (1999). A comparison of dominant and non-dominant hand strengths. *Journal of Hand Surgery, 24B*, 421-425.
- Arons, J. A., Collins, N., & Arons, M. S. (1999). Results of treatment of carpal tunnel syndrome with associated hourglass deformity of the median nerve. *Journal of Hand Surgery, 24A*, 1192-5.
- Auringer, S.T., & Anthony, E.Y. (1999). Common pediatric sports injuries. *Seminars in Musculoskeletal Radiology, 3*, 247-256.
- Australian Bureau of Statistics. (2002). 4364.0 *National Health Survey – Summary of Results, Australia*. Retrieved May 16, 2005, from <http://www.abs.gov.au/Ausstats/abs@.nsf/0/>
- Bäckman, E., Johansson, V., Häger, B., Sjöblom, P., & Henriksson, K. G. (1989). Adults: muscle stretch and endurance. *Scandinavian Journal of Rehabilitation Medicine, 27*, 109-117.
- Balogun, J. A., & Onigbinde, A. T. (1992). Hand and leg dominance: Do they really affect limb muscle strength? *Physiotherapy Theory and Practice, 8*, 89-96.
- Bassey, E. J., Dudley, B. R., & Harries, U. J. (1986). A new portable strain-gauged hand-grip dynamometer. *Journal of Physiological (London), 373*, 6P-7P.
- Bassey, E. J., & Harries, U. J. (1993). Normal values for handgrip strength in 920 men and women over 65 years, and longitudinal changes over 4 years in 620 survivors. *Clinical Science, 84*, 331-337.
- Bear-Lehman, J., Kafko, M., Mah, L., Mosquera, L., & Reilly, B. (2002). An exploratory look at hand strength and hand size among preschoolers. *Journal of Hand Therapy, 15*, 340-346.
- Beaton, D. E., Katz, J. N., Fossel, A. H., Wright, J. G., Tarasuk, V., & Bombardier, C. (2001). Measuring the whole or the parts? Validity, reliability, and responsiveness of the Disabilities of the Arm, Shoulder and Hand outcome measure in different regions of the upper extremity. *Journal of Hand Therapy, 14*, 128-146.
- Bechtol, C. O. (1954). The use of a dynamometer with adjustable handle spacings. *The Journal of Bone and Joint Surgery, 36A*, 820-832.
- Belanger, A. Y., & McComas, A. J. (1981). Extent of motor unit activation during effort. *Journal of Applied Physiology, 51*, 1131-1135.
- Belcastro, A. N., Shewchuk, L. D., & Raj, D. A. (1998). Exercise-induced muscle injury: a calpain hypothesis. *Molecular and Cellular Biochemistry, 179*, 135-45.

- Bell, D. G., & Jacobs, I. (1986). Electro-mechanical response times and rate of force development in males and females. *Medicine and Science in Sports and Exercise*, 18, 31-36.
- Bell, D. G., & Jacobs, I. (1990). Muscle fibre area, fibre type and capillarization in male and female body builders. *Canadian Journal of Sport Sciences*, 15, 115-9.
- Bilodeau, M., Arsenault, A. B., Gravel, D., & Bourbonnais, D. (1992). Influence of gender on the EMG power spectrum during an increasing force level. *Journal of Electromyography and Kinesiology*, 2, 121-129.
- Bird, K., Hadzi-Pavlovic, D., & Isaac, A. (no date). PSY: A program for contrast analysis [Computer software programme and manual]. Retrieved February 5, 2004, from <http://www.psy.unsw.edu.au/research/PSY.htm>
- Bland, J. M., & Altman, D. G. (1986). Statistical methods for assessing agreement between two methods of clinical measurement. *The Lancet*, February 8, 307-310.
- Blimkie CJ, Ebbesen B, MacDougall D, Bar-Or O, & Sale D. (1989). Voluntary and electrically evoked strength characteristics of obese and non-obese preadolescent boys. *Human Biology*, 61, 515-32.
- Bohannon, R. W. (1998). Hand-grip dynamometry provides a valid indication of upper extremity strength impairment in home care patients. *Journal of Hand Therapy*, 11, 258-60.
- Bohannon, R. W. (1991). Hand grip dynamometers: Issues relevant to application. *Journal of Human Muscle Performance*, 1, 16-36.
- Bohannon, R. W. (2003). Grip strength: a summary of studies comparing dominant and nondominant limb measurements. *Perceptual and Motor Skills*, 96, 728-730.
- Bohannon, R. W. (2005). Parallel comparison of grip strength measurements obtained with a MicroFET 4 and a Jamar Dynamometer. *Perceptual and Motor Skills*, 100, 795-8.
- Bohannon, R. W. & Schaubert, K. L. (2005). Test-retest reliability of grip-strength measures obtained over a 12-week interval from community-dwelling elders. *Journal of Hand Therapy*, 18, 426-8.
- Boissy, P., Bourbonnais, D., Carlotti, M. M., Gravel, D., & Arsenault, B. A. (1999). Maximal grip force in chronic stroke subjects and its relationship to global upper extremity function. *Clinical Rehabilitation*, 13, 354-362.
- Booth, M. L., Wake, M., Armstrong, T., Chey, T., Hesketh, K., & Mathur, S. (2001). The epidemiology of overweight and obesity among Australian children and adolescents, 1995-97. *Australian and New Zealand Journal of Public Health*, 25, 162-9.

- Booth, M. L., Okely, A. D., Chey, T., Bauman, A., & Macaskill, P. (2002). Epidemiology of physical activity participation among New South Wales school students. *Australian & New Zealand Journal of Public Health, 26*, 371-4.
- Booth, M. L., Chey, T., Wake, M., Norton, K., Hesketh, K., Dollman, J., & Robertson, I. (2003). Change in the prevalence of overweight and obesity among young Australians, 1969-1997. *American Journal of Clinical Nutrition, 77*, 29-36.
- Boreham, C. A., Twist, J., Savage, M. J., Cran, G. W., & Strain, J. J. (1997). Physical activity, sports participation, and risk factors in adolescents. *Medicine & Science in Sports & Exercise, 29*, 788-793.
- Bowman, O. J., & Katz, B. (1984). Hand strength and prone extension in right-dominant, 6 to 9 year olds. *American Journal of Occupational Therapy, 38*, 367-376.
- Bowman, P., Laurie, J., Chiapetta, A., Mitchell, A., & Belusko, E. (2003). The clinical impact of the presence or absence of the fifth finger flexor digitorum superficialis on grip strength. *Journal of Hand Therapy, 16*, 245-248.
- Braithwaite, I. J. (1992). Bilateral Median nerve palsy in a cyclist. *British Journal of Sports Medicine, 26*, 27-8.
- Brand, P. W., & Hollister, A. M. (1999). *Clinical Mechanics of the Hand* (3rd ed.). St Louis, Missouri: Mosby.
- Briggs, G. G., & Nebes, R. D. (1975). Patterns of hand preference in a student population. *Cortex, 11*, 230-238.
- Brown, S. G., Roy, E. A., Rohr, L. E., Snider, B. R., & Bryden, P. J. (2004). Preference and performance measures of handedness [Electronic version]. *Brain and Cognition, 55*, 283-285.
- Bryden, M. P. (1977). Measuring handedness with questionnaires. *Neuropsychologia, 15*, 617-624.
- Burke, W. E., Tuttle, W. W., Thompson, C. W., Jannay, C. D., & Weber, J. R. (1953). The relation of grip strength and grip-strength endurance to age. *Journal of Applied Physiology, 5*, 628-630.
- Burt, C.W., & Fingerhut, L.A. (1998). *Injury visits to hospital emergency departments: United States, 1992-95*. (Vital and Health Statistics 13 [131]). Washington, DC: National Committee on Vital and Health Statistics.
- Butterworth, S., Francis, S., Kelly, E., McGlone, F., Bowtell, R., & Sawle, G. V. (2003). Abnormal cortical sensory activation in dystonia: An fMRI study. *Movement Disorders, 18*, 673-682.

- Chang, H. F., Wu, K. M., & Chen, K. C. (1990). A cross-sectional study on the skeletal development of the hand and wrist from preadolescence to early adulthood among Chinese in Taiwan [English abstract only]. *Zhonghua Ya Yi Xue Hui Za Zhi*, 9, 1-11.
- Chatterjee, S., & Chowdhuri, B. J. (1991). Comparison of grip strength and isometric endurance between the right and left hands of men and their relationship with age and other physical parameters. *Journal of Human Ergology*, 20, 41-50.
- Chau, N., Petry, D., Bourgkard, E., Huguenin, P., Remy, E., & Andre, J. M. (1997). Comparison between estimates of hand volume and hand strengths with sex and age with and without anthropometric data in healthy working people. *European Journal of Epidemiology*, 13, 309 - 316.
- Cheing, G. L., & Luk, M. L. (2005). Transcutaneous electrical nerve stimulation for neuropathic pain. *Journal of Hand Surgery*, 30B, 50-5.
- Chimes, G. P., Foye, P. M., & Braddom, R. L. (2006, March). *Correlation of grip strength with other measures of upper body strength*. Abstract of poster session presented at the annual meeting of the Association of Academic Physiatrists, Florida.
- Chow, R. S., Medri, M. K., Martin, D. C., Leekam, R. N., Agur, A. M., & McKee, N. H. (2000). Sonographic studies of human soleus and gastrocnemius muscle architecture: gender variability. *European Journal of Applied Physiology*, 82, 236-244.
- Christova, P., Kossev, A., & Radicheva, N. (1998). Discharge rate of selected motor units in human biceps brachii at different muscle lengths. *Journal of Electromyography and Kinesiology*, 8, 287-294.
- Cioni, R., Giannini, F., Paradiso, C., Battistini, N., Navona, C., & Starita, A. (1994). Sex differences in surface EMG interference pattern power spectrum. *Journal of Applied Physiology*, 77, 2163-2168.
- Clerke, A. M., & Clerke, J. P. (2001). A literature review of the effect of handedness on isometric grip strength differences of the left and right hands. *The American Journal of Occupational Therapy*, 55, 206-211.
- Clerke, A. M., Clerke, J. P. & Adams, R. D. (2005). Effects of hand shape on maximal isometric grip strength and its reliability in teenagers. *Journal of Hand Therapy*, 18, 19-29.
- Cocchiarella, L., & Anderson, G. B. J. (Eds.). (2000). *Guides to the Evaluation of Permanent Impairment* (5th ed.). Chicago: AMA Press.
- Cole, A. A., Burwell, R. G., Polak, F. J., & Webb, J. K. (1998). Upper limb length asymmetry in healthy children and in preoperative girls with right thoracic adolescent idiopathic scoliosis. *The Journal of Bone & Joint Surgery*, 80B(Suppl. 3), 221.

- Cole, T., Bellizzi, M. C., Flegal, K M., & Dietz, W. H. (2000). Establishing a standard definition for child overweight and obesity worldwide: international survey. *British Medical Journal*, *320*, 1240-51.
- Collins, D. F., Knight, B., & Prochazka, A. (1999). Contact-evoked changes in EMG activity during human grasp [Electronic version]. *Journal of Physiology*, *81*, 2215-2225.
- Coren, S., & Previc F. H. (1996). Handedness as a predictor of increased risk of knee, elbow, or shoulder injury, fractures and broken bones. *Laterality*, *1*, 139-152.
- Cotten, D. J., & Bonnell, L. (1969). Investigation of the T-5 cable tensiometer grip attachment for measuring strength of college women. *Research Quarterly*, *40*, 848-850.
- Cotten, D. J., & Johnson, A. (1970). Use of the T-5 cable tensiometer grip attachment for measuring strength of college men. *Research Quarterly*, *41*, 454-456.
- Cousins, G. F. (1955). Effect of trained and untrained testers upon the administration of grip strength tests. *Research Quarterly*, *26*, 273-276.
- Crawford, S. M. (1996). Anthropometry. In D. Docherty (Ed.), *Measurement in Pediatric Exercise Science* (pp. 17-45). Champaign, IL: Human Kinetics.
- Crosby, C. A., & Wehbé, M. A. (1994). Hand strength: normative values. *Journal of Hand Surgery*, *19A*, 665-670.
- Crovitz, H. F., & Zener, K. (1962). A group-test for assessing hand- and eye-dominance. *American Journal of Psychology*, *75*, 271-276.
- Cunningham, B. (2005, October). *Metacarpal fractures – surgery or the splint?* Paper presented at the annual meeting of the Australian Hand Therapy Association, Sydney, Australia.
- Curt, F., Mesbah, M., Lellouch, J., & Dellatolas, G. (1997). Handedness scale: How many and which items? *Laterality*, *2*, 137-154.
- Dansecu, E. R., Miller, T. R., & Spicer, R. S. (2000). Incidence and costs of 1987-1994 childhood injuries: Demographic breakdowns. *Pediatrics*, *105*, 8 pages. Retrieved July 31, 2002, from <http://www.pediatrics.org/cgi/content/full/105/2/e27>
- Dashiff, C. (2001). Data collection with adolescents. *Journal of Advanced Nursing*, *33*, 343-349.
- Davies, B. N., Greenwood, E. J., & Jones, S. R. (1988). Gender difference in the relationship of performance in the handgrip and standing long jump tests to lean limb volume in young adults. *European Journal of Applied Physiology*, *58*, 315-320.

- Davis, A. B. (1978). Historical studies of medical instruments. *History of Science*, 16, 107-133.
- Davies, B. N. (1990). The relationship of lean limb volume to performance in the handgrip and standing long jump tests in boys and girls, aged 11.6-13.2 years. *European Journal of Applied Physiology and Occupational Physiology*, 60, 139-143.
- Dawson, N. M., Felle, P., & O'Donovan, D. K. (1998). A new manual power grip. *Acta Anatomica*, 163, 224-228.
- De Jonge, X. A. K. J., Boot, C. R. L., Thom, J. M., Ruell, P. A., & Thompson, M. W. (2001). The influence of menstrual cycle phase on skeletal muscle contractile characteristics in humans. *Journal of Physiology – London*, 530, 161-166.
- De Smet, L., & Vercammen, A. (2001). Grip strength in children. *Journal of Pediatric Orthopaedics*, 10, 352-354.
- Desrosiers, J., Bravo, G., Hébert, R., & Dutil, E. (1995). Normative data for grip strength of elderly men and women. *The American Journal of Occupational Therapy*, 49, 637-644.
- Desrosiers, J., Bravo, G., & Hébert, R. (1997). Isometric grip endurance of healthy elderly men and women. *Archives of Gerontology and Geriatrics*, 24, 75-85.
- Desrosiers, J., Hébert, R., Bravo, G., & Dutil, E. (1995). Comparison of the Jamar dynamometer and the Martin Vigorimeter for grip strength measurements in a healthy elderly population. *Scandinavian Journal of Rehabilitation Medicine*, 27, 137-143.
- Deutsch, K. M., & Newell, K. M. (2001). Age differences in noise and variability of isometric force production. *Journal of Experimental Child Psychology*, 80, 392-408.
- Di Fiori, J. P., & Mandelbaum, B. R. (1996). Wrist pain in a young gymnast: unusual radiographic findings and MRI evidence of growth plate injury. *Medicine and Science in Sports and Exercise*, 28, 1453-8.
- Docherty, D. (1996). In D. Docherty (Ed.), *Measurement in Pediatric Exercise Science*. Champaign, IL: Human Kinetics.
- Doré, E., Rudolph, P., Diallo, O., & Van, E. (2002). Gender comparisons of arm and leg muscle performance during growth. *Medicine and Science in Sports and Exercises*, 34(Suppl. 1), 142.
- Dorthe, N. J., Blumenthal, T. D., Jason, D., & Lantz. (1995). The use of next-of-kin in assessing handedness. *Perceptual and Motor Skills*, 81, 203-208.

- Douris, P., Chinan, A., Gomez, M., Steffens, A, Aw, D., & Weiss, S. (2004). Fitness levels of middle aged martial art practitioners. *British Journal of Sports Medicine*, 38, 143-147.
- Dragovic, M. (2004). Towards an improved measure of the Edinburgh Handedness Inventory: a one-factor congeneric measurement model using confirmatory factor analysis [Electronic version]. *Laterality*, 9, 411-419.
- Ducher, G., Jaffre, C. P., Arlettaz, A., Benhamou, C. L., & Courteix, D. (2005). Effects of long-term tennis playing on the muscle-bone relationship in the dominant and nondominant forearms. *Canadian Journal of Applied Physiology*, 30, 3-17.
- Dunwoody, L., Tittmar, H. G., & McClean, W. S. (1996). Grip strength and intertrial rest. *Perceptual and Motor Skills*, 83, 275-278.
- Durand, M-J., Vachon, B., Hong, Q. N., & Loisel, P. (2005). The cross-cultural adaptation of the DASH questionnaire in Canadian French. *Journal of Hand Therapy*, 18, 34-39.
- Dvir, Z. (1997). The measurement of isokinetic fingers flexion strength. [Electronic version]. *Clinical Biomechanics*, 12, 473-481.
- Dvir, Z. (1999). Identification of feigned grip effort using isokinetic dynamometry [Electronic version]. *Clinical Biomechanics*, 14, 522-527.
- Eisenberg, E., Chistyakov, A., Yudashkin, M., Kaplan, B., Hafner, H., & Feinsod, M. (2005). Evidence for cortical hyperexcitability of the affected limb representation area in CRPS: a psychophysical and transcranial magnetic stimulation study [Electronic version]. *Pain*, 113, 99-105.
- El-Karef, E. A. (2005). Corrective osteotomy for symptomatic scaphoid malunion. *Injury*, 36, 1440-8.
- Elbert, T., Pantev, C., Wienbruch, C., Rockstroh, B., & Taub, E. (1995). Increased cortical representation of the fingers of the left hand in string players. *Science*, 270, 305-307.
- Eliasziw, M., Young, S. L., Woodbury, M. G., & Fryday-Field, K. (1994). Statistical methodology for the concurrent assessment of interrater and intrarater reliability: using goniometric measurements as an example. *Physical Therapy*, 74, 777-788.
- Emerson, C. S., Harrison, D. W., Everhart, D. E., & Williamson, J. B. (2001). Grip strength asymmetry in depressed boys. *Neuropsychiatry, Neuropsychology, and Behavioural Neurology*, 14, 130-134.
- Evans, F. T. (1981). Roads, railways, and canals: Technical choices in 19th century Britain. *Technology and Culture*, 22. Retrieved March 13, 2005, from http://xroads.Virginia.edu/~DRBR/_railroads.html

- Everett, P. W. & Sills, F. D. (1952). The relationship of grip strength to stature, somatotype components, and anthropometric measurements of the hand. *Research Quarterly*, 23, 161-166.
- Fairfax, A. H., Balnave, R., & Adams, R. D. (1995). Variability of grip strength during isometric contraction. *Ergonomics*, 38, 1819-1830.
- Fess, E. E. (1987). A method for checking Jamar dynamometer calibration. *Journal of Hand Therapy*, 1, 28-32.
- Fess, E. E. (1990). Reliability of new and used Jamar dynamometers under laboratory conditions. *Journal of Hand Therapy*, 3, 35.
- Fess, E. E. (1992). Grip strength. In J. S. Casanova (Ed.), *Clinical Assessment Recommendations* (2nd ed., pp. 41-46). Chicago: American Society of Hand Therapists.
- Fike, M. L., & Rousseau, E. (1982). Measurement of adult hand strength: A comparison of two instruments. *Occupational Therapy Journal of Research*, 2, 43-49.
- Firrell, J. C., & Crain, G. M. (1996). Which setting of the dynamometer provides maximal grip strength? *Journal of Hand Surgery*, 21A, 397-401.
- Fisher, M. B., & Birren, J. E. (1947). Age and strength. *Journal of Applied Psychology*, 31, 490-497.
- Floodjoy, M., & Mathiowetz, V. (1987). Grip-strength measurement: A comparison of three Jamar dynamometers. *Occupational Therapy Journal of Research*, 7, 235-243.
- Fong, P. W. K., & Ng, G. Y. F. (2001). Effect of wrist positioning on the repeatability and strength of power grip. *American Journal of Occupational Therapy*, 55, 212-216.
- Fountain, J. L., & Meyers, M. C. (1996). Skateboarding injuries. *Sports medicine*, 22, 360-366.
- Forrest, D. W. (1974). *Francis Galton: The Life and Work of a Victorian Genius*. London: Elek.
- Fraser, C., & Benten, J. (1983). A study of adult hand strength. *British Journal of Occupational Therapy*, 46, 296-299.
- Freedman, D. S., Kettel, K. L., Serdula, M. K., Srivasan, S. R., & Berenson, G. S. (2000). Secular trends in height among children during 2 decades: The Bogalusa heart study. *Archives of Pediatric and Adolescent Medicine*, 154, 155-161.
- Fullwood, D. (1986). Australian norms for hand and finger strength of boys and girls aged 5-12 years. *Australian Occupational Therapy Journal*, 33, 26-36.

- Galton, F. (1907). *Inquiries into human faculty and its development* (2nd ed.). London: Dent & Sons. (Original work published 1883)
- Gandevia, S. C., Macefield, G., Burke, D., & McKenzie, D. K. (1990). Voluntary activation of human motor axons in the absence of muscle afferent feedback: the control of the deafferented hand. *Brain*, *113*, 1563-1581.
- Geckler, E. O. (1939). A pneumatic dynamometer. *American Journal of Surgery*, *45*, 353.
- Gerhardt, J. J. (1992). *Documentation of Joint Motion* (3rd ed.). Portland, OR: ISOMED.
- Gibson, R. S. (1990). *Principles of Nutritional Assessment*. Oxford: Oxford University Press.
- Granata, K. P., Wilson, S. E., & Padua, D. A. (2002). Gender differences in active musculoskeletal stiffness. Part I. Quantification in controlled measurements of knee joint dynamics. *Journal of Electromyography & Kinesiology*, *12*, 119-26.
- Green, R. A., Briggs, C. A. (1989). Anthropometric dimensions and overuse injury among Australian keyboard operators. *Journal of Occupational Medicine*, *31*, 747-50.
- Green, S. B., Salkind, N. J., & Akey, T. M. (2000). *Using SPSS for Windows: Analysing and understanding data* (2nd ed.). Upper Saddle River, New Jersey: Prentice Hall.
- Greenleaf, J. E., Van Beaumont, W., Convertino, V. A., & Starr, J. C. (1983). Handgrip and general muscular strength and endurance during prolonged bed rest with isometric and isotonic leg exercise training. *Aviation, Space, and Environmental Medicine*, *54*, 696-700.
- Gregory, J. W., Greene, S. A., Thompson, J., Scrimgeour, C. M., & Rennie, M. J. (1992). Effects of oral testosterone undecanoate on growth, body composition, strength and energy expenditure of adolescent boys. *Clinical Endocrinology*, *37*, 207-13.
- Guaran, R. L., Wein, P., Sheedy, M., Walstab, J., & Beischer, N. A. (1994). Update of growth percentiles for infants born in an Australian population. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, *34*, 39-50.
- Gustafson, A. B., & Kalkhoff, R. K. (1982). Influence of sex and obesity on plasma catecholamine response to isometric exercise. *Journal of Clinical Endocrinology and Metabolism*, *55*, 703-8.
- Häger-Ross, C., & Rösblad, B. (2002). Norms for grip strength in children aged 4-16 years. *Acta Paediatrica*, *91*, 617-625.

- Hagg, U., & Taranger, J. (1980). Skeletal stages of the hand and wrist as indicators of the pubertal growth spurt. *Acta Odontologica Scandinavica*, 38, 187-200.
- Hamill, P. V. V., Dvizid, T. A., Johnson, C. L., Red, R. B., & Roche, A. F. (1977). NCHS growth curves for children birth – 18 years: United States. In *NCHS, Vital and Health Statistics (Series 11)*, (Publication No. PHS78-1650). Washington, DC: National Centre for Health Statistics.
- Hamilton, A., Balnave, R., & Adams, R. (1994). Grip strength testing reliability. *Journal of Hand Therapy*, 8, 163-170.
- Hamilton Fairfax, A., Balnave, R., & Adams, R. D. (1995). Variability of grip strength during isometric contraction. *Ergonomics*, 38, 1819-1830.
- Hamilton, A. M. (1875). A new dynamometer. *The Psychological and Medico-legal Journal*, 2, 255-256.
- Hamilton Fairfax, A. (1996). *An examination of methods used to discriminate between maximal and submaximal muscular exertions*. Unpublished doctoral dissertation, University of Sydney, Australia.
- Hammond, W. A. (1868). The dynamometer and dynamograph of Mathieu. *Quarterly Journal of Psychological Medicine and Medical Jurisprudence*, 2, 138-146.
- Hammond, W. A. (1876). The instruments and apparatus employed in the diagnosis and treatment of diseases of the nervous system. In: W. A. Hammond (Ed.), *A Treatise on the Diseases of the Nervous System* (6th ed., pp. 11-25). New York: Appleton & Co.
- Handelsman, D. J., & Gupta, I. (1997). Prevalence and risk factors for anabolic-androgenic steroid abuse in Australian high school students. *International Journal of Andrology*, 20, 159-164.
- Hanten, W. P., Chen, W-Y., Austin, A. A., Brooks, R. E., Carter, H. C., & Law, C. A., (1999). Maximum grip strength in normal subjects from 20 to 64 years of age. *Journal of Hand Therapy*, 12, 193-200.
- Hardyck, C., Goldman, R., & Petrinovich, L. (1975). Handedness and sex, race, and age. *Human Biology*, 47, 369-375.
- Hardyck, C., & Petrinovich, L. F. (1977). Left-handedness. *Psychological Bulletin*, 84, 385- 405.
- Härkönen, R., Piirtomaa, M., & Alaranta, H. (1993). Grip strength and hand position of the dynamometer in 204 Finnish adults. *Journal of Hand Surgery*, 18B, 129-132.

- Harris, L. J. (1990). Cultural influences on handedness: Historical and contemporary theory and evidence. In S. Coren (Ed.), *Left-handedness Behavioural Implications and Anomalies* (pp. 195-258). Amsterdam: North-Holland Elsevier Science Publishers B.V.
- Hassan, I., & Dorani, B. J. (2001). Sports related fractures in children in north east England. *Emergency Medicine Journal*, *18*, 167-171.
- Haward, B. M. & Griffin, M. J. (2002). Repeatability of grip strength and dexterity tests and the effects of age and gender. *International Archives of Occupational & Environmental Health*, *75*, 111-9.
- Hayman, L. A., Duncan G., Chiou-TanF, Y., Liu, S., & Taber, K H. (2001). Sectional neuroanatomy of the upper limb III: Forearm and hand. *Journal of Computer Assisted Tomography*, *25*, 322-25.
- Hebbal, G. V., & Mysorekar, V. R. (2003). Anatomical and behavioural asymmetries in right and left handers from India [Electronic version]. *Annals of Anatomy*, *185*, 267-275.
- Heebol-Nielsen, K. (1982). Muscle strength of boys and girls, 1981 compared to 1956. *Scandinavian Journal of Sports Science*, *4*, 37-43.
- Henneberg, M., & George, B. (1993). Racial reality in human biology [Letter to the editor]. *Newsletter of the Anatomical Society of Southern Africa*, *26*, 10.
- Henneberg, M., Brush, G., Harrison, G. A. (2001). Growth of specific muscle strength between 6 and 18 years in contrasting socioeconomic conditions. *American Journal of Physical Anthropology*, *115*, 62-70.
- Henriksson-Larsén, K. (1985). Distribution, number and size of different types of fibres in whole cross-sections of female tibialis anterior. An enzyme histochemical study. *Acta Physiologica Scandinavica*, *123*, 229-235.
- Hepper, P. G., Shahidullah, S., & White, R. (1991). Handedness in the human fetus. *Neuropsychologia*, *29*, 1107-1111.
- Hepper, P. G., Wells, D. L., & Lynch, C. (2005). Prenatal thumb sucking is related to postnatal handedness [Electronic version]. *Neuropsychologia*, *43*, 313-315.
- Heybeli, N., Kutluhan, S., Demirci, S., Kerman, M., & Mumcu, E. F. (2002). Assessment of outcome of carpal tunnel syndrome: a comparison of electrophysiological findings and a self-administered Boston questionnaire. *Journal of Hand Surgery*, *27B*, 259-64.
- Hinson, M., Woodard, J., & Gench, B. (1990). Reliability of the Jamar digital dynamometer model 2A. *Occupational Therapy Journal of Research*, *10*, 108-110.

- Horne, D., & Talbot, E. (2002). The history of the Régnier dynamometer [Electronic version]. *Iron Grip Magazine*, 2, 4-8.
- Hunter, S. K., Thompson, M. W., & Adams, R. D. (2000). Relationships among age-associated strength changes and physical activity level, limb dominance and muscle group in women. *Journal of Gerontology*, 55A, B264-B273.
- Hunter, S. K., & Enoka, R. M. (2003). Changes in muscle activation can prolong the endurance time of a submaximal isometric contraction in humans. *Journal of Applied Physiology*, 94, 108-118.
- Hunsicker, P. A., & Donnelly, R. J. (1955). Instruments to measure strength. *Research Quarterly*, 26, 408-420.
- Ichinose, Y., Kanehisa, H., Ito, M., Kawakami, Y., & Fukunaga, T. (1998). Morphological and functional differences in the elbow extensor muscle between highly trained male and female athletes. *European Journal of Applied Physiology*, 78, 109-114.
- Imrahan, S. N., & Farahmand, K. (1999). Male torque strength in simulated oil rig tasks: the effects of grease-smear gloves and handle length, diameter and orientation. [Electronic version] *Applied Ergonomics*, 30, 455-462.
- Incel, N. A., Ceceli, E., Durukan, P. B., Erdem, H. R., & Yorgancioglu, Z. R. (2002). Grip strength: Effect of hand dominance. *Singapore Medical Journal*, 43, 234-237.
- Innes, E. (1999). Handgrip strength testing: A review of the literature. *Australian Occupational Therapy Journal*, 46, 120-140.
- Ismail, A. A., O'Neill, T. W., Cockerill, W., Finn, J. D., Cannata, J. B., Hozowski, K., et al. (2000). Validity of self-report of fractures: results from a prospective study in men and women across Europe [Abstract]. *Osteoporosis International*, 11, 248-54.
- Ivers, R. Q., Cumming, R. G., Mitchell, P., & Peduto, A. J. (2002). The accuracy of self-reported fractures in older people. *Journal of Clinical Epidemiology*, 55, 452-457.
- Jackman, R. W., & Kandarian, S. C. (2004). The molecular basis of skeletal muscle atrophy. *American Journal of Physiology. Cell Physiology*, 287, C834-43.
- Jackson L. S., Dudrick S. J., & Sumpio, B. E. (2004). John Harvey Kellogg; Surgeon, inventor, nutritionist (1852-1943) [Electronic version]. *Journal of the American College of Surgeons*, 199, 817-821.
- JAMA 100 years ago. (1999). Physical development in America. 33; 1366. [Electronic version]. *Journal of the American Medical Association*, 282, 1502L. (Original letter to the editor published October 28, 1899, author not identified).

- Jaric, S. (2002). Muscle strength testing: Use of normalisation for body size. *Sports Medicine*, 32, 615-631.
- Jaric, P. (1991). Dominant-hand to non-dominant hand grip-strength ratios of college baseball players. *Journal of Hand Therapy*, 5, 123-126.
- Jensen, A. R. (2002). Galton's legacy to research on intelligence. *Journal of Biosocial Science*, 34, 145-172.
- Jones, D. L. & Round, J. M. (1990). *Skeletal muscle in health and disease*. Manchester: Manchester University Press.
- Kanehisa, H., Ikegawa, S., Tsunoda, N., & Fukunaga, T. (1995). Strength and cross-sectional areas of reciprocal muscle groups in the upper arm and thigh during adolescence. *International Journal of Sports Medicine*, 16, 54-60.
- Kargov, A., Pylatiuk, C., Martin, J., Schulz, S., & Döderlein, L. (2004). A comparison of the grip force distribution in natural hands and ion prosthetic hands [Electronic version]. *Disability and Rehabilitation*, 26, 705-711.
- Kellogg, J. H. (1893). A new dynamometer for use in anthropometry. *Modern Medicine and Bacteriological World*, 2, 269-75.
- Kellogg, J. H. (1895). Studies of individual and comparative muscular strength in men and women. In *The Art of Massage: Its Physiological Effects and Therapeutic Applications* (pp.195-213). MI, USA: Modern Medicine.
- Kellor, M., Frost, J., Silberberg, N., Iversen, I., & Cummings, R. (1971). Hand strength and dexterity. *American Journal of Occupational Therapy*, 25, 77-83.
- Kerr, A., Syddall, H. E., Cooper, C., Turner, G. F., Briggs, R. S., & Sayer, A. A. (2006). Does admission grip strength predict length of stay in hospitalised older patients. *Age and Ageing*, 35, 82-4.
- Khan, A. M., Ryan, M. G., & Teplitz, G. A. (2003). Carpometacarpal dislocations of the thumb. *American Journal of Orthopedics*, 32, 38-41.
- King, J. W., & Berryhill, B. H. (1988). A comparison of two static grip testing methods and its clinical applications: A preliminary study. *Journal of Hand Therapy*, 2, 204-208.
- King, P. M., & Finet, M. (2003). Determining the accuracy of the psychophysical approach to grip force measurement. *Journal of Hand Therapy*, 17, 412-416.
- Kirkpatrick, J. E. (1956). Evaluation of grip loss. *California Medicine*, 85, 314-320.
- Kirkpatrick, J. E. (1957). Evaluation of grip loss. *Industrial Medicine and Surgery*, June, 285- 289.

- Klepper, S. E. (2003). Exercise and fitness in children with arthritis: Evidence of benefits for exercise and physical activity. [Electronic version] *Arthritis & Rheumatism (Arthritis Care & Research)*, *49*, 435-443.
- Kreipe, R. E., & Gewanter, H. L. (1985). Physical maturity screening for participation in sports. *Pediatrics*, *75*, 1076-1080.
- Kubo, K., Kanehisa, H., & Fukunaga, T. (2003). Gender differences in the viscoelastic properties of tendon structures. *European Journal of Applied Physiology*, *88*, 520-526.
- Kulaksiz, G., & Gozil, R. (2002). The effect of hand preference on hand anthropometric measurements in healthy individuals. *Annals of Anatomy*, *184*, 257-65.
- Kucera, J. D., & Robins, T. G. (1989). Relationship of cumulative trauma disorders of the upper extremity to degree of hand preference. *Journal of Occupational Medicine*, *31*, 17-22.
- Kucsmarski, R. J., Ogden, C. L., Grummer-Strawn, L. M., Flegal, K. M., Guo, S. S., Wei, r., Mei, Z et al. (2000). CDC Growth Charts: Unites States. *Advance Data*, *314*, December 4, 2000 (Revised). Available from the National Centre for Health Statistics web site, <http://www.cdc.gov/nchs/data/ad/ad314.pdf>
- Lafargue, G., Paillard, J., Lamarre, Y., & Sirigu, A. (2003). Production and perception of grip force without proprioception: is there a sense of effort in deafferented subjects? *European Journal of Neuroscience*, *17*, 2741-9.
- Lagerström, C., & Nordgren, B. (1998). On the reliability and usefulness of methods for grip strength measurement. *Scandinavian Journal of Rehabilitation Medicine*, *30*, 113-119.
- Landin, L. A. (1983). Fracture patterns in children. Analysis of 8,682 fractures with special reference to incidence, etiology and secular changes in a Swedish urban population 1950-1979. *Acta Orthopaedica Scandinavica*, *202*(Suppl.), 1-109.
- Lanska, D. J. (2000). William Hammond, the dynamometer, the dynamograph [Electronic version]. *Archives of Neurology*, *57*, 1649-1653.
- Lazarus, R., Baur, L., Webb, K., & Blyth, F. (1996). Body mass index in screening adiposity in children and adolescents: systematic evaluation using receiver operating characteristic curves. *American Journal of Clinical Nutrition*, *63*, 500-6.
- Le Leu, L. A., & Shanahan, E. M. (1994). Guidelines to the evaluation of permanent impairment [Letter to the editor]. *Medical Journal of Australia*, *160*, 310.
- Lewin, I. M., Davis, B., & Hops, H. (1999). Childhood social predictors of adolescent antisocial behaviour: gender differences in predictive accuracy and efficacy. *Journal of Abnormal Child Psychology*, *27*, 277-92.

- Lieber, R. L. (2002). *Skeletal muscle structure, function and plasticity* (2nd ed.). Baltimore: Lippincott, Williams & Wilkins.
- Link, L., Lukens, S., & Bush, M. A. (1995). Spherical grip strength on children 3 to 6 years of age. *American Journal of Occupational Therapy*, 49, 318-326.
- Long, C., Conrad, P. W., Hall, E. A., & Furler, S. L. (1970). Intrinsic-extrinsic muscle control of the hand in power grip and precision handling. *The Journal of Bone and Joint Surgery*, 52A, 853-867.
- Lunde, B. K., Brewer, W. D., & Garcia, P. A. (1972). Grip strength of college women. *Archives of Physical Medicine & Rehabilitation*, 53, 491-493.
- Lyngcoln, A., Taylor, N., Pizzari, T., & Baskus, K. (2005). The relationship between adherence to hand therapy and short-term outcome after distal radius fracture. *Journal of Hand Therapy*, 18, 2-8.
- MacDermid, J. C., Alyafi, T., Richards, R. S., & Roth, J. H. (2001). Test-retest reliability of isometric strength and endurance grip tests performed on the Jamar and NK devices. *Physiotherapy Canada*, 53, 48-54.
- MacDermid, J. C., Fehr, L. B., & Lindsay, K. C. (2002). The effect of physical factors on grip strength and dexterity. *British Journal of Hand Therapy*, 7, 442-8.
- MacDermid, J. C., & Lee, A. (2004). Individual finger strength: Are the ulnar digits “powerful”? *Journal of Hand Therapy*, 17, 364-367.
- MacDermid, J. C., Lee, A., Richards, R. S., & Roth, J. H. (2004). Individual finger strength: Are the ulnar digits “powerful”? *Journal of Hand Therapy*, 17, 364-367.
- MacDermid, J. C., Richards, R. S., & Roth, J. H. (2001). Distal radial fracture: a prospective outcome study of 275 patients. *Journal of Hand Therapy*, 14, 154-169.
- MacDougall, J. D., Sale, D. G., Always, S. E., & Sutton, J. R. (1984). Muscle fiber number in biceps brachii in bodybuilders and control subjects. *Journal of Applied Physiology: respiratory, Environmental and Exercise Physiology*, 57, 1399-403.
- Maganaris, C. N., Baltzopoulos, V., & Sargeant, A. J. (2002). Repeated contractions alter the geometry of human skeletal muscle. *Journal of Applied Physiology*, 93, 2089-94.
- Mahabir, R. C., Kazemi, A. R., Cannon, W. G. & Courtemanche, D. J. (2001). Pediatric hand fractures: a review. *Pediatric Emergency Care*, 17, 153-6.
- Maher, C., & Adams, R. (1995). Is the clinical concept of spinal stiffness multidimensional? *Physical Therapy*, 75, 854-864.

- Mandell, R. J., Nelson, D. L., & Cermak, S. A. (1984). Differential laterality of hand function in right-handed and left-handed boys. *American Journal of Occupational Therapy*, 38, 114-120.
- Mannerkorpi, K., Svantesson, U., & Broberg, C. (2006). Relationships between performance-based tests and patients' ratings of activity limitations, self-efficacy, and pain in fibromyalgia. *Archives of Physical Medicine and Rehabilitation*, 87, 259-264.
- Markel, T. A., Daley, J. C., Hogerman, C. S., Herr, M. D., Jhan, M. H., Gray, K. S., et al. (2003). Aging and the exercise pressor reflex in humans. *Circulation*, 107, 675-81.
- Martin, T. P., Bodin-Fowler, S., Roy, R. R., Eldred, E., & Edgerton, V. R. (1988). Metabolic and fiber size properties of cat tibialis anterior motor units. *American Journal of Physiology*, 255, C43-50.
- Martorell, R., Mendoza, F., Mueller, W. H., & Pawson, I. G. (1988). Which side to measure: Right or left? In T. G. Lohman, A. F. Roche, & R. Martorell (Eds.), *Anthropometric standardization reference manual* (pp. 87-91). Champaign, IL: Human Kinetics Books.
- Masmejean, E., Alnot, J. -Y., Couturier, C., & Cadot, B. (1999). Amputation of the fourth ray of the hand. *Journal of Bone and Joint Surgery (Br)*, 81-B (Suppl. 3), 350.
- Massey-Westropp, N., Rankin, W., Ahern, M., Krishnan, J., & Hearn, T. C. (2004). Measuring grip strength in normal adults: Reference ranges and a comparison of electronic and hydraulic instruments. *Journal of Hand Surgery*, 29A, 514-519.
- Mathiowetz, V. (1990). Effects of three trials on grip and pinch strength measurements. *Journal of Hand Therapy*, 3, 195-198.
- Mathiowetz, V., Kashman, N., Volland, G., Weber, K., Dowe, M., & Rogers, S. (1985). Grip and pinch strength: Normative data for adults. *Archives of Physical Medicine & Rehabilitation*, 66, 69-72.
- Mathiowetz, V., Rennells, M. S., & Donahoe, L. (1985). Effect of elbow position on grip and key pinch strength. *Journal of Hand Surgery*, 10A, 694-696.
- Mathiowetz, V., Weber, K., Volland, G., & Kashman, N. (1984). Reliability and validity of grip and pinch strength evaluations. *Journal of Hand Surgery*, 9A, 222-226.
- Mathiowetz, V., Wiemer, D. M., & Federman, S. M. (1986). Grip and pinch strength: norms for 6- to 19-year-olds. *American Journal of Occupational Therapy*, 40, 705-711.

- Maughan, R. J., & Nimmo, M. A. (1984). The influence of variations in muscle fibre composition on muscle strength and cross-sectional area in untrained males. *Journal of Physiology*, *351*, 299-311.
- McCall, G. E., Byrnes, W. C., Dickinson, A., Pattany, P. M., & Fleck, S. J. (1996). Muscle fiber hypertrophy, hyperplasia, and capillary density in college men after resistance training. *Journal of Applied Physiology*, *81*, 2004-12.
- McCloy, C. H., & Young, N. D. (1954). Present status; strength. In *Tests and Measurement in Health and Physical Education* (3rd ed., pp. 128-164). New York: Appleton-Century-Crofts.
- McComas, A. J. (1998). 1998 ISEK congress keynote lecture. Motor units: how many, how large, what kind? *Journal of Electromyography and Kinesiology*, *8*, 391-402.
- McConnell, S., Beaton, D. E., & Bombardier, C. (1999). *The DASH Outcome Measure: A User's Manual*. Toronto, Ontario: Institute for Work & Health.
- McFarland, K. & Anderson, J. (1980). Factor stability of the Edinburgh Handedness Inventory as a function of test-retest performance, age and sex. *British Journal of Psychology*, *71*, 135-142.
- McGarvey, S., Morrey, B. F., Askew, L. J., An, K. (1984). Reliability of isometric strength testing: Temporal factors and strength variation. *Clinical Orthopaedics and Related Research*, *185*, 301-305.
- McGoldrick, F., & O'Brien, T. M. (1988). Bilateral stress fractures of the ulnar. *Injury*, *19*, 360-1.
- McMeehan, E. R. L., & Lishman, W. A. (1975). Retest reliabilities and interrelationship of the Annett hand preference questionnaire and the Edinburgh handedness inventory. *British Journal of Psychology*, *66*, 53-59.
- Means, L. W. & Walters, R. E. (1982). Sex, handedness and asymmetry of hand and foot length. *Neuropsychologia*, *20*, 715-9.
- Merkies, I. S. J., Schmitz, P. I. M., Samijn, J. P. A., Van Der Meché, F. G. A., Toyka, K. V., & Van Doorn, P. A. (2000). Assessing grip strength in healthy individuals and patients with immune-mediated polyneuropathies. *Muscle and Nerve*, *23*, 1393-1401.
- Melikyan, E. Y., Beg, M. S., Woodbridge, S., & Burke, F. D. (2003). The functional results of ray amputation (abstract only). *Hand Surgery*, *8*, 47-51.
- Mero, A., Jaakkola, L., & Komi, P. V. (1991). Relationships between muscle fibre characteristics and physical performance capacity in trained athletic boys. *Journal of Sports Sciences*, *9*, 161-71.

- Meunier, M. J., Hentzen, E., Ryan, M., Shin, A. Y., & Lieber, R. L. (2004). Predicted effects of metacarpal shortening on interosseous muscle function. *Journal of Hand Surgery, 29A*, 689-693.
- Miller, A. E., MacDougall, J. D., Tarnopolsky, M. A., & Sale, D. G. (1993). Gender differences in strength and muscle fiber characteristics. *European Journal of Applied Physiology and Occupational Physiology, 66*, 254-62.
- Miller, J. B., & Stockdale, F. E. (1986). Developmental regulation of the multiple myogenic cell lineages of the avian embryo. *Journal of Cell Biology, 103*, 2197-2208.
- Miller, J. B., & Stockdale, F. E. (1987). What muscle cells know that nerves don't tell them. *Trends in Neurosciences, 10*, 10-14.
- Michlovitz, S. L., LaStayo, P. C., Alzner, S., & Watson, E. (2001). Distal radial fractures: Therapy practice patterns. *Journal of Hand Therapy, 14*, 249-257.
- Mirwald, R. L., Baxter-Jones, A. D., Bailey, D. A., & Beunen, G. P. (2002). An assessment of maturity from anthropometric measurements. *Medicine & Science in Sports & Exercise, 34*, 689-694.
- Montoye, H. J. & Lamphiear, D. E. (1977). Grip and arm strength in males and females, age 10 to 69 years. *Research Quarterly, 48*, 109-120.
- Moseley, A., & Adams, R. (1991). Measurement of passive ankle dorsiflexion: Procedure and reliability. *Australian Physiotherapy, 37*, 175-181.
- Moseley, G. L. (2005). Is successful rehabilitation of complex regional pain syndrome due to sustained attention to the affected limb? A randomised clinical trial [Electronic version]. *Pain, 114*, 54-61.
- Napier, J. R. (1956). The prehensile movements of the human hand. *Journal of Bone and Joint Surgery, 38B*, 902-913.
- National Health and Medical Research Council. (1997). *Acting on Australia's weight: A strategic plan for the prevention of overweight and obesity*. Canberra, Australian Capital Territory: Commonwealth Department of Health and Family Services.
- National Isometric Muscle Strength Database Consortium (1996). Muscular weakness assessment: Use of normal isometric strength data. *Archives of Physical Medicine and Rehabilitation, 77*, 1251-1255.
- Neu, C. M., Rauch, F., Rittweger, J., Manz, F., & Schoenau, E. (2002). Influence of puberty on muscle development at the forearm. *American Journal of Physiology, Endocrinology and Metabolism, 283*, E103-E107.

- Newman, D. G., Pearn, J., Barnes, A., Young, C. M., Kehoe, M., & Newman, J. (1984). Norms for hand grip strength. *Archives of Disease of Childhood*, *59*, 453-459.
- Newton, C. (2005, April). *Determining how to use the legislation to ensure optimal quantum of damages*. Paper presented at the Lexis Nexis Personal Injury (Queensland) Conference, Brisbane, Australia.
- Niebuhr, B. R., Marion, R., & Fike, M. L. (1994). Reliability of grip strength assessment with the computerized Jamar dynamometer. *The Occupational Therapy Journal of Research*, *14*, 3-18.
- Nishikawa, H. (1998). Evaluation of increases in stature, upper extremity length and hand length in children from school age to the cessation of growth in Ogi County, Japan: A longitudinal study [English edition]. *Fukuoka Igaku Zasshi – Fukuoka Acta Medica*, *89*, 44-55.
- Nitschke, J. E., McMeeken, J. M., Burry, H. C., & Matyas, T. A. (1999). When is change a genuine change? A clinically meaningful interpretation of grip strength measurements in healthy and disabled women. *Journal of Hand Therapy*, *12*, 25-30.
- Nordenskiöld, U., & Grimby, G. (1997). Assessments of disability in women with rheumatoid arthritis in relation to grip force. *Disability and Rehabilitation*, *19*, 13-19.
- Novak, C. B. (2001). Evaluation of hand sensibility: A review. *Journal of Hand Therapy*, *14*, 266-272.
- Nowak, D. A., & Hermsdörfer, J. (2005). Grip force behaviour during object manipulation in neurological disorders: Toward an objective evaluation of manual performance deficits [Electronic version]. *Movement Disorders*, *20*, 11-25.
- O'Dea, J., & Abraham, S. (1995). Should body mass index be used in young adolescents [Letter to the editor]? *Lancet*, *345*, 657.
- Oertel, G. (1988). Morphometric analysis of normal skeletal muscles in infancy, childhood and adolescence. *Journal of Neurological Sciences*, *88*, 303-313.
- Okunribido, O. O. (2000). A survey of hand anthropometry of female rural farm workers in Ibadan, Western Nigeria. *Ergonomics*, *43*, 282-292.
- Oldfield, R. C. (1971). The assessment and analysis of handedness: The Edinburgh inventory. *Neuropsychologia*, *9*, 97-113.

- Otani, K., Han, D. H., Ford, E. L., Garcia-Roves, P. M., Ye, H., Horikawa, Y., Bell, G. I., et al. (2004). Calpain system regulates muscle mass and glucose transporter GLUT4 turnover [Electronic version]. *Journal of Biological Chemistry*, *14*, 279, 20915-20.
- Oxford, K. L. (2000). Elbow positioning for maximum grip performance. *Journal of Hand Therapy*, *13*, 33-36.
- Padmavathi, R., Bharathi, A. V., & Vaz, M. (1999). Gender differences in muscle strength & endurance in young Indian adults. *Indian Journal of Medical Research*, *109*, 188-94.
- Parsons, E. A. (1952). *The Alexandrian Library: Glory of the Hellenic World, its Rise, Antiquities and Destructions*. London: Cleaver-Hume Press.
- Pascual-Leone, A., Wassermann, E. M., Sadato, N., & Hallett, M. (1995). The role of reading activity on the modulation of motor cortical outputs to the reading hand in Braille readers [Electronic version]. *Annals of Neurology*, *38*, 910-915.
- Pasquet, B., Carpenter, A., & Duchateau, J. (2005). Change in muscle fascicle length influences the recruitment and discharge rate of motor units during isometric contractions. *Journal of Neurophysiology*, *94*, 3126-3133.
- Pearn, J. (1978a). "Ring the bell and win a cigar": Some early experiments on the measurement of human strength in Port Jackson and Van Diemen's Land. *The Medical Journal of Australia*, *2*, 167-169.
- Pearn, J. (1978b). Two early dynamometers [Electronic version]. *Journal of Neurological Sciences*, *37*, 127-134.
- Pearn, J., & Bullock, K. (1979). A portable hand-grip dynamometer. *Australian Paediatric Journal*, *15*, 107-09.
- Pearson, R., MacKinnon, M. J., Meek, A. P., Myers, D. B., & Palmer, D. G. (1982). Diurnal and sequential grip function in normal subjects and effects of temperature change and exercise of the forearm on grip function in patients with rheumatoid arthritis and in normal controls. *Scandinavian Journal of Rheumatology*, *11*, 113-118.
- Peimer, C. A., Wheeler, D. R., Barrett, A., & Goldschmidt, P. G. (1999). Hand function following single ray amputation. *Journal of Hand Surgery*, *24A*, 1245-1248.
- Penfield, W., & Rasmussen, T. (1968). *The cerebral cortex of man*. New York: McMillan.
- Peters, M. (1998). Description and validation of a flexible and broadly usable handedness questionnaire. *Laterality*, *1*, 77-96.

- Petersen, P., Petrick, M., Connor, H., & Conklin, D. (1989). Grip strength and hand dominance: Challenging the 10% rule. *American Journal of Occupational Therapy*, 43, 444-447.
- Pharmacia Growth Service. (1989a). *Growth chart: Girls 2 – 18 years*. North Ryde: Author.
- Pharmacia Growth Service. (1989b). *Growth chart: Boys 2 – 18 years*. North Ryde: Author.
- Pheasant, S. (1990). *Anthropometrics: An introduction*. United Kingdom: British Standard Institution.
- Pheasant, S. (1996). *Bodyspace: Anthropometry, Ergonomics and the Design of Work* (2nd ed.). London: Taylor & Francis.
- Pisano, F., Miscio, G., Colombo, R., & Pinelli, P. (1996). Quantitative evaluation of normal muscle tone. *Journal of Neurological Sciences*, 135, 168-72.
- Portney, L. G., & Watkins, M. P. (2000). *Foundations of Clinical Research: Applications to Practice* (2nd ed.). Norwalk, CT: Appleton & Lange.
- Pronk, C. N. A., & Niesing, R. (1981). Measuring hand-grip force, using a new application of strain gauges. *Medical and Biological Engineering and Computing*, 19, 127-128.
- Provins, K. A., Milner, A. D., & Kerr, P. (1982). Asymmetry of manual preference and performance. *Perceptual and Motor Skills*, 54, 179-194.
- Pujol, T. J., Barnes, J T., & Unterreiner, T. J. (2005). Fitness changes in high school females as a result of a three-week physical education class: 2233 Board #22 10:30 AM – 12:00 PM. *Medicine & Science in Sports & Exercise*, 37 (Suppl.), S429-430.
- Raczkowski, D. & Kalat, J. W. (1974). Reliability and validity of some handedness questionnaire items. *Neuropsychologia*, 12, 43-47.
- Radhakrishnan, S., & Nagaravindra. M. (1993). Analysis of hand forces in health and disease during maximal isometric grasping of cylinders. *Medical and Biological Engineering and Computing*, 31, 372-376.
- Rajan, P., Premkumar, R., Rajkumar, P., & Richard, J. (2005). The impact of hand dominance and ulnar and median nerve impairment on strength and basic daily activities. *Journal of Hand Therapy*, 18, 40-45.
- Ramos, E., Frontera, W. R., Llopart, A., & Feliciano, D. (1998). Muscle strength and hormonal levels in adolescents: gender related differences. *International Journal of Sports Medicine*, 19, 526-31.

- Ramsay, J. A., Blimkie, C. J. R., Smith, K., Garner, S., MacDougall, J. D., & Sale, D. G. (1990). Strength training effects in prepubescent boys. *Medicine and Science in Sports and Exercise*, *22*, 605-614.
- Ransil, B. J., & Schachter, S. C. (1994). Test-retest reliability of the Edinburgh Handedness Inventory and global handedness preference measurements and their correlation. *Perceptual and Motor Skills*, *79*, 1355-1372.
- Rauch, F., Neu, C. M., Wassmer, G., Beck, B., Rieger-Wettengl, G., Rietschel, E., et al. (2002). Muscle analysis by measurement of maximal isometric grip force: New reference data and clinical applications in pediatrics. *Pediatric Research*, *51*, 505-510.
- Reddon, J. R., Stefanyk, W. O., Gill, D. M., & Renney, C. (1985). Hand dynamometer: Effects of trials and sessions. *Perceptual and Motor Skills*, *61*, 1195-1198.
- Reeves, S. L., Varakamin, C., & Henry, C. J. (1996). The relationship between arm-span measurement and height with special reference to gender and ethnicity. *European Journal of Clinical Nutrition*, *50*, 398-400.
- Reikeras, O. (1983). Bilateral differences of normal hand strength. *Archives of Orthopaedic Trauma Surgery*, *101*, 223-224.
- Rey, J. M., Plapp, J. M., Stewart, G., Richards, I., & Bashir, M. (1987). Reliability of the psychosocial axes of DSM-III in an adolescent population. *British Journal of Psychiatry*, *150*, 228-234.
- Rikli, R. (1974). Effects of experimenter expectancy set and experimenter sex upon grip strength and hand steadiness scores. *Research Quarterly*, *45*, 416-423.
- Rikli, R., & Arnett, B. (1978). Motor performance scores of volunteer versus randomly selected subjects. *Research Quarterly*, *49*, 329-334.
- Roberts, M. A., O'Dea, J., Boyce, A., & Mannix, E. T. (2002). Fitness levels of firefighters recruits before and after a supervised exercise training program [Electronic version]. *Journal of Strength and Conditioning Research*, *16*, 271-7.
- Robinson, T. N., Hammer, L. D., Killen, J. D., Kraemer, H. C., Wilson, D. M., Hayward, C., et al. (1993). Does television viewing increase obesity and reduce physical activity? Cross-sectional and longitudinal analyses among adolescent girls. *Pediatrics*, *91*, 273-280.
- Romanes, G. J. (1976). *Cunningham's Manual of Practical Anatomy, Volume One Upper and Lower Limbs* (14th ed.). London: Oxford University Press.
- Rossiter, N. D., Chapman, P., & Haywood, I. A. (1996). How big is a hand? *Burns*, *22*, 230-231.

- Rothstein, J. (1985). Measurement and clinical practice: theory and application. In J Rothstein (Ed.), *Measurement in Physical Therapy* (pp. 1-46). New York: Churchill Livingstone.
- Round, J. M., Jones, D. A., Honour, J. W., & Nevill, A. M. (1999). Hormonal factors in the development of differences in strength between boys and girls during adolescence: a longitudinal study. *Annals of Human Biology*, 26, 49-62.
- Ruiz-Ruiz, J., Mesa, J. L. M., Gutiérrez, A., & Castillo, M. J. (2002). Hand size influences optimal grip span in women but not in men. *The Journal of Hand Surgery*, 27A, 897-901.
- Ryushi, T., Hakkinen, K., Kauhanen, H., & Komi, P. V. (1988). Muscle fiber characteristics, muscle cross-sectional area and force production in strength athletes, physically active males and females. *Scandinavian Journal of Sports Science*, 10, 7-15.
- Sartorio, A., Lafortuna, C. L., Pogliaghi, S., & Trecate, L. (2002). The impact of gender, body dimension and body composition on hand-grip strength in healthy children. *Journal of Endocrinological Investigation*, 25, 431-5.
- Scaife, W. G., Lyons, C. G. R., Vij, J. K. & Ruttle, S. (1977). Calibration of a metallic bellows dilatometer. *Journal of Physics E: Scientific Instruments*, 10, 874-76.
- Schaubert, K. L. & Bohannon, R. W. (2005). Reliability and validity of three strength measures obtained from community-dwelling elderly persons, *Journal of Strength and Conditioning Research*, 19, 717-720.
- Schell, L. M., Johnston, F. E., Smith, D. R., & Paolone, A. M. (1985). Directional asymmetry of body dimensions among white adolescents. *American Journal of Physical Anthropology*, 67, 317-322.
- Schmidt, R. T., & Toews, J. V. (1970). Grip strength as measured by the Jamar dynamometer. *Archives of Physical Medicine and Rehabilitation*, 51, 321-327.
- Schmier, A. A. (1945). Research work on a more precise method of determining muscle strength in poliomyelitis patients. *Journal of Bone and Joint Surgery*, 27, 317-326.
- Shechtman, O., Davenport, R., Malcolm, M., & Nabavi, D. (2003). Reliability of the BTE-Primus grip tool. *Journal of Hand Therapy*, 16, 36-42.
- Shechtman, O., Gutierrez, Z., & Kokendofer, E. (2005). Analysis of the statistical methods used to detect submaximal effort with the five-rung grip strength test. *Journal of Hand Therapy*, 18, 10-18.
- Shechtman, O., Gestewitz, L., & Kimble, C. (2005). Reliability and validity of the DynEx dynamometer. *Journal of Hand Therapy*, 18, 339.

- Sheldon, P. (2003). Ileum-targeted steroid therapy in rheumatoid arthritis: double-blind, placebo-controlled trial of controlled-release budesonide. [Electronic version]. *Rheumatology International*, 23, 154-8.
- Shrout, P. E., & Fleiss, J. L. (1979). Intraclass correlations: uses in assessing rater reliability. *Psychological Bulletin*, 86, 420-28.
- Simon, J. R. (1964). Steadiness, handedness, and hand preference. *Perceptual and Motor Skills*, 18, 203-206.
- Simon, W. (2001). Chronic fatigue: Symptom and syndrome. *Annals of Internal Medicine*, 134 (Suppl.), 838-843.
- Simoneau, J. A., & Bouchard, C. (1995). Genetic determinism of fiber type proportion in human skeletal muscle. *Federation of American Societies for Experimental Biology Journal*, 9, 1091-5.
- Sinaki, M., Canvin, J. C., Phillip-s, B. E., & Clarke, B. L. (2004). *Mayo Clinic Proceedings*, 79, 639-44.
- Sinaki, M., Limburg, P. J., Wollan, P. C., Rogers, J. W., & Murtaugh, P. A. (1996). Correlations of trunk muscle strength with age in children 5 to 18 years old. *Mayo Clinic Proceedings*, 71, 1047-1054.
- Sinha-Hikim, I., Artaza, J., Woodhouse, L., Gonzalez-Cadavid, N., Singh, A. B., Lee, et al. (2002). Testosterone-induced increase in muscle size in healthy young men is associated with muscle fiber hypertrophy. *American Journal of Physiology, Endocrinology and Metabolism*, 283, E154-64.
- Smith, R. O., & Bengel, M. W. (1985). Pinch and grasp strength: Standardisation of terminology and protocol. *American Journal of Occupational Therapy*, 39, 531-535.
- Smits-Engelsman, B. C., Westenberg, Y., & Duysens, J. (2003). Development of isometric force and force control in children. *Cognitive Brain Research*, 17, 68-74.
- Soderberg, G. L. (1986). *Kinesiology: application to pathological motion*. Baltimore: Williams & Wilkins.
- Solgaard, S., Kristiansen, B., & Jensen, J. S. (1984). Evaluation of instruments for measuring grip strength. *Acta Orthopaedica Scandinavica*, 55, 569-572.
- Speck, P.A., Collingwood, K. M., Bardsley, R. G., Tucker, G. A., Gilmour, R. S., & Buttery, P. J. (1993). Transient changes in growth and in calpain and calpastatin expression in ovine skeletal muscle after short-term dietary inclusion of cimaterol [English version]. *Biochimie*. 75, 917-23.
- Steenhuis, R. E., & Bryden, M. P. (1989). Different dimensions of hand preference that relate to skilled and unskilled activities. *Cortex*, 25, 289-304.

- Stephens, J. L., Pratt, N., & Michlovitz, S. (1996). The reliability and validity of the Tekdyne hand dynamometer: Part 2. *Journal of Hand Therapy*, 9, 18-26.
- Storer, T. W., Magliano, L., Woodhouse, L., Lee, M. L., Dzekov, C., Dzekov, J., et al. (2003). Testosterone dose-dependently increases maximal voluntary strength and leg power, but does not affect fatigability or specific tension. *Journal of Clinical Endocrinology and Metabolism*, 88, 1478-85.
- Stratford, P. W., & Goldsmith, C. H. (1997). Use of the standard error as a reliability index of interest: an applied example using elbow flexor strength data. *Physical Therapy*, 77, 745-750.
- Streeton, J.A. (1994). Guidelines to the evaluation of permanent impairment [Letter to the editor]. *Medical Journal of Australia*, 160, 658.
- Subirá, M. E., & Malgosa, A. (1988). Somatometric study of the hands. *International Journal of Anthropology*, 3, 329-338.
- Subirana, A. (1969). Handedness and cerebral dominance. *Handbook of Clinical Neurology*, 4, 249-272.
- Sunnegårdh, J., Bratteby, L. E., Nordesjö, L. O. & Nordgren, B. (1988). Isometric and Isokinetic muscle strength, anthropometry and physical activity in 8 and 13 year old Swedish children. *European Journal of Applied Physiology and Occupational Physiology*, 58, 291-7.
- Sutherland, A. G., Holmes, J. D., & Myers, S. (1996). Differing injury patterns in snowboarding and alpine skiing. *Injury*, 27, 423-5.
- Svens, B., & Lee, H. (2005). Intra- and inter-instrument reliability of grip-strength measurements: GripTrack™ and Jamar™ hand dynamometers. *British Journal of Hand Therapy*, 10, 47-55.
- Swanson, A. B., Matev, I. B., & de Groot, G. (1970). The strength of the hand. *Bulletin of Prosthetics Research*, Fall, 145-153.
- Swanson, A. B., de Groot Swanson, G., & Göran-Hagert, C. (1995). Evaluation of impairment of hand function. In J. M. Hunter., E. J. Mackin., & A. D. Callahan (Eds.), *Rehabilitation of the Hand: Surgery and Therapy* (4th ed., pp. 1839-1896). St Louis, MO: Mosby.
- Tabachnick, B. G. & Fidell, L. S. (2001). *Using Multivariate Statistics* (4th ed.). Boston: Allyn and Bacon.
- Talsania, J. S. & Kozin, S. H. (1998). Normal digital contribution to grip strength assessed by a computerised digital dynamometer. *Journal of Hand Surgery*, 23B, 162-166.

- Tammelin, T., Näyhä, S., Rintamäki, H., & Zitting, P. (2002). Occupational physical activity is related to physical fitness in young workers [Electronic version]. *Medicine and Science in Sports and Exercise*, 34, 158-165.
- Tanner, J. M. (1962). *Growth of Adolescents* (2nd ed.). Oxford, UK: Blackwell Scientific.
- Taranger J., & Hagg, U. (1980). The timing and duration of adolescent growth. *Acta Odontologica Scandinavica*, 38, 57-67.
- Teng, E. L., Lee, P., Yang, K., & Chang, P. C. (1976). Handedness in a Chinese population: Biological, social and pathological factors. *Science*, 193, 1148-1150.
- Tennessee Online (n.d.). Retrieved February 14, 2005 from <http://www.tennesseehistory.com/artifact/ART22.htm>
- Teraoka, T. (1979). Studies on the peculiarity of grip strength in relation to body positions and aging. *The Kobe Journal of Medical Sciences*, 25, 1-17.
- Thorngren, K. -G., & Werner, C. O. (1979). Normal grip strength. *Acta Orthopaedica Scandinavica*, 50, 255-259.
- Tilley, A. (1999). *An introduction to research methodology and report writing in psychology*. Brisbane: Pineapple Press.
- Toews, J. V. (1964). A grip-strength study among steelworkers. *Archives of Physical Medicine and Rehabilitation*, 45, 413-417.
- Toft, I., Lindal, S., Bonna, K. H., & Jenssen, T. (2003). Quantitative measurement of muscle fiber composition in a normal population. *Muscle and Nerve*, 28, 101-108.
- Toh, S., Hitoshi, M., Kouchi, A., Masahiro, Y., Masayuki, W., & Kenji, T. (2003). Scaphoid fractures in children: Problems and treatment. *Journal of Pediatric Orthopaedics*, 23, 216-221.
- Triggs, W. J., Calvanio, R., Levine, M., Heaton, R. K., & Heilman, K. M. (2000). Predicting hand preference with performance on motor tasks. *Cortex*, 36, 679-689.
- Tubiana, R., Thomine, J. M., & Mackin, E. (1996). Examination of the hand and wrist (2nd ed.). London: Martin Dunitz.
- Vaz, M., Hunsberger, S., & Diffey, B. (2002). Prediction equations for handgrip strength in healthy Indian male and female subjects encompassing a wide age range. *Annals of Human Biology*, 29, 131-141.

- Volkman, J., Schnitzler, A., Witte, O. W., & Freund, H. -J. (1998). Handedness and asymmetry of hand representation in human motor cortex. *Journal of Neurophysiology*, *79*, 2149-2154.
- Voyer, D. (1998). On the reliability and validity of non-invasive laterality measures. *Brain and Cognition*, *36*, 209-236.
- Wang, Z., Patterson, C. M., & Hills, A. P. (2002). Association between overweight or obesity and household income and parental body mass index in Australian youth: analysis of the Australian National Nutrition Survey, 1995. *Asia Pacific Journal of Clinical Nutrition*, *11*, 200-5.
- Watanabe, T., Owashi, K., Kanauchi, Y., Mura, N., Takahara, M., & Ogino, T. (2005). The short-term reliability of grip strength measurement and the effects of posture and grip span. *The Journal of Hand Surgery*, *30A*, 603-9.
- Weinstock-Zlotnick, G., Torres-Gray, D., & Segal, R. (2004). Effect of pressure garment work gloves on hand function in patients with hand burns: A pilot study. *Journal of Hand Therapy*, *17*, 368-376.
- Werner, J. K. (1980). *Neuroscience: A clinical perspective*. Philadelphia: Saunders.
- White, K., & Ashton, R. (1976). Handedness assessment inventory. *Neuropsychologia*, *14*, 261- 264.
- Williams, S. (1991). Handedness inventories: Edinburgh versus Annett. *Neuropsychology*, *5*, 43-48.
- Winer, B. J., Brown, D. R., & Michels, K. M. (1991). *Statistical Principles in Experimental Design* (3rd ed.). New York: McGraw-Hill
- Wright, V. (1959). Some observations on diurnal variation of grip. *Clinical Science*, *18*, 7-23.
- Wolfe, R., Ferrando, A., Sheffield-Moore, M., & Urban, R. (2000). Testosterone and muscle protein metabolism. *Mayo Clinic Proceedings*, *75*(Suppl.), S55-S60.
- Wolinsky, F. D., Miller, D. K., Andresen, E. M., Malmstrom, T. K., & Miller, J. P. (2005). Reproducibility of physical performance and physiological assessments [Electronic version]. *Journal of Aging and Health*, *17*, 11-124.
- Woo, T. L., & Pearson, K. (1927). Dextrality and sinistrality of hand and eye [Electronic version]. *Biometrika*, *19*, 165-199.
- Young, V. L., Pin, P., Kraemer, B. A., Gould, R. B., Nemergut, L., & Pellowski, M. (1989). Fluctuation in grip and pinch strength among normal subjects. *Journal of Hand Surgery*, *14A*, 125-129.

- Yim, S. Y., Cho, J. R., & Lee, I. Y. (2003). Normative data and developmental characteristics of hand function for elementary school children in Suwon area of Korea: Grip, pinch and dexterity study. *Journal of Korean Medical Sciences, 18*, 552-8.
- Zverev, Y. & Gondwe, M. (2001). Growth of urban school children in Malawi. *Annals of Human Biology, 28*, 384-394.
- Zverev, Y., & Kamadyaapa, D. (2001). Lateral asymmetry in grip strength: utility of the ten per cent rule. *East African Medical Journal, 78*, 611-615.