

References

- Ait-Haddou R, Binding P, Herzog W (2001). Comments on “Theoretical considerations on co-contraction of sets of agonistic and antagonistic muscles”, Authors Response. Journal of Biomechanics. 34(7): 977-978.
- Alexander R McNeal, Vernon A (1975). The dimensions of knee and ankle muscles and the forces they exert. Journal of Human Movement Studies. 1: 115-123.
- Audu ML, Davy DT (1985). The influence of model complexity in musculo-skeletal motion modelling. Journal of Biomechanical Engineering. 107: 147-157.
- Backman E, Henriksson KG (1988). Skeletal muscle characteristics in children 9-15 years old: force, relaxation rate and contraction time. Clinical Physiology. 8(5): 521-527.
- Bagni MA, Cecchi G, Schoenberg M (1988). A model of force production that explains the lag between crossbridge attachment and force after electrical stimulation of striated muscle fibers. Biophysical Journal. 54(6): 1105-1114.
- Bajd T, Trnkoczy A (1979). Attempts to optimise functional electrical stimulation of antagonistic muscles by mathematical modelling. Journal of Biomechanics. 12: 921-928.
- Baratta RV, Solomonow M (1992). The dynamic performance model of skeletal muscle. Critical Reviews of Biomedical Engineering. 19(6): 419-454.
- Baratta RV, Solomonow M, Best R, Zembo M, D'Ambrosia R (1995). Architecture-based force-velocity models of load-moving skeletal muscles. Clinical Biomechanics. 10(3): 149-155.
- Barrett R, Neal R, Dennis G (1998). Prediction of ankle joint moments during jumping using an EMG-driven muscle model. 2nd Australia and New Zealand Society of Biomechanics. Book of Abstracts. The University of Auckland, New Zealand. pp 28-29.

- BeDell KK, Scremin AME, Perell KL, Kunkel CF (1996). Effects of functional electrical stimulation-induced lower extremity cycling on bone density of spinal cord-injured patients. American Journal of Physical Medicine & Rehabilitation. 75(1): 29-34.
- Beelen A, Sargeant AJ, Jones DA, de Ruyter CJ (1995). Fatigue and recovery of voluntary and electrically elicited dynamic force in humans. Journal of Physiology. 484(1): 227-235.
- Bigland B, Lippold OCJ (1954). The relation between force, velocity and integrated electrical activity in human muscles. Journal of Physiology. 123: 214-224.
- Block JE, Steinbach LS, Friedlander AL, Steiger P, Ellis W, Morris JM, Genant HK (1989). Electrically-stimulated muscle hypertrophy in paraplegia: assessment by quantitative CT. Journal of Computer Assisted Tomography. 13(5): 852-854.
- Bloomfield SA, Mysiw WJ, Jackson RD (1996). Bone mass and endocrine adaptations to training in spinal cord injured individuals. Bone. 19(1): 61-68.
- Blumer CE, Quine S (1996). Surveillance of traumatic spinal cord injury in Australia: the identification of information needs. Spinal Cord. 34(11): 639-643.
- Bobbert MF, Huijing PA, van Ingen Schenau Jan (1986). A model of the human triceps surae muscle-tendon complex applied to jumping. Journal of Biomechanics. 19(11): 887-898.
- Bobbert MF, van Ingen Schenau GJ (1990). Isokinetic plantar flexion: experimental results and model calculations. Journal of Biomechanics. 23(2): 105-109.
- Bodine SC, Roy, RR, Eldred E, Edgerton VR (1987). Maximal force as a function of anatomical features of motor units in the cat tibialis anterior. Journal of Neurophysiology. 57(6): 1730-1745.
- Boichut DA, Valentini Fr A (1983). Human locomotion analysis: determination of muscular forces and nervous orders. International Journal of Biomedical Computing. 14: 217-230.
- Bottinelli R, Canepari M, Pellegrino MA, Reggiani C (1996). Force-velocity properties of human skeletal muscle fibres: myosin heavy chain isoform and temperature dependence. Journal of Physiology. 495(2): 573-586.

- Brand RA, Crowninshield RD, Wittstock CE, Pederson DR, Clark CR, Krieken FM van (1982). A model of lower extremity anatomy. Journal of Biomechanical Engineering. 104: 304-310.
- Braun Z, Mizrahi J, Najenson T, Graupe D (1985). Activation of paraplegic patients by functional electrical stimulation: training and biomechanical evaluation. Scandinavian Journal of Rehabilitation Medicine Supplement. 12: 93-101.
- Bremner LA, Sloan KE, Day RE, Scull ER, Ackland T (1992). A clinical exercise system for paraplegics using functional electrical stimulation. Paraplegia. 30(9): 647-655.
- Brown IE, Loeb GE (2000). Measured and modeled properties of mammalian skeletal muscle: IV. dynamics of activation and deactivation. Journal of Muscle Research & Cell Motility. 21(1): 33-47.
- Buford WL Jr, Ivey FM Jr, Malone JD, Patterson RM, Peare GL, Nguyen DK, Stewart AA (1997). Muscle balance at the knee--moment arms for the normal knee and the ACL-minus knee. IEEE Transactions on Rehabilitation Engineering. 5(4): 367-379.
- Butler DL, Grood ES, Noyes FR, Zernicke RF, Brackett K (1984). Effects of Structure and strain measurement technique on the material properties of young human tendons and fascia. Journal of Biomechanics. 17(8): 579-596.
- Butler DL, Grood ES, Noyes FR, Zernicke RF (1978). Biomechanics of ligaments and tendons. Exercise and Sports Science Reviews. 6: 125-181.
- Cameron T, Calancie B (1995). Mechanical and fatigue properties of wrist flexor muscles during repetitive contractions after cervical spinal cord injury. Archives of Physical Medicine & Rehabilitation. 76(10): 929-933.
- Chadwick EKJ, Nicol AC (2000). Elbow and wrist joint contact forces during occupational pick and place activities. Journal of Biomechanics. 33(5): 591-600.
- Chen JJ, Yu NY, Huang DG, Ann BT, Chang GC (1997). Applying fuzzy logic to control cycling movement induced by functional electrical stimulation. IEEE Transactions on Rehabilitation Engineering. 5(2): 158-168.

- Chow JW, Darling WG (1999). The maximum shortening velocity of muscle should be scaled with activation. Journal of Applied Physiology. 86(3): 1025-1031.
- Cole GK, van den Bogert AJ, Herzog W, Gerritsen KGM (1996). Modelling of force production in skeletal muscle undergoing stretch. Journal of Biomechanics. 29(8): 1091-1104.
- Collins DF, Burke D, Gandevia SC (2001). Large involuntary forces consistent with plateau-like behavior of human motoneurons. Journal of Neuroscience. 21(11): 4059-4065.
- Cook CS, McDonagh MJ (1995). Force responses to controlled stretches of electrically stimulated human muscle-tendon complex. Experimental Physiology. 80(3): 477-490.
- Cramer RM, Weston AR, Rutkowski S, Middleton JW, Davis GM, Sutton JR (2000). Effects of electrical stimulation leg training during the acute phase of spinal cord injury: a pilot study. European Journal of Applied Physiology. 83(4-5): 409-415.
- Crowninshield RD, Brand RA (1981). A physiologically based criterion of muscle force prediction in locomotion. Journal of Biomechanics. 14(11): 793-801.
- Cutts A (1988). The range of sarcomere lengths in the muscles of the human lower limb. Journal of Anatomy. 160: 79-88.
- Cutts A, Seedhom BB (1993). Validity of cadaveric data for muscle physiological cross-sectional area ratios: a comparative study of cadaveric and in-vivo data in human thigh muscle. Clinical Biomechanics. 8(3): 156-162.
- Davis GM (1993). Exercise capacity of individuals with paraplegia. Medicine and Science in Sports and Exercise. 25(4): 423-432.
- Davis GM, Servedio FJ, Glaser RM, Gupta SC, Suryaprasad AG (1990). Cardiovascular responses to arm cranking and FNS-induced leg exercise in paraplegics. Journal of Applied Physiology. 69(2): 671-677.
- Davis RR, Hull ML (1981). Measurement of pedal loading in bicycling: II. Analysis and results. Journal of Biomechanics. 14(12): 857-872.

Delp SL, Loan JP, Hoy MG, Zajac FE, Topp EL, Rosen, JM (1990). An interactive graphics based model of the lower extremity to study orthopaedic surgical procedures. IEEE Transactions on Biomedical Engineering. 37(8): 757-767.

Delp SL, Maloney W, (1993). Effects of hip centre location on the moment-generating capacity of the muscles. Journal of Biomechanics. 26(4/5): 485-500.

Ditunno JF Jr, Young W, Donovan WH, Creasey G (1994). The international standards booklet for neurological and functional classification of spinal cord injury. American Spinal Injury Association. Paraplegia. 32(2): 70-80.

Dorgan SJ, O'Malley MJ (1997). A nonlinear mathematical model of stimulated skeletal muscle. IEEE Transactions on Rehabilitation Engineering. 5(2): 179-193.

Douglas AJ, Walsh EG, Wright GW, Creasey GH, Edmond P (1991). The effects of neuromuscular stimulation on muscle tone at the knee in paraplegia. Experimental Physiology. 76(3): 357-367.

Dudley GA, Harris RT, Duvoisin MR, Hather BM, Buchanan P (1990). Effect of voluntary vs. artificial activation on the relationship of muscle torque to speed. Journal of Applied Physiology. 69(6): 2215-2221.

Edman KA (1979). The velocity of unloaded shortening and its relation to sarcomere length and isometric force in vertebrate muscle fibres. Journal of Physiology. 291: 143-159.

Ericson MO, Bratt AB, Nisell R, Arborelius UP, Ekholm J (1986). Power output and work in different muscle groups during ergometer cycling. European Journal of Applied Physiology and Occupational Physiology. 55(3): 229-235.

Ericson MO, Nisell R (1988). Efficiency of pedal forces during ergometer cycling. International Journal of Sports Medicine. 9: 118-122.

Ettema GJC, Huijing PA (1989). Properties of the tendinous structures and series elastic component of EDL muscle-tendon complex of the rat. Journal of Biomechanics. 22(11/12): 1209-1215.

- Ettema GJC, Huijing PA (1993). Series elastic properties of rat skeletal muscle: distinction of series elastic components and some implications. Netherlands Journal of Zoology. 43: 306-325.
- Ettema GJC, Huijing PA (1994). Effects of distribution of muscle fiber length on active length-force characteristics of rat gastrocnemius medialis. Anatomical Record. 239: 414-420.
- Ezenwa BN, Glaser RM, Couch W, Figoni SF, Rodgers (1991). Adaptive control of functional electrical stimulation-induced knee extension exercise. Journal of Rehabilitation Research and Development. 28(4): 1-8.
- Faghri PD, Glaser RM, Figoni SF, (1992). Functional electrical stimulation leg cycle ergometer exercise: Training effects on cardiorespiratory responses of spinal cord injured subjects at res. Archives of Physical Medicine & Rehabilitation. 73(11): 1085-1093.
- Ferguson AC, Keating JF, Delargy MA, Andrews BJ (1992). Reduction of seating pressure using FES in patients with paraplegia. Paraplegia. 30(7): 474-478.
- Figoni SF, Glaser RM, Rodgers MM, Hooker SP, Ezenwa BN, Collins SR, Mathews T, Suryprasad AG, Gupta SC (1991). Acute hemodynamic responses of spinal cord injured individuals to functional neuromuscular stimulation-induced knee extension exercise. Journal of Rehabilitation Research & Development. 28(4): 9-18.
- Figoni SF, Christ CB, Massey BH (1988). Effects of speed, hip and knee angle, and gravity on hamstring to quadriceps torque ratios. Journal of orthopaedic and sports physical therapy. 9(8): 287-291.
- Fitts RH, Widrick JJ (1996). Muscle mechanics: adaptations with exercise-training. Exercise & Sport Sciences Reviews. 24: 427-473.
- Fitts RH, McDonald KS, Schuller JM (1991). The determinates of skeletal muscle force and power: their adaptability with changes in activity pattern. Journal of Biomechanics. 24(S1): 111- 122.
- Fitzhugh R (1977). A model of optimal voluntary muscular control. Journal of Mathematical Biology. 4: 203-236.

Fowler EG, Gregor RJ, Hodgson JA, Roy RR (1993). Relationship between ankle muscle and joint kinetics during the stance phase of locomotion in the cat. Journal of Biomechanics. 26(4/5): 465-484.

Franek A, Turczynski B, Opara J (1988). Treatment of spinal spasticity by electrical stimulation. Journal of Biomedical Engineering. 10(3): 266-270.

Friederich JA, Brand RA (1990). Muscle fibre architecture in the human lower limb. Journal of Biomechanics. 23(1): 91-95.

Frigo C, Pedotti A (1978). Determination of muscle length during locomotion. In Asmussen E and Jorgensen K (Eds). Biomechanics VI-A, International Series on Biomechanics. Baltimore: University Park Press. p 355-360.

Fukashiro S, Komi PV, Jarvinen M, Miyashita M (1993). Comparison between directly measured Achilles tendon force and the tendon force calculated from the ankle joint moment during vertical jumps. Clinical Biomechanics. 8(1): 25-30.

Fukunaga T, Ichinose Y, Ito M, Kawakami Y, Fukashiro S (1997). Determination of fascicle length and pennation in a contracting human muscle in vivo. Journal of Applied Physiology. 82(1): 354-358.

Fukunaga T, Roy RR, Shellock FG, Hodgson JA, Day MK, Lee PL, Kwong-Fu H, Edgerton VR (1992). Physiological cross-sectional area of human leg muscles based on magnetic resonance imaging. Journal of Orthopaedic Research. 10(6): 928-934.

Gerrits HL, De Haan A, Hopman MTE, Van der Woude LHV, Jones DA, Sargeant AJ (1999). Contractile properties of the quadriceps muscle in individuals with spinal cord injury. Muscle and Nerve. 22: 1249-1256.

Gföhler M, Lugner P (2000). Cycling by means of functional electrical stimulation. IEEE Transactions on Rehabilitation Engineering. 8(2): 233-243.

Glaser RM, Couch WP, Janssen TWJ, Almeyda JW, Pringle DD, Collins SR, Mathews T (1996). A development system to enhance FES leg cycle ergometer technology. In Langton A (Ed), Proceedings of the RESNA '96 Annual Conference. Salt Lake City, June, 1996. p109.

Glaser RM, Figoni SF, Hooker SP, Rodgers MM, Ezenwa BN, Suryaprasad AG, Gupta SC, Mathews T (1989). Efficiency of FNS leg cycle ergometry. IEEE Engineering in Medicine and Biology. 11th Annual Conference. p 961-963.

Glitsch, U, Baumann W (1997). The three-dimensional determination of internal loads in the lower extremity. Journal of Biomechanics. 30(11/12): 1123-1131.

Gonzalez H, Hull ML (1989). Multivariate optimization of cycling biomechanics. Journal of Biomechanics. 22(11): 1151-1161.

Gordon AM, Huxley AF, Julian FJ (1966). The variation in isometric tension with sarcomere length in vertebrate muscle fibres. Journal of Physiology (London). 184: 170-192.

Granat MH, Ferguson AC, Andrews BJ, Delargy M (1993). The role of functional electrical stimulation in the rehabilitation of patients with incomplete spinal injury - observed benefits during gait studies. Paraplegia. 31(4): 207-215.

Granat MH, Heller BW, Nicol DJ, Baxendale RH, Andrews BJ (1993). Improving limb flexion in FES gait using the flexion withdrawal response for the spinal cord injured person. Journal of Biomedical Engineering. 15(1): 51-56.

Gregor RJ, Komi PV, Browning RC, Jarvinen M (1991). A comparison of the triceps surae and residual muscle moments at the ankle during cycling. Journal of Biomechanics. 24(5): 287-298.

Grieve DW, Pheasant S, Cavanagh PR (1978). Prediction of gastrocnemius length from knee and ankle joint posture. In Asmussen E and Jorgensen K (Eds). Biomechanics VI-A, International Series on Biomechanics. Baltimore: University Park Press. p 405-412.

Griffin JW, Tooms RE, Mendius RA, Clifft JK, Vander Zwaag R, el-Zeky F (1991). Efficacy of high voltage pulsed current for healing of pressure ulcers in patients with spinal cord injury. Physical Therapy. 71(6): 433-442.

Grood ES, Suntay WJ, Noyes FR, Butler DL (1984). Biomechanics of the knee-extension exercise. Journal of Bone and Joint Surgery. 66-A(5): 725-734.

- Happee R (1994). Inverse dynamic optimization including dynamics, a new simulation method applied to goal directed movements. Journal of Biomechanics. 27(7): 953-960.
- Hartkopp A, Murphy RJL, Mohr T, Kjoer M, Biering-Sorensen F (1998). Bone fracture during electrical stimulation of the quadriceps in a spinal cord injured subject. Archives of Physical Medicine and Rehabilitation. 79: 1133-1136.
- Hatze H (1977). A myocybernetic control model of skeletal muscle. Biological Cybernetics. 25: 103-119.
- Hatze H (1980). A mathematical model for the computational determination of parameter values of anthropomorphic segments. Journal of Biomechanics. 13: 833-843.
- Hatze H (2001). Comments on “Theoretical considerations on co-contraction of sets of agonistic and antagonistic muscles”. Journal of Biomechanics. 34(7): 975-976.
- Hausdorff JM, Durfee WK (1991). Open-loop position control of the knee joint using electrical stimulation of the quadriceps and hamstrings. Medical and Biological Engineering and Computing. 29(3): 269-280.
- Hawkins D, Hull ML (1990). A method for determining lower extremity muscle-tendon lengths during flexion/extension movements. Journal of Biomechanics. 23(5): 487-494.
- Henriksson-Larsen K, Wretling ML, Lorentzon R, Oberg L (1992). Do muscle fibre size and fibre angulation correlate in pennated human muscles? European Journal of Applied Physiology & Occupational Physiology. 64(1): 68-72.
- Herbert RD, Gandevia SC (1995). Changes in pennation with joint angle and muscle torque: in vivo measurements in human brachialis muscle. Journal of Physiology. 482(2): 523-532.
- Herzog W (1998). History dependence of force production in skeletal muscle: a proposal for mechanisms. Journal of Electromyography and Kinesiology. 8(2): 111-117.
- Herzog W, Abrahamse SK, ter Keurs HEDJ (1990). Theoretical determination of force-length relations of intact human skeletal muscles using the cross-bridge model. Pflugers Archives. 416: 113-119.

- Herzog W, Leonard TR (1991). Validation of optimization models that estimate the forces exerted by synergistic muscles. Journal of Biomechanics. 24(S1): 31-42.
- Herzog W, Leonard TR (1997). Depression of cat soleus forces following isokinetic shortening. Journal of Biomechanics. 30(9): 865-872.
- Herzog W, Leonard TR (2000). The history dependence of force production in mammalian skeletal muscle following stretch-shortening and shortening-stretch cycles. Journal of Biomechanics. 33(5): 531-542.
- Hill AV (1970). First and last experiments in muscle mechanics. Cambridge: University Press.
- Hjeltnes N, Lannem A (1990). Functional neuromuscular stimulation in 4 patients with complete paraplegia. Paraplegia. 28(4): 235-243.
- Hooker SP, Figoni SF, Rodgers MM, Glaser RM, Mathews T, Suryaprasad AG, Gupta SC (1992). Physiologic effects of electrical stimulation leg cycle exercise training in spinal cord injured persons. Archives of Physical Medicine & Rehabilitation. 73(5): 470-476.
- Hoy MG, Zajac FE, Gordon ME (1990). A musculo-skeletal model of the lower extremity: the effect of muscle, tendon, and moment arm on the moment-angle relationship of musculotendon actuators. Journal of Biomechanics. 23(2): 157-169.
- Huijing PA (1998). Muscle, the motor of movement: properties in function, experiment and modelling. Journal of Electromyography and Kinesiology. 8(2): 61-67.
- Huijing PA, van Lookeren Campagne AAH, Koper JF (1989). Muscle architecture and fibre characteristics of rat gastrocnemius and semimembranosus muscles during isometric contractions. Acta Anatomica. 135: 46-52.
- Huijing PA, Woittiez RD (1984). The effect of architecture on skeletal muscle performance: A simple planimetric model. Netherlands Journal of Zoology. 34(1): 21-32.
- Hull ML, Gonzalez H (1988). Bivariate optimization of pedalling rate and crank arm length in cycling. Journal of Biomechanics. 21(10): 839-849.

Hunter SK, Thompson MW, Ruell PA, Harmer AR, Thom JM, Gwinn TH, Adams RD (1999). Human skeletal sarcoplasmic reticulum Ca²⁺ uptake and muscle function with aging and strength training. Journal of Applied Physiology. 86(6): 1858-1865.

Ichinose Y, Kawakami Y, Fukunaga T (1995). In vivo measurement of fascicle arrangement in human vastus lateralis muscle using ultrasound. Hakkinen K, Keskinen KL, Komi PV, Mero A (Eds). XVth Congress of the ISB: Book of Abstracts. Jyvaskyla: Gummerus Printing. p 412-413.

Ito M, Kawakami Y, Ichinose Y, Fukashiro S, Fukunaga T (1998). Nonisometric behavior of fascicles during isometric contractions of a human muscle. Journal of Applied Physiology. 85(4): 1230-1235.

Jaeger RJ (1986). Design and simulation of closed-loop electrical stimulation orthoses for restoration of quiet standing in paraplegia. Journal of Biomechanics. 19(10): 825-835.

Jaeger RJ, Yarkony GM, Smith RM (1989). Standing the spinal cord injured patient by electrical stimulation: refinement of a protocol for clinical use. IEEE Transactions on Biomedical Engineering. 36(7): 720-728.

Joyce GC, Rack PMH, Westbury, DR (1969). The mechanical properties of cat soleus during controlled lengthening and shortening movements. Journal of Physiology. 204: 461-474.

Katz RT, Green D, Sullivan T, Yarkony G (1987). Functional electrical stimulation to enhance systemic fibrinolytic activity in spinal cord injury patients. Archives of Physical Medicine and Rehabilitation. 68: 423-426.

Kaufman KR, Kai-Nan A, Chao EYS (1989). Incorporation of muscle architecture into the muscle length-tension relationship. Journal of Biomechanics. 22(8/9): 943-948.

Kautz SA, Hull ML (1993). A theoretical basis for interpreting the force applied to the pedal in cycling. Journal of Biomechanics. 26(2): 155-165.

Kawakami Y, Abe T, Fukunaga T (1993). Muscle-fiber pennation angles are greater in hypertrophied than in normal muscles. Journal of Applied Physiology. 74(6): 2740-2744.

- Kawakami Y, Nakazawa K, Fujimoto T, Nozaki D, Miyashita M, Fukunaga T (1994). Specific tension of elbow flexor and extensor muscles based on magnetic resonance imaging. European Journal of Applied Physiology & Occupational Physiology. 68(2): 139-147.
- Kellis E, Balzopoulos V (1999). In vivo determination of the patella tendon and hamstrings moment arms in adult males during submaximal knee extension and flexion using videofluoroscopy. Clinical Biomechanics. 14(2): 118-124.
- Kepple TM, Sommer HJ III, Lohmen Siegel K, Stanhope SJ (1998). A three-dimensional musculoskeletal database for the lower extremities. Journal of Biomechanics. 31(1): 77-80.
- Khang G, Zajac FE (1989). Paraplegic Standing Controlled by Functional Neuromuscular Stimulation: Part 1 - Computer Model and Control-System Design. IEEE Transactions on Biomedical Engineering. 36(9): 873-884.
- Khang G, Zajac FE (1989). Paraplegic standing controlled by functional neuromuscular stimulation: Part 2 Computer simulation studies. IEEE Transactions on Biomedical Engineering. 36(9): 885-894.
- Kirkup L (1994). Experimental methods: an introduction to the analysis and presentation of data. Brisbane: John Wiley & Sons.
- Klein C, Cunningham DA, Paterson DH, Taylor AW (1988). Fatigue and recovery contractile properties of young and elderly men. European Journal of Applied Physiology & Occupational Physiology. 57(6): 684-690.
- Knapik JJ, Wright JE, Mawdsley RH, Braun J (1983). Isometric, isotonic, and isokinetic torque variations in four muscle groups through a range of joint motion. Physical Therapy. 63(6): 938-947.
- Koolstra TM, Eijden TMGJ van, Weijs WA (1989). An iterative approach to estimate muscle lines of action in vivo. Journal of Biomechanics. 22(8/9): 911-920.
- Krajl A, Grobelnik S (1973). Functional electrical stimulation - A new hope for paraplegic patients? Bulletin of Prosthetic Research. 20: 75-102.

Krylow AM, Sandercock TG (1997). Dynamic force responses of muscle involving eccentric contractions. Journal of Biomechanics. 30(1) 27-33.

Lafortune MA, Cavanagh PR (1983). Effectiveness and efficiency during bicycle riding. Matsui, H. and Kobayashi, K. (Eds). Biomechanics VIII-B. Champaign: Human Kinetics Publishers.

Legreneur P, Morlon B, Van Hoecke J (1997). Joined effects of pennation angle and tendon compliance on fibre length in isometric contractions: a simulation study. Archives of Physiology & Biochemistry. 105(5): 450-455.

Levine SP, Kett RL, Cederna PS, Brooks SV (1990). Electric muscle stimulation for pressure sore prevention. Archives of Physical Medicine & Rehabilitation. 71(3): 210-215.

Levine SP, Kett RL, Gross MD, Wilson BA, Cederna PS (1990). Blood flow in the gluteus maximus of seated individuals. Physical Medicine & Rehabilitation. 71(9): 682-686.

Lieb FJ, Perry J (1968). Quadriceps function. Journal of Bone and Joint Surgery. 50-A(8): 1535-1548.

Lieber RL, Leonard ME, Brown CG, Trestik CL (1991). Frog semitendinosus tendon load-strain and stress-strain properties during passive loading. American Journal of Physiology. 261(Cell Physiol. 30): C86-C92.

Lieber RL (1992). Skeletal muscle structure and function. Baltimore: Williams and Wilkins.

Lieber RL, Kelly MJ (1991). Factors influencing quadriceps femoris muscle torque using transcutaneous neuromuscular electrical stimulation. Physical Therapy. 71(10): 715-721.

Lieber RL, Brown CG, Trestik CL (1992). Model of muscle-tendon interaction during frog semitendinosus fixed-end contractions. Journal of Biomechanics. 25(4): 421-428.

Loren GJ, Lieber RL (1995). Tendon biomechanical properties enhance human wrist muscle specialization. Journal of Biomechanics. 28(7): 791-800.

- Ma S, Zahalak GI (1991). A distribution-moment model of energetics in skeletal muscle. Journal of Biomechanics. 24(1): 21-35.
- Maganaris CN, Baltzopoulos V (1999). Predictability of in vivo changes in pennation angle of human tibialis anterior muscle from rest to maximum isometric dorsiflexion. European Journal of Applied Physiology. 79: 294-297.
- Maganaris CN, Baltzopoulos V, Sargeant AJ (1998). In vivo measurements of the triceps surae complex architecture in man: implications for muscle function. Journal of Physiology. 512(2): 603-614.
- Mansour JM, Pereira JM (1987). Quantitative functional anatomy of the lower limb with application to Human Gait. Journal of Biomechanics. 20(1): 51-58.
- Marshall RN, Mazur SM, Taylor NA (1990). Three-dimensional surfaces for human muscle kinetics. European Journal of Applied Physiology & Occupational Physiology. 61(3-4): 263-270.
- Mawson AR, Siddiqui FH, Connolly BJ, Sharp CJ, Stewart GW, Summer WR, Biundo JJ (1993). Effect of high voltage pulsed galvanic stimulation on sacral transcutaneous oxygen tension levels in the spinal cord injured. Paraplegia. 31(5): 311-319.
- McLean B (1989). Pull-up theory is now pedalling history. Australasian Cycling and Triathlon News. 5(4): 26.
- McNeal DR, Nakai RJ, Meadows P, Tu W (1989). Open-loop control of the freely-swinging paralyzed leg. IEEE Transactions on Biomedical Engineering. 36(9): 895-905.
- Meijer K, Bosch P, Bobbert MF, Soest AJ van, Huijing PA (1998). The isometric knee extension moment-angle relationship: Experimental data and predictions based on cadaver data. Journal of Applied Biomechanics. 14(1): 62-79.
- Meijer K, Grootenboer HJ, Koopman HFJM, van der Linden BJ, Huijing PA (1998). A Hill type model of rat medial gastrocnemius muscle that accounts for shortening history effects. Journal of Biomechanics. 31(6): 555-563.

Mikosz RP, Andriacchi TP, Andersson GBJ (1988). Model analysis of factors influencing the prediction of muscle forces at the knee. Journal of Orthopaedic Research. 6(2): 205-214.

Miller RG (1979). Dynamic properties of partially denervated muscle. Annals of Neurology. 6(1): 51-55.

Mizrahi J (1997). Fatigue in muscles activated by FES. Critical Reviews in Physical and Rehabilitation Medicine. 9(2): 93-129.

Mohr T (1996). Increased bone mineral density after prolonged electrically induced cycle training of paralysed limbs in spinal cord injured men. Abstracts of the 35th annual scientific meeting. Atlanta: International Medical Society of Paraplegia. p4.

Muhl ZF (1982). Active length-tension relation and the effect of muscle Pinnation on Fibre Length. Journal of Morphology. 173: 285-292.

Mulder AJ, Hermens HJ, Janssen F, Zilvold G (1989). A low-cost FES exercise bicycle for training paraplegics at home. Journal of Medical Engineering and Technology. 13(1/2) : 90-92.

Mulder AJ, Veltink PH, Boom HBK, Zilvold G (1992). Low level finite state control of knee joint in paraplegic standing. Journal of Biomedical Engineering. 14(1): 3-8.

Murray WM, Delp SL, Buchanan TS (1995). Variation of muscle moment arms with elbow and forearm position. Journal of Biomechanics. 28(5): 513-525.

Narici M (1999). Human skeletal muscle architecture studied in vivo by non-invasive imaging techniques: functional significance and applications. Journal of Electromyography and Kinesiology. 9: 97-103.

Narici MV, Landoni L, Minetti AE (1992). Assessment of human knee extensor muscles stress from in vivo physiological cross-sectional area and strength measurements. European Journal of Applied Physiology & Occupational Physiology. 65(5): 438-444.

- Nemeth G, Ekholm J, Arborelius UP, Harms-Ringdahl K, Schuldt K (1983). Influence of knee flexion on isometric hip extensor strength. Scandinavian Journal of Rehabilitation Medicine. 15(2): 97-101.
- Nemeth G, Ohlsen H (1985). In vivo moment arm lengths for hip extensor muscles at different angles of hip flexion. Journal of Biomechanics. 18(12): 129-140.
- Neptune RR, Hull ML (1995). Accuracy assessment of methods for determining hip movement in seated cycling. Journal of Biomechanics. 28(4): 423-438.
- Neptune RR, van den Bogert AJ (1998). Standard mechanical energy analyses do not correlate with muscle work in cycling. Journal of Biomechanics. 31(3): 239-245.
- Newmiller J, Hull ML, Zajac FE (1988). A mechanically decoupled two force component bicycle pedal dynamometer. Journal of Biomechanics. 21(5): 375-386.
- Nisell R (1985). On the biomechanics of the knee: A study of joint and muscle load with applications in ergonomics, orthopaedics and rehabilitation. Acta Orthopaedica Scandinavica. 56 Supplement 216.
- Out L, Vrijkotte TGM, van Soest AJ, Bobbert MF (1996). Influence of structural properties of the human triceps surae muscle on the torque-angle relationship: A model study. Journal of Biomechanical Engineering. 118: 17-25.
- Pacy PJ, Hesp R, Halliday DA, Katz D, Cameron G, Reeve J (1988). Muscle and bone in paraplegic patients, and the effect of functional electrical stimulation. Clinical Science. 75(5): 481-487.
- Pandy MG, Zajac FE, Sim E, Levine WS (1990). An optimal control model for maximum-height human jumping. Journal of Biomechanics. 23(12): 1185-1198.
- Partridge LD, Benton LA (1981). Muscle, the motor. In Greiger SR (Ed), Handbook of Physiology. Section1, Vol II, Part 1, p 43 - 106.
- Pedotti A, Krishnan VV, Stark L (1978). Optimization of muscle-force sequencing in human locomotion. Mathematical Biosciences. 38: 57-76.

Petrofsky JS, Stacy R (1992). The effect of training on endurance and the cardiovascular responses of individuals with paraplegia during dynamic exercise induced by functional electrical stimulation. European Journal of Applied Physiology & Occupation Physiology. 64(6): 487-492.

Petrofsky JS, Heaton HH, Phillips CA (1983). Outdoor bicycle for exercise in paraplegics and quadriplegics. Journal of Biomedical Engineering. 5(Oct.): 292-296.

Petrofsky JS, Phillips CA, Heaton HH, Glaser RM (1984). Bicycle ergometer for paralyzed muscle. Journal of Clinical Engineering. 9(1): 13-19.

Petrofsky JS, Smith J (1988). Computer aided rehabilitation. Aviation, Space and Environmental Medicine. 59: 670-678.

Phillips CA, Petrofsky JS (1980). Velocity of contraction of skeletal muscle as a function of activation and fiber composition: a mathematical model. Journal of Biomechanics. 13(7): 549-558.

Pierrynowski MR, Morrison JB (1985). A Physiological model for the evaluation of Muscle Forces in Human Locomotion: Theoretical Aspects. Mathematical Biosciences. 75: 69-101.

Pierrynowski MR (1995). Analytical representation of muscle line of action and geometry. In Allard P, Stokes IAF, Blanche JP (Eds). Three - dimensional analysis of human movement. Champaign: Human Kinetics. p 215-256.

Pons DJ, Vaughan CL, Jaros GG (1989). Cycling device powered by electrically stimulated muscles of paraplegics. Medical and Biological Engineering and Computing. 27: 1-7.

Popp MH (1983). Design and construction of a laboratory system for neuro-muscular stimulation of the lower extremities during cycling. Unpublished Masters Thesis. The University of Cape Town.

Powell PL, Roy RR, Kanim P, Bello MA, Edgerton VR (1984). Predictability of skeletal muscle tension from architectural determinations in guinea pig hindlimbs. Journal of Applied Physiology: Respiratory, Environmental & Exercise Physiology. 57(6): 1715-1721.

- Proske U, Morgan DL (1987). Tendon stiffness: Methods of measurement and significance for the control of movement A Review. Journal of Biomechanics. 20(1): 75-82.
- Raasch CC, Zajac FE, Ma B, Levine WS (1997). Muscle coordination of maximal speed pedalling. Journal of Biomechanics. 30(6): 595-602.
- Rack PMH, Westbury DR (1969). The effects of length and stimulus rate on tension in the isometric cat soleus muscle. Journal of Physiology (London). 204: 443-460.
- Rack PMH, Westbury DR (1984). Elastic properties of the cat soleus tendon and their functional importance. Journal of Physiology. 347: 479-495.
- Raymond J, Davis GM, Climstein M, Sutton JR (1999). Cardiorespiratory responses to arm cranking and electrical stimulation leg cycling in people with paraplegia. Medicine & Science in Sports & Exercise. 31(6): 822-828.
- Redfield R, Hull ML (1986). Prediction of pedal forces in bicycling using optimization methods. Journal of Biomechanics. 19(7): 523-540.
- Riener R, Quintern J, Schmidt G (1996). Biomechanical model of the human knee evaluated by neuromuscular stimulation. Journal of Biomechanics. 29(9): 1157-1168.
- Robinson CJ, Kett NA, Bolam JM (1988). Spasticity in spinal cord injured patients: 1 Short-term effects of surface electrical stimulation. Archives of Physical Medicine & Rehabilitation. 69(8): 598-604.
- Robinson CJ, Kett NA, Bolam JM (1988). Spasticity in spinal cord injured patients: 2. Initial measures and long-term effects of surface electrical stimulation. Archives of Physical Medicine and Rehabilitation. 69(10): 862-868.
- Rochester L, Chandler CS, Johnson MA, Sutton RA, Miller S (1995). Influence of electrical stimulation of the tibialis anterior muscle in paraplegic subjects. 1. Contractile properties. Paraplegia. 33(8): 437-449.

Rodgers MM, Glaser RM, Figoni SF, Hooker SP, Ezenwa BN, Collins SR, Mathews T, Suryaprasad AG, Gupta SC (1991). Musculoskeletal responses of spinal cord injured individuals to functional neuromuscular stimulation-induced knee extension exercise training. Journal of Rehabilitation Research and Development. 28(4): 19-26.

Round JM, Barr FMD, Moffat B, Jones DA (1993). Fibre areas and histochemical fibre types in the quadriceps muscle of paraplegic subjects. Journal of Neurological Science. 116: 207-211.

Rutherford OM, Jones DA (1992). Measurement of fibre pennation using ultrasound in the human quadriceps in vivo. European Journal of Applied Physiology & Occupational Physiology. 65(5): 433-437.

Sahlin K, Seger JY (1995). Effects of prolonged exercise on the contractile properties of human quadriceps muscles. European Journal of Applied Physiology. 71: 180-186.

Sanderson DJ (1991). The influence of cadence and power output on the biomechanics of force application during steady-rate cycling in competitive and recreational cyclists. Journal of Sports Sciences. 9(2): 191-203.

Savelberg HHCM, Schamhardt HC (1995). The influence of inhomogeneity in architecture on the modelled force-length relationship of muscles. Journal of Biomechanics. 28(2): 187-198.

Schuind F, Garcia-Elias M, Cooney WP 3d, An KN (1992). Flexor tendon forces: in vivo measurements. Journal of Hand Surgery. 17(2): 291-298.

Schutte LM (1992). Using musculoskeletal models to explore strategies for improving performance in electrical stimulation - induced leg cycle ergometry. PhD Thesis. Stanford University.

Schutte LM, Rodgers MM, Zajac FE, Glaser RM (1993). Improving the efficacy of electrical stimulation-induced leg cycle ergometry: An analysis based on a dynamic musculo-skeletal model. IEEE Transactions on Rehabilitation Engineering. 1(2): 109-125.

Scott SH, Winter DA (1991). A comparison of three muscle pennation assumptions and their effect on isometric and isotonic force. Journal of Biomechanics. 24(2): 163-167.

- Scott SH, Engstrom CM, Loeb GE (1993). Morphometry of human thigh muscles. Determination of fascicle architecture by magnetic resonance imaging. Journal of Anatomy. 182(2): 249-257.
- Scott SH, Loeb GE (1995). Mechanical properties of aponeurosis and tendon of the cat soleus muscle during whole-muscle isometric contractions. Journal of Morphology. 224(1): 73-86.
- Scudder GN (1980). Torque curves produced at the knee during isometric and isokinetic exercise. Archives of Physical Medicine and Rehabilitation. 61: 68-73.
- Seireg A, Arkivar RJ (1975). The prediction of muscular load sharing and joint forces in the lower extremities during walking. Journal of Biomechanics. 8: 89-102.
- Seireg A, Arkivar RJ (1973). A mathematical model for the evaluation of forces in lower extremities of the musculo-skeletal system. Journal of Biomechanics. 6: 313-326.
- Sepulveda F, Wells DM, Vaughan CL (1993). A neural network representation of electromyography and joint dynamics in human gait. Journal of Biomechanics. 26(2): 101-109.
- Shue G, Crago PE, Chizeck HJ (1995). Muscle-joint models incorporating activation dynamics, moment-angle, and moment-velocity properties. IEEE Transactions on Biomedical Engineering. 42(2): 212-23.
- Sinclair PJ, Davis GM, Smith RM, Cheam BS, Sutton JR (1996). Pedal forces produced during neuromuscular electrical stimulation cycling in paraplegics. Clinical Biomechanics. 11(1): 51-57.
- Sloan KE, Bremner LA, Byrne J, Day RE, Scull ER (1994). Musculoskeletal effects of an electrical stimulation induced cycling programme in the spinal injured. Paraplegia. 32(6): 407-415.
- Smidt GL (1973). Biomechanical analysis of knee flexion and extension. Journal of Biomechanics. 6: 79-92.

- Spector SA, Gardiner PF, Zernicke RF, Roy RR, Edgerton VR (1980). Muscle architecture and force-velocity characteristics of cat soleus and medial gastrocnemius: implications for motor control. Journal of Neurophysiology. 44(5): 951-960.
- Spoor CW, van Leeuwen JL, van der Meulen WJ, Huson A (1991). Active force-length relationship of human lower-leg muscles estimated from morphological data: a comparison of geometric muscle models. European Journal of Morphology. 29(3): 137-160.
- Spoor CW, Leeuwen JL van (1992). Knee muscle moment arms from MRI and from tendon travel. Journal of Biomechanics. 25(2): 201-206.
- Spoor CW, Leeuwen JL van, Huson A (1991). Authors response to "Comments on the estimation of instantaneous moment arms of lower-leg muscles". Journal of Biomechanics. 24(9): 873.
- Spoor CW, Leeuwen JL van, Meskers CGM, Titulaer AF, Huson (1990). Estimation of instantaneous moment arms of lower-leg muscles. Journal of Biomechanics. 23(12): 1247-1259.
- Stefanovska A, Vodovnik L, Benko H, Turk R (1993). Treatment of chronic wounds by means of electric and electromagnetic fields: Part 2. Value of FES parameters for pressure sore treatment. Medical & Biological Engineering & Computing. 31(3): 213-220.
- Stein RB, Bobet J, Oguztoreli MN, Fryer M (1988). The kinetics relating calcium and force in skeletal muscle. Biophysical Journal. 54(4): 705-717.
- Stephenson DG, Stewart AW, Wilson GJ (1989). Dissociation of force from myofibrillar MgATPase and stiffness at short sarcomere lengths in rat and toad skeletal muscle. Journal of Physiology. 410: 351-366.
- Stephenson DG, Wendt IR (1984). Length dependence of changes in sarcoplasmic calcium concentration and myofibrillar calcium sensitivity in striated muscle fibres. Journal of Muscle Research and Cell Motility. 5: 243-272.
- Stern JT (1974). Computer modelling of gross muscle dynamics. Journal of Biomechanics. 7: 411-428.

Sugi H, Tsuchiya T (1988). Stiffness changes during enhancement and deficit of isometric force by slow length changes in frog skeletal muscle fibres. Journal of Physiology. 407: 215-229.

Tashman S (1992). Experimental analysis and computer modelling of paraplegic ambulation in a reciprocating gait orthosis: Implications for the design of hybrid FNS/orthotic systems. PhD Thesis, Stanford University.

Tashman S, Zajac FE, Perikash I (1995). Modeling and simulation of paraplegic ambulation in a reciprocating gait orthosis. Journal of Biomechanical Engineering. 117(3): 300-308.

Taylor JA, Kandarian SC (1994). Advantage of normalizing force production to myofibrillar protein in skeletal muscle cross-sectional area. Journal of Applied Physiology. 76(2): 974-978.

ter Keurs HE, Luff AR, Luff SE (1981). The relationship of force to sarcomere length and filament lengths of rat extensor digitorum longus muscle. Journal of Physiology. 317: 24P.

Trnkoczy A, Bajd T, Malezic M (1976). A dynamic model of the ankle joint under functional electrical stimulation in free movement and isometric conditions. Journal of Biomechanics. 9: 509-519.

van den Bogert AJ (1994). Analysis and simulation of mechanical loads on the human musculoskeletal system: A methodological overview. Exercise and Sport Sciences Reviews. 22: 23-51.

van Ingen Schenau GJ (1984). An alternative view of the concept of utilization of elastic energy in human movement. Human Movement Science. 3: 301-336.

van Soest AJ, Bobbert MF, van Ingen Schenau GJ (1994). A control strategy for the execution of explosive movements from varying starting positions. Journal of Neurophysiology. 71(4): 1390-1402.

van Soest AJ, Bobbert MF (1993). The contribution of muscle properties in the control of explosive movements. Biological Cybernetics. 69(3): 195-204.

van Soest AJ, Casius LJR (2000). What factors determine the optimal pedaling rate in sprint cycling? Medicine and Science in Sport and Exercise. 32(11): 1927-1934.

van Soest AJ, Schwab AL, Bobbert MF, van Ingen Schenau (1993). The influence of the biarticularity of the gastrocnemius muscle on vertical-jumping achievement. Journal of Biomechanics. 26(1): 1-8.

Vincent WJ (1995). Statistics in kinesiology. Human Kinetics: Champaign, Illinois. .

Visser JJ, Hoogkamer JE, Bobbert MF, Huijing PA (1990). Length and moment arm of human leg muscles as a function of knee and hip-joint angles. European Journal of Applied Physiology and Occupational Physiology. 61: 453-460.

Vodovnik L, Bowman BR, Hufford P (1984). Effects of electrical stimulation on spinal spasticity. Scandinavian Journal of Rehabilitation Medicine. 16(1): 29-34.

Vrahas MS, Brand RA, Brown TD, Andrews JG (1990). Contribution of passive tissues to the intersegmental moments at the hip. Journal of Biomechanics. 23(4): 357-362.

Wahr PA, Rall JA (1997). Role of calcium and cross bridges in determining rate of force development in frog muscle fibers. American Journal of Physiology. 272(5 Pt 1): C1664-1671.

Walker SM, Schrodt GR (1974). I segment length and thin filament periods in skeletal muscle fibers of the rhesus monkey and the human. Anatomical Record. 178: 63-82.

Waters RL, Perry J, McDaniels JM, House K (1974). The relative strength of the hamstrings during hip extension. Journal of Bone and Joint Surgery. 56-A(8): 1592-1597.

Wheeler JB, Gregor RJ, Broker JP (1992). A dual piezoelectric bicycle pedal with multiple shoe/pedal interface compatibility. International Journal of Sports Biomechanics. 8(3): 251-258.

White SC, Yack HJ, Winter DA (1989). A three-dimensional musculoskeletal model for gait analysis. Anatomical variability estimates. Journal of Biomechanics. 22(8/9): 885-893.

Wickiewicz TL, Roy RR, Powell PL, Edgerton VR (1983). Muscle architecture of the human lower limb. Clinical Orthopedics and Related Research. 179: 275-283.

Willems ME, Huijing PA (1994). Heterogeneity of mean sarcomere length in different fibres: effects on length range of active force production in rat muscle. European Journal of Applied Physiology & Occupational Physiology. 68(6): 489-496.

Winter DA (1990). The Biomechanics and motor control of human movement. (2nd Ed). New York: Wiley.

Yamaguchi GT, Zajac FE (1990). Restoring unassisted natural gait to paraplegics via functional neuromuscular stimulation: A computer simulation study. IEEE Transactions on Biomedical Engineering. 37(9): 886-902.

Yoon YS, Mansour JM (1982). The passive elastic moment at the hip. Journal of Biomechanics. 15(12): 905-910.

Yoshihuku Y, Herzog, W (1990). Optimal design parameters of the bicycle-rider system for maximal muscle power output. Journal of Biomechanics. 23(10): 1069-1079.

Zajac FE, Gordon ME (1989). Determining muscle's force and action in multi-articular movement. Exercise and Sports Science Reviews. 17: 187-230.

Zajac FE (1989). Muscle and tendon: Properties, models, scaling, and application to biomechanics and motor control. CRC Critical Reviews in Biomedical Engineering. 17(4): 359-411.

Zajac FE (1993). Muscle coordination of movement: a perspective. Journal of Biomechanics. 26(Suppl. 1): 109-124.

Zhou S, Lawson DL, Morrison WE, Fairweather I (1995). Electromechanical delay in isometric muscle contractions evoked by voluntary, reflex and electrical stimulation. European Journal of Applied Physiology and Occupational Physiology. 70(2): 138-145.

Zuurbier CJ, Everard AJ, van der Wees P, Huijing PA (1994). Length - force characteristics of the aponeurosis in the passive and active muscle condition and in the isolated condition. Journal of Biomechanics. 27(4): 445-453.

Zuurbier CJ, Heslinga JW, Lee-de Groot MB, Van der Laarse WJ (1995). Mean sarcomere length - force relationship of rat muscle fibre bundles. Journal of Biomechanics. 28(1): 83-87.