

References

- Aardal, E & Holm, AC (1995), 'Cortisol in saliva--reference ranges and relation to cortisol in serum', *European Journal of Clinical Chemistry & Clinical Biochemistry*, vol. 33, no. 12, pp. 927-32.
- Aaronson, NK, Ahmedzai, S, Bergman, B, Bullinger, M, Cull, A, Duez, NJ, Filiberti, A, Flechtner, H, Fleishman, SB, de Haes, JC & et al. (1993), 'The European Organization for Research and Treatment of Cancer QLQ-C30: a quality-of-life instrument for use in international clinical trials in oncology', *Journal of the National Cancer Institute*, vol. 85, no. 5, pp. 365-76.
- Adam, EK, Hawkley, LC, Kudielka, BM & Cacioppo, JT (2006), 'Day-to-day dynamics of experience--cortisol associations in a population-based sample of older adults', *Proceedings of the National Academy of Sciences of the United States of America*, vol. 103, no. 45, pp. 17058-63.
- Aistars, J (1987), 'Fatigue in the cancer patient: A conceptual approach to a clinical problem', *Oncology Nursing Forum*, vol. 14, no. 6, pp. 25-30.
- Alexander, S, Minton, O, Andrews, P & Stone, P (2009), 'A comparison of the characteristics of disease-free breast cancer survivors with or without cancer-related fatigue syndrome', *European Journal of Cancer*, vol. 45, no. 3, pp. 384-92.
- Allen, P & Bennett, K (2008), *SPSS for the health and behavioural sciences*, Melbourne, Nelson Australia Pty Ltd.
- Amsterdam, JD, Shults, J & Rutherford, N (2008), 'Open-label study of s-citalopram therapy of chronic fatigue syndrome and co-morbid major depressive disorder', *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, vol. 32, no. 1, pp. 100-106.
- Ancoli-Israel, S, Liu, L, Marler, MR, Parker, BA, Jones, V, Sadler, GR, Dimsdale, J, Cohen-Zion, M & Fiorentino, L (2006), 'Fatigue, sleep, and circadian rhythms prior to chemotherapy for breast cancer', *Supportive Care in Cancer*, vol. 14, pp. 201-209.
- Andersen, S, Bruun, NH, Pedersen, KM & Laurberg, P (2003), 'Biologic variation is important for interpretation of thyroid function tests', *Thyroid*, vol. 13, no. 11, pp. 1069-78.
- Andersen, S, Pedersen, KM, Bruun, NH & Laurberg, P (2002), 'Narrow Individual Variations in Serum T4 and T3 in Normal Subjects: A Clue to the Understanding of Subclinical Thyroid Disease', *The Journal of Clinical Endocrinology & Metabolism*, vol. 87, no. 3, pp. 1086-1072.
- Andrykowski, MA, Schmidt, JE, Salsman, JM, Beacham, AO & Jacobsen, PB (2005), 'Use of a case definition approach to identify cancer-related fatigue in women undergoing adjuvant therapy for breast cancer', *Journal of Clinical Oncology*, vol. 23, no. 27, pp. 6613-22.
- Anker, GB, Lonning, PE, Aakvaag, A & Lien, EA (1998), 'Thyroid function in postmenopausal breast cancer patients treated with tamoxifen', *Scandinavian Journal of Clinical & Laboratory Investigation*, vol. 58, no. 2, pp. 103-7.

Arndt, V, Merx, H, Sturmer, T, Stegmaier, C, Ziegler, H & Brenner, H (2004), 'Age-specific detriments to quality of life among breast cancer patients one year after diagnosis', *European Journal of Cancer*, vol. 40, no. 5, pp. 673-80.

Arndt, V, Stegmaier, C, Ziegler, H & Brenner, H (2006), 'A population-based study of the impact of specific symptoms on quality of life in women with breast cancer 1 year after diagnosis', *Cancer*, vol. 107, no. 10, pp. 2496-2503.

Australian Institute of Health and Welfare & National Breast Cancer Centre (2006), 'Breast Cancer in Australia: an overview, 2006', *Cancer Series no. 34. cat. no. CAN 29. Canberra: AIHW*.

Back, M, Ahern, V, Delaney, G, Graham, P, Steigler, A & Wratten, C (2005), 'Absence of adverse early quality of life outcomes of radiation therapy in breast conservation therapy for early breast cancer', *Australasian Radiology*, vol. 49, no. 1, pp. 39-43.

Bailey, SL & Heitkemper, MM (2001), 'Circadian rhythmicity of cortisol and body temperature: morningness-eveningness effects', *Chronobiology International*, vol. 18, no. 2, pp. 249-61.

Bartley, SR & Chute, EF (1947), *Fatigue and Impairment in Man*, New York, McGraw Hill.

Bell, RJ, Rivera-Woll, L, Davison, SL, Topliss, DJ, Donath, S & Davis, SR (2007), 'Well-being, health-related quality of life and cardiovascular disease risk profile in women with subclinical thyroid disease - a community-based study', *Clinical Endocrinology*, vol. 66, no. 4, pp. 548-56.

Bennett, B, Goldstein, D, Friedlander, M, Hickie, I & Lloyd, A (2007), 'The Experience of Cancer-Related Fatigue and Chronic Fatigue Syndrome: A Qualitative and Comparative Study', *Journal of Pain and Symptom Management*, vol. 34, no. 2, pp. 126-135.

Bennett, B, Goldstein, D, Lloyd, A, Davenport, T & Hickie, I (2004), 'Fatigue and psychological distress - exploring the relationship in women treated for breast cancer', *European Journal of Cancer*, vol. 40, no. 11, pp. 1689-1695.

Berger, A, Lockhart, K & Agrawal, S (2009), 'Variability of Patterns of Fatigue and Quality of Life Over Time Based on Different Breast Cancer Adjuvant Chemotherapy Regimens', *Oncology Nursing Forum*, vol. 36, no. 5, p. 563.

Berger, AM, Farr, LA, Kuhn, BR, Fischer, P & Agrawal, S (2007), 'Values of Sleep/Wake, Activity/Rest, Circadian Rhythms, and Fatigue Prior to Adjuvant Breast Cancer Chemotherapy', *Journal of Pain and Symptom Management*, vol. 33, no. 4, pp. 398-409.

Blazquez, A, Ruiz, E, Vazquez, A, de Sevilla, TF, Garcia-Quintana, A, Garcia-Quintana, J & Alegre, J (2008), 'Sexual Dysfunction as Related to Severity of Fatigue in Women with CFS', *Journal of Sex and Marital Therapy*, vol. 34, no. 3, pp. 240 - 247.

Bower, JE, Ganz, PA & Aziz, N (2005b), 'Altered cortisol response to psychologic stress in breast cancer survivors with persistent fatigue', *Psychosomatic Medicine*, vol. 67, no. 2, pp. 277-280.

Bower, JE, Ganz, PA, Aziz, N & Fahey, JL (2002), 'Fatigue and proinflammatory cytokine activity in breast cancer survivors', *Psychosomatic Medicine*, vol. 64, no. 4, pp. 604-11.

- Bower, JE, Ganz, PA, Desmond, KA, Bernards, C, Rowland, JH, Meyerowitz, BE & Belin, TR (2006), 'Fatigue in long-term breast carcinoma survivors', *Cancer*, vol. 106, no. 4, pp. 751-758.
- Bower, JE, Ganz, PA, Desmond, KA, Rowland, JH, Meyerowitz, BE & Belin, TR (2000), 'Fatigue in breast cancer survivors: occurrence, correlates, and impact on quality of life', *Journal of Clinical Oncology*, vol. 18, no. 4, pp. 743-53.
- Bower, JE, Ganz, PA, Dickerson, SS, Petersen, L, Aziz, N & Fahey, JL (2005a), 'Diurnal cortisol rhythm and fatigue in breast cancer survivors', *Psychoneuroendocrinology*, vol. 30, no. 1, pp. 92-100.
- Broeckel, JA, Thors, CL, Jacobsen, PB, Small, M & Cox, CE (2002), 'Sexual functioning in long-term breast cancer survivors treated with adjuvant chemotherapy', *Breast Cancer Research & Treatment*, vol. 75, no. 3, pp. 241-8.
- Browall, MM, Ahlberg, KM, Persson, LO, Karlsson, PO & Danielson, EB (2008), 'The impact of age on Health-Related Quality of Life (HRQoL) and symptoms among postmenopausal women with breast cancer receiving adjuvant chemotherapy', *Acta Oncologica*, vol. 47, no. 2, pp. 207-15.
- Bruning, P, Bonfrer, J, De Jong-Bakker, M, Nooyen, W & Burgers, M (1985), 'Primary hypothyroidism in breast cancer patients with irradiated supraclavicular lymph nodes', *British Journal of Cancer*, vol. 51, no. 5, pp. 659-63.
- Bultmann, U, Kant, I, Kasl, SV, Beurskens, A & van den Brandt, PA (2002), 'Fatigue and psychological distress in the working population - Psychometrics, prevalence, and correlates', *Journal of Psychosomatic Research*, vol. 52, no. 6, pp. 445-452.
- Cameron, C (1973), 'A Theory of Fatigue', *Ergonomics*, vol. 16, no. 5, pp. 633 - 648.
- Canaris, G, Manowitz, NR, Mayor, G & Ridgway, EC (2000), 'The Colorado Thyroid Disease Prevalence Study', *Archives of Internal Medicine*, vol. 160, no. 4, pp. 526-534.
- Carlson, LE, Campbell, TS, Garland, SN & Grossman, P (2007), 'Associations among salivary cortisol, melatonin, catecholamines, sleep quality and stress in women with breast cancer and healthy controls', *Journal of Behavioral Medicine*, vol. 30, no. 1, pp. 45-58.
- Carpenter, JS, Elam, JL, Ridner, SH, Carney, PH, Cherry, GJ & Cucullu, HL (2004), 'Sleep, fatigue, and depressive symptoms in breast cancer survivors and matched healthy women experiencing hot flashes', *Oncology Nursing Forum Online*, vol. 31, no. 3, pp. 591-5598.
- Cella, D, Davis, K, Breitbart, W & Curt, G (2001), 'Cancer-Related Fatigue: Prevalence of Proposed Diagnostic Criteria in a United States Sample of Cancer Survivors', *Journal of Clinical Oncology*, vol. 19, no. 14, pp. 3385-3391.
- Cella, D, Peterman, A, Passik, S, Jacobsen, P & Breitbart, W (1998), 'Progress toward guidelines for the management of fatigue', *Oncology (Williston Park)*, vol. 12, no. 11A, pp. 369-77.
- Charlson, ME, Pompei, P, Ales, KL & MacKenzie, CR (1987), 'A new method of classifying prognostic comorbidity in longitudinal studies: development and validation', *Journal of Chronic Diseases*, vol. 40, no. 5, pp. 373-83.

- Chen, MK (1986), 'The epidemiology of self-perceived fatigue among adults', *Preventive Medicine*, vol. 15, no. 1, pp. 74-81.
- Cimprich, B, Ronis, DL & Martinez-Ramos, G (2002), 'Age at diagnosis and quality of life in breast cancer survivors', *Cancer Practice*, vol. 10, no. 2, pp. 85-93.
- Clements, AD & Parker, CR (1998), 'The relationship between salivary cortisol concentrations in frozen versus mailed samples', *Psychoneuroendocrinology*, vol. 23, no. 6, pp. 613-616.
- Clow, A, Thorn, L, Evans, P & Hucklebridge, F (2004), 'The awakening cortisol response: methodological issues and significance', *Stress*, vol. 7, no. 1, pp. 29-37.
- Collado-Hidalgo, A, Bower, JE, Ganz, PA, Cole, SW & Irwin, MR (2006), 'Inflammatory biomarkers for persistent fatigue in breast cancer survivors', *Clinical Cancer Research*, vol. 12, no. 9, pp. 2759-66.
- Connolly, BS, Barnett, C, Vogt, KN, Li, T, Stone, J & Boyd, NF (2002), 'A meta-analysis of published literature on waist-to-hip ratio and risk of breast cancer', *Nutrition & Cancer*, vol. 44, no. 2, pp. 127-38.
- Curran, D, van Dongen, JP, Aaronson, NK, Kiebert, G, Fentiman, IS, Mignolet, F & Bartelink, H (1998), 'Quality of life of early-stage breast cancer patients treated with radical mastectomy or breast-conserving procedures: results of EORTC trial 10801', *European Journal of Cancer*, vol. 34, no. 3, pp. 307-314.
- Cutuli, B, Quetin, P, Rodier, J-F, Barakat, P & Grob, J-C (2000), 'Severe hypothyroidism after chemotherapy and locoregional irradiation for breast cancer', *Radiotherapy and Oncology*, vol. 57, no. 1, pp. 103-105.
- David, A, Pelosi, A, McDonald, E, Stephens, D, Ledger, D, Rathbone, R & Mann, A (1990), 'Tired, weak, or in need of rest: fatigue among general practice attenders', *British Medical Journal*, vol. 301, no. 6762, pp. 1199-202.
- de Jong, N, Candel, MJ, Schouten, HC, Abu-Saad, HH & Courtens, AM (2004), 'Prevalence and course of fatigue in breast cancer patients receiving adjuvant chemotherapy', *Annals of Oncology*, vol. 15, no. 6, pp. 896-905.
- De Vries, J, Van der Steeg, AF & Roukema, JA (2009), 'Determinants of fatigue 6 and 12 months after surgery in women with early-stage breast cancer: A comparison with women with benign breast problems', *Journal of Psychosomatic Research*, vol. 66, no. 6, pp. 495-502.
- Deshields, T, Tibbs, T, Fan, MY, Bayer, L, Taylor, M & Fisher, E (2005), 'Ending treatment: the course of emotional adjustment and quality of life among breast cancer survivors immediately following radiation therapy', *Supportive Care in Cancer*, vol. 13, no. 12, pp. 1018-26.
- Dickey, RA, Wartofsky, L & Feld, S (2005), 'Optimal thyrotropin level: normal ranges and reference intervals are not equivalent', *Thyroid*, vol. 15, no. 9, pp. 1035-9.
- Dogan, N, Cuttino, L, Lloyd, R, Bump, EA & Arthur, DW (2007), 'Optimized dose coverage of regional lymph nodes in breast cancer: The role of intensity-modulated

- radiotherapy', *International Journal of Radiation Oncology Biology Physics*, vol. 68, no. 4, pp. 1238-1250.
- Donovan, KA, Small, BJ, Andrykowski, MA, Munster, P & Jacobsen, PB (2007), 'Utility of a cognitive-behavioral model to predict fatigue following breast cancer treatment', *Health Psychology*, vol. 26, no. 4, pp. 464-72.
- Dorn, LD, Lucke, JF, Loucks, TL & Berga, SL (2007), 'Salivary cortisol reflects serum cortisol: analysis of circadian profiles', *Annals of Clinical Biochemistry*, vol. 44, pp. 281-284.
- Dorval, M, Maunsell, E, Deschenes, L, Brisson, J & Masse, B (1998), 'Long-term quality of life after breast cancer: comparison of 8-year survivors with population controls', *Journal of Clinical Oncology*, vol. 16, no. 2, pp. 487-94.
- Dow, KH & Lafferty, P (2000), 'Quality of life, survivorship, and psychosocial adjustment of young women with breast cancer after breast-conserving surgery and radiation therapy', *Oncology Nursing Forum*, vol. 27, no. 10, pp. 1555-64.
- Early Breast Cancer Trialists' Collaborative Group (2005), 'Effects of chemotherapy and hormonal therapy for early breast cancer on recurrence and 15-year survival: an overview of the randomised trials', *The Lancet*, vol. 365, no. 9472, pp. 1687-1717.
- Fan, HGM, Houede-Tchen, N, Yi, QL, Chemerynsky, I, Downie, FP, Sabate, K & Tannock, IF (2005), 'Fatigue, menopausal symptoms, and cognitive function in women after adjuvant chemotherapy for breast cancer: 1-and 2-year follow-up of a prospective controlled study', *Journal of Clinical Oncology*, vol. 23, no. 31, pp. 8025-8032.
- Fayers, P & Machin, D (2007), *Quality of Life: The assessment, analysis and interpretation of patient-reported outcomes (2nd ed)*, England, John Wiley & Sons Ltd.
- Fayers, PM, Aaronson, NK, Bjordal, K, Groenvold, M, Curran, D, Bottomley, A & on behalf of the EORTC Quality of Life Group (2001), *The EORTC QLQ-C30 Scoring Manual (3rd edition)*, European Organisation for Research and Treatment of Cancer.
- Fisher, B, Anderson, S, Bryant, J, Margolese, RG, Deutsch, M, Fisher, ER, Jeong, JH & Wolmark, N (2002), 'Twenty-year follow-up of a randomized trial comparing total mastectomy, lumpectomy, and lumpectomy plus irradiation for the treatment of invasive breast cancer.' *New England Journal of Medicine*, vol. 347, no. 16, pp. 1233-41.
- Fisher, DA (1996), 'Physiological variations in thyroid hormones: physiological and pathophysiological considerations', *Clinical Chemistry*, vol. 42, no. 1, pp. 135-9.
- Fisk, JD, Ritvo, PG, Ross, L, Haase, DA, Marrie, TJ & Schlech, WF (1994), 'Measuring the Functional Impact of Fatigue: Initial Validation of the Fatigue Impact Scale', *Clinical Infectious Diseases*, vol. 18, no. (Suppl 1), pp. S79-83.
- FitzGerald, TJ, Aronowitz, M, Cicchetti, MG, Fisher, G, Kadish, S, Mayo, C, McCauley, S, Meyer, J, Pieters, R & Sherman, A (2006), 'The effect of radiation therapy on normal tissue function', *Hematology-Oncology Clinics Of North America*, vol. 20, no. 1, p. 141.
- Fries, E, Dettenborn, L & Kirschbaum, C (2009), 'The cortisol awakening response (CAR): Facts and future directions', *International Journal of Psychophysiology*, vol. 72, no. 1, pp. 67-73.

- Galalae, RM, Michel, J, Siebmann, JU, Kuchler, T, Eilf, K & Kimmig, B (2005), 'Significant negative impact of adjuvant chemotherapy on health-related quality of life (HR-QoL) in women with breast cancer treated by conserving surgery and postoperative 3-D radiotherapy. A prospective measurement', *Strahlentherapie und Onkologie*, vol. 181, no. 10, pp. 645-51.
- Ganz, PA, Desmond, KA, Leedham, B, Rowland, JH, Meyerowitz, BE & Belin, TR (2002), 'Quality of Life in Long-Term, Disease-Free Survivors of Breast Cancer: a Follow-up Study', *Journal of the National Cancer Institute*, vol. 94, no. 1, pp. 39-49.
- Ganz, PA, Kwan, L, Stanton, AL, Krupnick, JL, Rowland, JH, Meyerowitz, BE, Bower, JE & Belin, TR (2004), 'Quality of life at the end of primary treatment of breast cancer: first results from the moving beyond cancer randomized trial', *Journal of the National Cancer Institute*, vol. 96, no. 5, pp. 376-87.
- Geinitz, H, Zimmermann, FB, Stoll, P, Thamm, R, Kaffenberger, W, Ansorg, K, Keller, M, Busch, R, van Beuningen, D & Molls, M (2001), 'Fatigue, serum cytokine levels, and blood cell counts during radiotherapy of patients with breast cancer', *International Journal of Radiation Oncology, Biology, Physics*, vol. 51, no. 3, pp. 691-8.
- Geinitz, H, Zimmermann, FB, Thamm, R, Keller, M, Busch, R & Molls, M (2004), 'Fatigue in patients with adjuvant radiation therapy for breast cancer: long-term follow-up', *Journal of Cancer Research & Clinical Oncology*, vol. 130, no. 6, pp. 327-33.
- Gelinas, C & Fillion, L (2004), 'Factors related to persistent fatigue following completion of breast cancer treatment', *Oncology Nursing Forum*, vol. 31, no. 2, pp. 269-78.
- Giani, C, Fierabracci, P, Bonacci, R, Gigliotti, A, Campani, D, De Negri, F, Cecchetti, D, Martino, E & Pinchera, A (1996), 'Relationship between breast cancer and thyroid disease: relevance of autoimmune thyroid disorders in breast malignancy', *Journal of Clinical Endocrinology & Metabolism*, vol. 81, no. 3, pp. 990-4.
- Gielissen, M, Knoop, H, Servaes, P, Kalkman, J, Huibers, M, Verhagen, S & Bleijenbergh, G (2007), 'Differences in the experience of fatigue in patients and healthy controls: patients' descriptions', *Health and Quality of Life Outcomes*, vol. 5, no. 1, p. 36.
- Glaus, A, Crow, R & Hammond, S (1996), 'A qualitative study to explore the concept of fatigue/tiredness in cancer patients and in healthy individuals', *Supportive Care in Cancer*, vol. 4, no. 2, pp. 82-96.
- Goldman, MB (1990), 'Thyroid diseases and breast cancer', *Epidemiologic Reviews*, vol. 12, pp. 16-28.
- Goldstein, D, Bennett, B, Friedlander, M, Davenport, T, Hickie, I & Lloyd, A (2006), 'Fatigue states after cancer treatment occur both in association with, and independent of, mood disorder: a longitudinal study', *BMC Cancer*, vol. 6, pp. 240-47.
- Goodman, H (2009), *Basic Medical Endocrinology (4th ed)*, Amsterdam, Elsevier Inc.
- Goodman, RL, Grann, A, Saracco, P, Needham, MF, Goodman, RL, Grann, A, Saracco, P & Needham, MF (2001), 'The relationship between radiation fields and regional lymph nodes in carcinoma of the breast', *International Journal of Radiation Oncology, Biology, Physics*, vol. 50, no. 1, pp. 99-105.

- Goodwin, PJ, Black, JT, Bordeleau, LJ & Ganz, PA (2003), 'Health-Related Quality-of-Life Measurement in Randomized Clinical Trials in Breast Cancer--Taking Stock', *Journal of The National Cancer Institute*, vol. 95, no. 4, pp. 263-281.
- Gozansky, WS, Lynn, JS, Laudenslager, ML & Kohrt, WM (2005), 'Salivary cortisol determined by enzyme immunoassay is preferable to serum total cortisol for assessment of dynamic hypothalamic--pituitary--adrenal axis activity', *Clinical Endocrinology*, vol. 63, no. 3, pp. 336-41.
- Grandjean, EP (1970), 'Fatigue', *American Industrial Hygiene Association Journal*, vol. 31, no. 4, pp. 401-11.
- Greenberg, DB, Sawicka, J, Eisenthal, S & Ross, D (1992), 'Fatigue syndrome due to localized radiation', *Journal of Pain & Symptom Management*, vol. 7, no. 1, pp. 38-45.
- Gröschl, M, Wagner, R, Rauh, M & Dorr, HG (2001), 'Stability of salivary steroids: the influences of storage, food and dental care', *Steroids*, vol. 66, no. 10, pp. 737-41.
- Gulseren, S, Gulseren, L, Hekimsoy, Z, Cetinay, P, Ozen, C & Tokatlioglu, B (2006), 'Depression, Anxiety, Health-Related Quality of Life, and Disability in Patients with Overt and Subclinical Thyroid Dysfunction', *Archives of Medical Research*, vol. 37, no. 1, pp. 133-139.
- Hancock, SL, McDougall, IR & Constine, LS (1995), 'Thyroid abnormalities after therapeutic external radiation', *International Journal of Radiation Oncology Biology Physics*, vol. 31, no. 5, pp. 1165-1170.
- Hansen, AM, Garde, AH, Christensen, JM, Eller, NH & Netterstrom, B (2003), 'Evaluation of a radioimmunoassay and establishment of a reference interval for salivary cortisol in healthy subjects in Denmark', *Scandinavian Journal of Clinical & Laboratory Investigation*, vol. 63, no. 4, pp. 303-310.
- Haylock, PJ & Hart, LK (1979), 'Fatigue in patients receiving localized radiation', *Cancer Nursing*, vol. 2, no. 6, pp. 461-7.
- Helgeson, VS, Snyder, P & Seltman, H (2004), 'Psychological and Physical Adjustment to Breast Cancer Over 4 Years: Identifying Distinct Trajectories of Change', *Health Psychology*, vol. 23, no. 1, pp. 3-15.
- Helgeson, VS & Tomich, PL (2005), 'Surviving cancer: a comparison of 5-year disease-free breast cancer survivors with healthy women', *Psycho-Oncology*, vol. 14, no. 4, pp. 307-17.
- Hickie, IB, Davenport, TA, Hadzi-Pavlovic, D, Koschera, A, Naismith, SL, Scott, EM & Wilhelm, KA (2001), 'Development of a simple screening tool for common mental disorders in general practice', *Medical Journal of Australia*, vol. 175, no. 2, pp. S10-S17.
- Hickie, IB, Hooker, AW, Hadzi-Pavlovic, D, Bennett, BK, Wilson, AJ & Lloyd, AR (1996), 'Fatigue in selected primary care settings: sociodemographic correlates', *Medical Journal of Australia*, vol. 164, pp. 585-588.
- Holzner, B, Kemmler, G, Greil, R, Kopp, M, Zeimet, A, Raderer, M, Hejna, M, Zochbauer, S, Krajnik, G, Huber, H, Fleischhacker, WW & Sperner-Unterweger, B (2002),

'The impact of hemoglobin levels on fatigue and quality of life in cancer patients', *Annals Of Oncology*, vol. 13, no. 6, pp. 965-973.

Houmard, JA, Wheeler, WS, McCammon, MR, Wells, JM, Truitt, N, Hamad, SF, Holbert, D, Israel, RG & Barakat, HA (1991), 'An evaluation of waist to hip ratio measurement methods in relation to lipid and carbohydrate metabolism in men', *International Journal of Obesity*, vol. 15, no. 3, pp. 181-8.

Irvine, D, Vincent, L, Graydon, JE, Bubela, N & Thompson, L (1994), 'The prevalence and correlates of fatigue in patients receiving treatment with chemotherapy and radiotherapy. A comparison with the fatigue experienced by healthy individuals', *Cancer Nursing*, vol. 17, no. 5, pp. 367-78.

Irvine, DM, Vincent, L, Graydon, JE & Bubela, N (1998), 'Fatigue in women with breast cancer receiving radiation therapy', *Cancer Nursing*, vol. 21, no. 2, pp. 127-35.

Jacobsen, PB, Donovan, KA, Small, BJ, Jim, HS, Munster, PN & Andrykowski, MA (2007), 'Fatigue after treatment for early stage breast cancer', *Cancer*, vol. 110, no. 8, pp. 1851-1859.

Jacobsen, PB, Garland, LL, Booth-Jones, M, Donovan, KA, Thors, CL, Winters, E & Grendys, E (2004), 'Relationship of hemoglobin levels to fatigue and cognitive functioning among cancer patients receiving chemotherapy', *Journal Of Pain And Symptom Management*, vol. 28, no. 1, pp. 7-18.

Jacobsen, PB, Hann, DM, Azzarello, LM, Horton, J, Balducci, L & Lyman, GH (1999), 'Fatigue in women receiving adjuvant chemotherapy for breast cancer: characteristics, course, and correlates', *Journal of Pain & Symptom Management*, vol. 18, no. 4, pp. 233-42.

Jereczek-Fossa, BA, Alterio, D, Jassem, J, Gibelli, B, Tradati, N & Orecchia, R (2004), 'Radiotherapy-induced thyroid disorders', *Cancer Treatment Reviews*, vol. 30, no. 4, pp. 369-84.

Joensuu, H & Viikari, J (1986), 'Thyroid function after postoperative radiation therapy in patients with breast cancer', *Acta Radiologica - Oncology*, vol. 25, no. 3, pp. 167-70.

Kaffel, N, Mnif, M, Daoud, J & Abid, M (2001), 'Hypothyroidism after external radiotherapy: Fifteen cases', *Cancer Radiotherapie*, vol. 5, no. 3, pp. 279-82.

Kamath, J, Yarbrough, GG, Prange, AJ, Jr. & Winokur, A (2009), 'Thyrotropin-releasing hormone can relieve cancer-related fatigue: hypothesis and preliminary observations', *Journal of International Medical Research*, vol. 37, no. 4, pp. 1152-7.

Kangas, M, Bovbjerg, DH & Montgomery, GH (2008), 'Cancer-related fatigue: a systematic and meta-analytic review of non-pharmacological therapies for cancer patients', *Psychological Bulletin*, vol. 134, no. 5, pp. 700-41.

Kendall, A, Folkerd, EJ & Dowsett, M (2007), 'Influences on circulating oestrogens in postmenopausal women: relationship with breast cancer', *Journal of Steroid Biochemistry & Molecular Biology*, vol. 103, no. 2, pp. 99-109.

- Kerr, J, Engel, J, Schlesinger-Raab, A, Sauer, H & Holzel, D (2003), 'Communication, quality of life and age: results of a 5-year prospective study in breast cancer patients', *Annals of Oncology*, vol. 14, no. 3, pp. 421-427.
- Kim, SH, Son, BH, Hwang, SY, Han, W, Yang, JH, Lee, S & Yun, YH (2008), 'Fatigue and depression in disease-free breast cancer survivors: prevalence, correlates, and association with quality of life', *Journal of Pain & Symptom Management*, vol. 35, no. 6, pp. 644-55.
- Kim, Y, Parda, DS, Trombetta, MG, Colonias, A, Werts, ED, Miller, L & Miften, M (2007), 'Dosimetric comparison of partial and whole breast external beam irradiation in the treatment of early stage breast cancer', *Medical Physics*, vol. 34, no. 12, pp. 4640-4648.
- Kirschbaum, C & Hellhammer, DH (1994), 'Salivary cortisol in psychoneuroendocrine research: recent developments and applications', *Psychoneuroendocrinology*, vol. 19, no. 4, pp. 313-33.
- Kissane, DW, Grabsch, B, Love, A, Clarke, DM, Bloch, S & Smith, GC (2004), 'Psychiatric disorder in women with early stage and advanced breast cancer: a comparative analysis', *Australian & New Zealand Journal of Psychiatry*, vol. 38, no. 5, pp. 320-6.
- Kobashi-Schoot, J, Hanewald, GJ, Van Dam, F & Bruning, P (1985), 'Assessment of malaise in cancer patients treated with radiotherapy', *Cancer Nursing*, vol. 8, no. 6, pp. 306-313.
- Kostoglou-Athanassiou, I, Ntalles, K, Markopoulos, C, Athanassiou, P, Gogas, J & Proukakis, C (1998), 'Thyroid function in postmenopausal women with breast cancer on tamoxifen', *European Journal of Gynaecological Oncology*, vol. 19, no. 2, pp. 150-4.
- Kudielka, BM, Broderick, JE & Kirschbaum, C (2003), 'Compliance with saliva sampling protocols: electronic monitoring reveals invalid cortisol daytime profiles in noncompliant subjects', *Psychosomatic Medicine*, vol. 65, no. 2, pp. 313-9.
- Kuijpers, JL, Nyklictek, I, Louwman, MW, Weetman, TA, Pop, VJ & Coebergh, JW (2005), 'Hypothyroidism might be related to breast cancer in post-menopausal women', *Thyroid*, vol. 15, no. 11, pp. 1253-9.
- Kumar, N, Allen, KA, Riccardi, D, Bercu, BB, Cantor, A, Minton, S, Balducci, L & Jacobsen, PB (2004), 'Fatigue, weight gain, lethargy and amenorrhea in breast cancer patients on chemotherapy: is subclinical hypothyroidism the culprit?' *Breast Cancer Research & Treatment*, vol. 83, no. 2, pp. 149-59.
- Lavdaniti, M, Patiraki, E, Dafni, U, Katapodi, M, Papathanasoglou, E & Sotiropoulou, A (2006), 'Prospective assessment of fatigue and health status in Greek patients with breast cancer undergoing adjuvant radiotherapy', *Oncology Nursing Forum Online*, vol. 33, no. 3, pp. 603-10.
- Lee, TS, Kilbreath, SL, Refshauge, KM, Pendlebury, SC, Beith, JM & Lee, MJ (2008), 'Quality of life of women treated with radiotherapy for breast cancer', *Supportive Care in Cancer*, vol. 16, no. 4, pp. 399-405.
- Liengsawangwong, R, Yu, TK, Sun, TL, Erasmus, JJ, Perkins, GH, Tereffe, W, Oh, JL, Woodward, WA, Strom, EA, Salephour, M & Buchholz, TA (2007), 'Treatment optimization using computed tomography-delineated targets should be used for

supraclavicular irradiation for breast cancer', *International Journal of Radiation Oncology, Biology, Physics*, vol. 69, no. 3, pp. 711-5.

Lim, W, Hong, S, Nelesen, R & Dimsdale, JE (2005), 'The association of obesity, cytokine levels, and depressive symptoms with diverse measures of fatigue in healthy subjects', *Archives of Internal Medicine*, vol. 165, no. 8, pp. 910-5.

Lindeberg, SI, Eek, F, Lindbladh, E, Ostergren, PO, Hansen, AM & Karlson, B (2008), 'Exhaustion measured by the SF-36 vitality scale is associated with a flattened diurnal cortisol profile', *Psychoneuroendocrinology*, vol. 33, no. 4, pp. 471-7.

Ludwig, V, Schwab, F, Guckenberger, M, Krieger, T & Flentje, M (2008), 'Comparison of wedge versus segmented techniques in whole breast irradiation - Effects on dose exposure outside the treatment volume', *Strahlentherapie Und Onkologie*, vol. 184, no. 6, pp. 307-312.

Mamby, CC, Love, RR & Lee, KE (1995), 'Thyroid function test changes with adjuvant tamoxifen therapy in postmenopausal women with breast cancer', *Journal of Clinical Oncology*, vol. 13, no. 4, pp. 854-7.

Mandelblatt, J, Figueiredo, M & Cullen, J (2003), 'Outcomes and quality of life following breast cancer treatment in older women: When, why, how much, and what do women want?' *Health and Quality of Life Outcomes*, vol. 1, no. 1, pp. 45-55.

Marieb, EN & Hoehn, K (2007), *Human anatomy and physiology (7 ed)*, San Francisco, Pearson Education, Inc.

Martini, FH (1998), *Fundamentals of Anatomy and Physiology, 4th ed.*, New Jersey, Prentice Hall International, Inc.

Mast, ME (1998), 'Correlates of fatigue in survivors of breast cancer', *Cancer Nursing*, vol. 21, no. 2, pp. 136-42.

Meeske, K, Smith, AW, Alfano, CM, McGregor, BA, McTiernan, A, Baumgartner, KB, Malone, KE, Reeve, BB, Ballard-Barbash, R & Bernstein, L (2007), 'Fatigue in breast cancer survivors two to five years post diagnosis: a HEAL Study report', *Quality of Life Research*, vol. 16, no. 6, pp. 947-60.

Michelson, H, Bolund, C, Nilsson, B & Brandberg, Y (2000), 'Health-related quality of life measured by the EORTC QLQ-C30--reference values from a large sample of Swedish population', *Acta Oncologica*, vol. 39, no. 4, pp. 477-84.

Michielsen, HJ, Van der Steeg, AFW, Roukema, JA & De Vries, J (2007), 'Personality and fatigue in patients with benign or malignant breast disease', *Supportive Care in Cancer*, vol. 15, pp. 1067-1073.

Miller, GE, Chen, E & Zhou, ES (2007), 'If it goes up, must it come down? Chronic stress and the hypothalamic-pituitary-adrenocortical axis in humans', *Psychological Bulletin*, vol. 133, no. 1, pp. 25-45.

Miller, M, Maguire, R & Kearney, N (2007), 'Patterns of fatigue during a course of chemotherapy: Results from a multi-centre study', *European Journal of Oncology Nursing*, vol. 11, no. 2, pp. 126-132.

- MIMS Australia Pty Ltd (2010), 'MIMS Pharmaceutical database', [Online] CMPMedica Australia Pty Ltd. [Accessed 29 July 2010].
- Minton, O, Richardson, A, Sharpe, M, Hotopf, M & Stone, P (2008), 'A systematic review and meta-analysis of the pharmacological treatment of cancer-related fatigue', *Journal of the National Cancer Institute*, vol. 100, no. 16, pp. 1155-66.
- Molassiotis, A & Chan, CW (2004), 'Fatigue patterns in Chinese patients receiving radiotherapy', *European Journal of Oncology Nursing*, vol. 8, no. 4, pp. 334-40.
- Morgia, M, Lamoury, G & Morgan, G (2009), 'Survey of radiotherapy planning and treatment of the supraclavicular fossa in breast cancer', *Journal of Medical Imaging and Radiation Oncology*, vol. 53, no. 2, pp. 207-211.
- Mormont, MC & Levi, F (1997), 'Circadian-system alterations during cancer processes: a review', *International Journal of Cancer*, vol. 70, no. 2, pp. 241-7.
- National Comprehensive Cancer Network (2009), 'Clinical Practice Guidelines in Oncology: Cancer-Related Fatigue', [Online] V.1.2009:[Date accessed 30 January 2009, from <http://www.nccn.org>]. Available: www.nccn.org [30 January 2009].
- National Council on Radiation Protection and Measurements (NCRP) (2009), 'Risk to the thyroid from ionizing radiation: (Report No. 159)'.
- National Health and Medical Research Council (2001), 'Clinical practice guidelines for the management of early breast cancer - second edition': Commonwealth of Australia.
- Newton, JL, Okonkwo, O, Sutcliffe, K, Seth, A, Shin, J & Jones, DE (2007), 'Symptoms of autonomic dysfunction in chronic fatigue syndrome', *QJM*, vol. 100, no. 8, pp. 519-26.
- Nishiyama, K, Kozuka, T, Higashihara, T, Miyauchi, K & Okagawa, K (1996), 'Acute radiation thyroiditis', *International Journal of Radiation Oncology Biology Physics*, vol. 36, no. 5, pp. 1221-1224.
- Okuyama, T, Akechi, T, Kugaya, A, Okamura, H, Imoto, S, Nakano, T, Mikami, I, Hosaka, T & Uchitomi, Y (2000), 'Factors correlated with fatigue in disease-free breast cancer patients: application of the Cancer Fatigue Scale', *Supportive Care in Cancer*, vol. 8, no. 3, pp. 215-22.
- Olson, K (2007), 'A new way of thinking about fatigue: a reconceptualization', *Oncology Nursing Forum*, vol. 34, no. 1, pp. 93-9.
- Osoba, D, Rodrigues, G, Myles, J, Zee, B & Pater, J (1998), 'Interpreting the significance of changes in health-related quality-of-life scores', *Journal of Clinical Oncology*, vol. 16, no. 1, pp. 139-44.
- Panicker, V, Wilson, SG, Spector, TD, Brown, SJ, Falchi, M, Richards, JB, Surdulescu, GL, Lim, EM, Fletcher, SJ & Walsh, JP (2008), 'Heritability of serum TSH, free T4 and free T3 concentrations: a study of a large UK twin cohort', *Clinical Endocrinology*, vol. 68, no. 4, pp. 652-659.
- Patel, RS, Shaw, SR, Macintyre, H, McGarry, GW, Wallace, AM, Patel, RS, Shaw, SR, Macintyre, H, McGarry, GW & Wallace, AM (2004), 'Production of gender-specific

- morning salivary cortisol reference intervals using internationally accepted procedures', *Clinical Chemistry & Laboratory Medicine*, vol. 42, no. 12, pp. 1424-9.
- Perry, S, Kowalski, T & Chang, C-H (2007), 'Quality of life assessment in women with breast cancer: benefits, acceptability and utilization', *Health and Quality of Life Outcomes*, vol. 5, no. 1, p. 24.
- Piper, BF, Lindsey, AM & Dodd, MJ (1987), 'Fatigue mechanisms in cancer patients: Developing nursing theory', *Oncology Nursing Forum*, vol. 14, no. 6, pp. 17-23.
- Pruessner, JC, Kirschbaum, C, Meinlschmid, G & Hellhammer, DH (2003), 'Two formulas for computation of the area under the curve represent measures of total hormone concentration versus time-dependent change', *Psychoneuroendocrinology*, vol. 28, no. 7, pp. 916-931.
- Pruessner, JC, Wolf, OT, Hellhammer, DH, Buske-Kirschbaum, A, von Auer, K, Jobst, S, Kaspers, F & Kirschbaum, C (1997), 'Free Cortisol Levels after Awakening: A Reliable Biological Marker for the Assessment of Adrenocortical Activity', *Life Sciences*, vol. 61, no. 26, pp. 2539-2549.
- Reinertsen, KV, Cvancarova, M, Wist, E, Bjørø, T, Dahl, AA, Danielsen, T & Fosså, SD (2009), 'Thyroid Function in Women after Multimodal Treatment for Breast Cancer Stage II/III: Comparison with Controls from a Population Sample', *International Journal of Radiation Oncology Biology Physics*, vol. 75, no. 3, pp. 764 - 770.
- Robb, C, Haley, WE, Balducci, L, Extermann, M, Perkins, EA, Small, BJ & Mortimer, J (2007), 'Impact of breast cancer survivorship on quality of life in older women', *Critical Reviews in Oncology/Hematology*, vol. 62, no. 1, pp. 84-91.
- Rubin, P (1989), 'The law and order of radiation sensitivity, absolute vs. relative.' In Vaeth, J & Meyer, J (eds), *Radiation Tolerance of Normal Tissues*, Basel, Karger.
- Ryu, WG, Oh, KK, Kim, EK, Cho, N, Chung, SY, Keum, KC, Lee, HD & Hong, SW (2003), 'The effect of supraclavicular lymph node irradiation upon the thyroid gland in the post-operative breast carcinoma patients', *Yonsei Medical Journal*, vol. 44, no. 5, pp. 828-35.
- Samuels, MH (2000), 'Effects of variations in physiological cortisol levels on thyrotropin secretion in subjects with adrenal insufficiency: a clinical research center study', *Journal of Clinical Endocrinology & Metabolism*, vol. 85, no. 4, pp. 1388-93.
- Samuels, MH, Schuff, KG, Carlson, NE, Carello, P & Janowsky, JS (2007), 'Health status, mood, and cognition in experimentally induced subclinical hypothyroidism', *Journal of Clinical Endocrinology & Metabolism*, vol. 92, no. 7, pp. 2545-51.
- Sapolsky, RM, Romero, LM & Munck, AU (2000), 'How do glucocorticoids influence stress responses? Integrating permissive, suppressive, stimulatory, and preparative actions', *Endocrine Reviews*, vol. 21, no. 1, pp. 55-89.
- Saraiva, PP, Figueiredo, NB, Padovani, CR, Brentani, MM & Nogueira, CR (2005), 'Profile of thyroid hormones in breast cancer patients', *Brazilian Journal of Medical & Biological Research*, vol. 38, no. 5, pp. 761-5.

- Schubert, C, Hong, S, Natarajan, L, Mills, PJ & Dimsdale, JE (2007), 'The association between fatigue and inflammatory marker levels in cancer patients: A quantitative review', *Brain, Behavior, and Immunity*, vol. 21, no. 4, pp. 413-27.
- Schwartz, CE & Sprangers, MA (1999), 'Methodological approaches for assessing response shift in longitudinal health-related quality-of-life research', *Social Science & Medicine*, vol. 48, no. 11, pp. 1531-48.
- Selye, H (1952), *The story of the adaptation syndrome*, Montreal, Acta.
- Sephton, S & Spiegel, D (2003), 'Circadian disruption in cancer: a neuroendocrine-immune pathway from stress to disease?' *Brain, Behavior, and Immunity*, vol. 17, no. 5, pp. 321-328.
- Sephton, SE, Sapolsky, RM, Kraemer, HC & Spiegel, D (2000), 'Diurnal Cortisol Rhythm as a Predictor of Breast Cancer Survival', *Journal of the National Cancer Institute*, vol. 92, no. 12, pp. 994-1000.
- Servaes, P, Gielissen, MFM, Verhagen, S & Bleijenberg, G (2007), 'The course of severe fatigue in disease-free breast cancer patients: a longitudinal study', *Psycho-Oncology*, vol. 16, no. 9, pp. 787-795.
- Servaes, P, Verhagen, S & Bleijenberg, G (2002), 'Determinants of chronic fatigue in disease-free breast cancer patients: a cross-sectional study', *Annals of Oncology*, vol. 13, no. 4, pp. 589-598.
- Shafqat, A, Einhorn, LH, Hanna, N, Sledge, GW, Hanna, A, Juliar, BE, Monahan, P & Bhatia, S (2005), 'Screening studies for fatigue and laboratory correlates in cancer patients undergoing treatment', *Annals of Oncology*, vol. 16, no. 9, pp. 1545-50.
- Shimm, DS & Spece, RG (1992), 'Rate of Refusal to Participate in Clinical Trials', *IRB: Ethics and Human Research*, vol. 14, no. 2, pp. 7-9.
- Sloan, JA, Cella, D, Frost, M, Guyatt, GH, Sprangers, M, Symonds, TP & The Clinical Significance Consensus Meeting Group (2002), 'Assessing Clinical Significance in Measuring Oncology Patient Quality of Life: Introduction to the Symposium, Content Overview, and Definition of Terms', *Mayo Clinic Proceedings*, vol. 77, no. 4, pp. 367-370.
- Smets, EM, Visser, MR, Willems-Groot, AF, Garssen, B, Oldenburger, F, van Tienhoven, G & de Haes, JC (1998), 'Fatigue and radiotherapy: (A) experience in patients undergoing treatment', *British Journal of Cancer*, vol. 78, no. 7, pp. 899-906.
- Smith, GL, Smith, BD, Giordano, SH, Shih, YCT, Woodward, WA, Strom, EA, Perkins, GH, Tereffe, W, Yu, TK & Buchholz, TA (2008), 'Risk of hypothyroidism in older breast cancer patients treated with radiation', *Cancer*, vol. 112, no. 6, pp. 1371-1379.
- Stein, KD, Jacobsen, PB, Blanchard, CM & Thors, C (2004), 'Further validation of the multidimensional fatigue symptom inventory-short form', *Journal Of Pain And Symptom Management*, vol. 27, no. 1, pp. 14-23.
- Stein, KD, Martin, SC, Hann, DM & Jacobsen, PB (1998), 'A multidimensional measure of fatigue for use with cancer patients', *Cancer Practice*, vol. 6, no. 3, pp. 143-52.

- Stone, P, Richards, M, A'Hern, R & Hardy, J (2000), 'A study to investigate the prevalence, severity and correlates of fatigue among patients with cancer in comparison with a control group of volunteers without cancer', *Annals of Oncology*, vol. 11, no. 5, pp. 561-7.
- Stone, P, Richards, M, A'Hern, R & Hardy, J (2001), 'Fatigue in patients with cancers of the breast or prostate undergoing radical radiotherapy', *Journal of Pain & Symptom Management*, vol. 22, no. 6, pp. 1007-15.
- Sugawara, Y, Akechi, T, Okuyama, T, Matsuoka, Y, Nakano, T, Inagaki, M, Imoto, S, Fujimori, M, Hosaka, T & Uchitomi, Y (2005), 'Occurrence of fatigue and associated factors in disease-free breast cancer patients without depression', *Supportive Care in Cancer*, vol. 13, no. 8, pp. 628-36.
- The Journal of the American Medical Association (2009), 'Système International (SI) Conversion Factors for Selected Laboratory Components', *Instructions for authors*: [Last updated 28 September 2001, http://jama.ama-assn.org/content/vol295/issue1/images/data/103/DC6/JAMA_auint_si.dtl]. [Date accessed 18 December 2009].
- The Royal Australian and New Zealand College of Radiologists (2002), 'Clinicians guide to radiation oncology': Edited by Barton M., The Royal Australian and New Zealand College of Radiologists, Sydney.
- Tracey, EA, Chen, S, Baker, D, Bishop, J & Jelfs, P (2006), 'Cancer in New South Wales: Incidence and Mortality Report 2004', *Sydney: Cancer Institute NSW*.
- Turken, O, Narin, Y, Demirbas, S, Onde, ME, Sayan, O, Kandemir, EG, Yaylaci, M & Ozturk, A (2003), 'Breast cancer in association with thyroid disorders', *Breast Cancer Research*, vol. 5, no. 5, pp. R110 - R113.
- van der Pompe, G, Antoni, MH & Heijnen, CJ (1996), 'Elevated basal cortisol levels and attenuated ACTH and cortisol responses to a behavioral challenge in women with metastatic breast cancer', *Psychoneuroendocrinology*, vol. 21, no. 4, pp. 361-74.
- Vedhara, K, Stra, JT, Miles, JN, Sanderman, R & Ranchor, AV (2006), 'Psychosocial factors associated with indices of cortisol production in women with breast cancer and controls', *Psychoneuroendocrinology*, vol. 31, no. 3, pp. 299-311.
- Vinh-Hung, V & Verschraegen, C (2004), 'Breast-conserving surgery with or without radiotherapy: pooled-analysis for risks of ipsilateral breast tumor recurrence and mortality.' *Journal of the National Cancer Institute*, vol. 96, no. 2, pp. 115-21.
- Von Ah, DM, Kang, DH & Carpenter, JS (2008), 'Predictors of Cancer-Related Fatigue in Women With Breast Cancer Before, During, and After Adjuvant Therapy', *Cancer Nursing*, vol. 31, no. 2, pp. 134-144.
- Wallace, LM, Priestman, SG, Dunn, JA & Priestman, TJ (1993), 'The quality of life of early breast cancer patients treated by two different radiotherapy regimens', *Clinical Oncology (Royal College of Radiologists)*, vol. 5, no. 4, pp. 228-33.
- Wartofsky, L & Dickey, RA (2005), 'The evidence for a narrower thyrotropin reference range is compelling', *Journal of Clinical Endocrinology & Metabolism*, vol. 90, no. 9, pp. 5483-8.

- Washington, CM & Leaver, D (2004), *Principles and Practice of Radiation Therapy (2nd ed)*, St. Louis, Missouri, Mosby Inc.
- Watt, T, Hegedus, L, Rasmussen, AK, Groenvold, M, Bonnema, SJ, Bjorner, JB & Feldt-Rasmussen, U (2007), 'Which domains of thyroid-related quality of life are most relevant? Patients and clinicians provide complementary perspectives', *Thyroid*, vol. 17, no. 7, pp. 647-54.
- Weatherley-Jones, E, Nicholl, JP, Thomas, KJ, Parry, GJ, McKendrick, MW, Green, ST, Stanley, PJ & Lynch, SPJ (2004), 'A randomised, controlled, triple-blind trial of the efficacy of homeopathic treatment for chronic fatigue syndrome', *Journal of Psychosomatic Research*, vol. 56, no. 2, pp. 189-197.
- Whelan, TJ, Levine, M, Julian, J, Kirkbride, P & Skingley, P (2000), 'The effects of radiation therapy on quality of life of women with breast carcinoma: results of a randomized trial. Ontario Clinical Oncology Group', *Cancer*, vol. 88, no. 10, pp. 2260-6.
- Wijeratne, C, Hickie, I & Brodaty, H (2007), 'The characteristics of fatigue in an older primary care sample', *Journal of Psychosomatic Research*, vol. 62, pp. 153-158.
- Winningham, MK, Nail, L, Barton-Burke, M, Brophy, L, Cimprich, B, Jones, LS, Pickard-Holley, S, Rhodes, V, St. Pierre, B, Beck, S, Glass, EC, Mock, V, Mooney, KH & Piper, BF (1991), 'Fatigue and the cancer experience: The state of knowledge', *Oncology Nursing Forum*, vol. 21, no. 1, pp. 23-36.
- Winters-Stone, KM, Bennett, JA, Nail, L & Schwartz, A (2008), 'Strength, physical activity, and age predict fatigue in older breast cancer survivors', *Oncology Nursing Forum Online*, vol. 35, no. 5, pp. 815-21.
- World Health Organisation (1987) In *Measuring obesity - classification and measurement of anthropometric data*(Ed, WHO Regional Office for Europe) National food and nutrition institute, Warsaw, Copenhagen.
- Wratten, C, Kilmurray, J, Nash, S, Seldon, M, Hamilton, CS, O'Brien, PC & Denham, JW (2004), 'Fatigue during breast radiotherapy and its relationship to biological factors', *International Journal of Radiation Oncology, Biology, Physics*, vol. 59, no. 1, pp. 160-7.
- Wust, S, Wolf, J, Hellhammer, D, Federenko, I, Schommer, N & Kirschbaum, C (2000), 'The awakening cortisol response - normal values and confounds', *Noise and Health*, vol. 2, no. 7, pp. 79-88.
- Young, KE & White, CA (2006), 'The prevalence and moderators of fatigue in people who have been successfully treated for cancer', *Journal of Psychosomatic Research*, vol. 60, no. 1, pp. 29-38.
- Zar, JH (1996), *Biostatistical Analysis*, 3rd Ed., New Jersey, Prentice-Hall International Inc.
- Zidan, J & Rubenstein, W (1999), 'Effect of adjuvant tamoxifen therapy on thyroid function in postmenopausal women with breast cancer', *Oncology*, vol. 56, no. 1, pp. 43-5.